

FOR SEALED BIDS ON

**PURSUIT,  
ADMINISTRATIVE NON-PURSUIT,  
UTILITY VEHICLES, TRUCKS & VANS,  
& OTHER FLEET EQUIPMENT**  
*Participating Sheriff's Offices & Local Governmental  
Agencies of the State of Florida*

*Coordinated By*

**The  
Florida Sheriffs Association,  
Florida Association of Counties &  
Florida Fire Chiefs' Association**



**BID NO. 07-15-0827**

ADVERTISEMENT, INSTRUCTIONS TO BIDDERS, SPECIFICATIONS, BID PROPOSAL

**REPLIES DUE**

**12:00 NOON - AUGUST 27, 2007**

# TABLE OF CONTENTS

Bid Announcements .....	5
Advertisement.....	6
District Map .....	7
Part A - Instructions to Bidders .....	8
Part B - Special Conditions .....	14
Sample Copy - Confirmation of Order.....	25
Sample Copy - Quarterly Activity Report.....	26
Part C - General Requirements For All Vehicles .....	27
Part D - Emergency Vehicle Lighting Specifications .....	30
Part E - Detailed Specifications:	
Specification #01 - Full Size Pursuit Vehicles - RWD (Police Package) .....	38
Specification #02 - Full Size Pursuit Vehicles - FWD (Police Package).....	51
Specification #03 - Full Size Utility Vehicles - RWD (Police Package) .....	64
Specification #04 - Full Size 4-Door Administrative Vehicles.....	76
Specification #05 - Mid Size 4-Door Administrative Vehicles.....	84
Specification #06 - Compact 4-Door Administrative Vehicles.....	92
Specification #07 - Hybrid 4-Door Administrative Vehicles.....	100
Specification #08 - Small 4 Passenger Electric Vehicle.....	107
Specification #09 - Low Speed Electric Utility Vehicle .....	113
Specification #10 - Off-Road Utility Vehicle .....	118
Specification #11 - Police Motorcycle .....	122
Specification #12 - Motorcycle.....	128
Specification #13 - Hybrid Small Size 4-Door Utility Vehicles - FWD .....	133
Specification #14 - Hybrid Small Size 4-Door Utility Vehicles - 4x4 .....	141
Specification #15 - Small Size 4-Door Utility Vehicles - 4x2 .....	149
Specification #16 - Small Size 4-Door Utility Vehicles - 4x4 .....	161
Specification #17 - Mid Size 4-Door Utility Vehicles - 4x2 .....	173
Specification #18 - Mid Size 4-Door Utility Vehicles - 4x4 .....	185
Specification #19 - Full Size 4-Door Utility Vehicles - 4x2.....	197
Specification #20 - Full Size 4-Door Utility Vehicles - 4x4.....	209
Specification #21 - 1/2 Ton 4-Door Extended Wheelbase Utility Vehicles - 4x2.....	221
Specification #22 - 1/2 Ton 4-Door Extended Wheelbase Utility Vehicles - 4x4.....	233
Specification #23 - 3/4 Ton 4-Door Extended Wheelbase Utility Vehicles - 4x2.....	245

Specification #24	- 3/4 Ton 4-Door Extended Wheelbase Utility Vehicles - 4x4.....	257
Specification #25	- 7 Passenger Mini Van - FWD.....	269
Specification #26	- 8 Passenger Van - RWD.....	280
Specification #27	- 12 Passenger Van.....	292
Specification #28	- 15 Passenger Van.....	305
Specification #29	- Utility Cargo Van.....	318
Specification #30	- Compact Pickup Truck - 4x2.....	332
Specification #31	- Compact Pickup Truck - 4x4.....	340
Specification #32	- 1/2 Ton Pickup Truck - 4x2.....	348
Specification #33	- 1/2 Ton Pickup Truck - 4x4.....	357
Specification #34	- 3/4 Ton Pickup Truck - 4x2.....	366
Specification #35	- 3/4 Ton Pickup Truck - 4x4.....	375
Specification #36	- 1 Ton Pickup Truck (Dual Rear Wheel) - 4x2.....	384
Specification #37	- 1 Ton Pickup Truck (Dual Rear Wheel) - 4x4.....	393
Specification #38	- 1 Ton Cab & Chassis (Dual Rear Wheel) - 4x2.....	402
Specification #39	- 1 Ton Cab & Chassis (Dual Rear Wheel) - 4x4.....	411
Specification #40	- 12,000 lb. GVWR Minimum Tilt Cab & Chassis (Dual Rear Wheel) - 4x2.....	420
Specification #41	- 15,000 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x2.....	429
Specification #42	- 15,000 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x4.....	439
Specification #43	- 17,501 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x2.....	449
Specification #44	- 17,501 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x4.....	460
Specification #45	- 25,500 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x2.....	471
Specification #46	- 30,000 lb. GVWR Cab & Chassis (Dual Rear Wheel) - 4x2.....	481
Specification #47	- 52,000 lb. GVWR Cab & Chassis - 4x6 Tandem Axle Truck Tractor.....	492
Specification #48	- 52,000 lb. GVWR Cab & Chassis - 4x6 Tandem Axle Truck.....	498
Specification #49	- 60,000 lb. GVWR Cab & Chassis - 4x6 Tandem Axle Refuse Truck.....	505
Specification #50	- Hydraulic Mini Excavator.....	512
Specification #51	- 30,000 lb. Compaction Vibratory Roller.....	517
Specification #52	- 4x4 Loader Backhoe with Canopy (Standard Stick).....	522
Specification #53	- Skid Steer Loader - 1850 lb. Operating Capacity.....	528

Specification #54	- 3.0 cu. yd. Wheel Loader (Z-Bar Linkage Bucket - Parellel Arm Option)	534
Specification #55	- Motorgrader	540
Specification #56	- Small Agriculture Type Tractor (2 Wheel Drive)	546
Specification #57	- Agriculture Type Tractor (2 Wheel Drive)	552
Specification #58	- Agriculture Type Tractor With Boom Mower (2 Wheel Drive)	558
Specification #59	- 15 ft. Flex Wing Rotary Mower - PTO Driven	564
Specification #60	- 70 HP Track Type Canopy Tractor (Standard Track - Wide Track Optional)	569
Specification #61	- 90 HP Track Type Canopy Tractor (Standard Track - Wide Track Optional)	574
Specification #62	- Regenerative Air Street Sweeper	579
Specification #63	- 125KW Generator Package	587
Bid Calendar		592
Automotive Manufacturer's Extended Vehicle Warranty		593
Signature Page		595

# FLORIDA SHERIFFS ASSOCIATION

P. O. BOX 12519  
TALLAHASSEE, FLORIDA 32317-2519

## BID ANNOUNCEMENT

**BID NUMBER:** 07-15-0827

**BID TITLE:** PURSUIT, ADMINISTRATIVE NON-PURSUIT,  
UTILITY VEHICLES, TRUCKS & VANS,  
& OTHER FLEET EQUIPMENT

**ADVERTISEMENT DATES:** JULY 20, 2007 & JULY 27, 2007

**PRE-BID CONFERENCE:** AUGUST 2, 2007 at 8:30 A.M.

**PRE-BID CONFERENCE TO BE HELD AT:**  
MARION COUNTY SHERIFF'S OFFICE  
CONFERENCE ROOM  
692 N.W. 30TH AVENUE  
OCALA, FL 34475-5608

**REPLIES DUE:** AUGUST 27, 2007 at 12:00 NOON

**BID OPENING TO BE HELD AT:**  
FLORIDA SHERIFFS ASSOCIATION  
COOPERATIVE BID COORDINATOR'S OFFICE  
2617 MAHAN DR. (32308)  
P. O. BOX 12519  
TALLAHASSEE, FL 32317-2519

BIDS MUST BE SUBMITTED ELECTRONICALLY THROUGH THE FLORIDA SHERIFFS ASSOCIATION'S VEHICLE BID AWARD SYSTEM. SOLICITATION DOCUMENTS AND SPECIFICATIONS CAN BE ACCESSED THROUGH <http://veba.flsheriffs.org>. VENDORS WHO WISH TO PARTICIPATE IN THIS INVITATION TO BID MUST CONTACT LYNN MEEK WITH THE FLORIDA SHERIFFS ASSOCIATION AT [lmEEK@flsheriffs.org](mailto:lmEEK@flsheriffs.org) OR (850) 877-2165. YOU WILL BE REQUIRED TO HAVE A USER NAME AND GENERIC PASSWORD BEFORE YOU CAN LOG ON TO THE VEBA SITE.

# **ADVERTISEMENT**

## **PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES, TRUCKS & VANS, & OTHER FLEET EQUIPMENT BID 07-15-0827**

The Florida Sheriffs Association, Florida Association of Counties and the Florida Fire Chiefs' Association invite interested bidders to submit bid proposals for 2008 Pursuit and Non-Pursuit, Utility Vehicles, Trucks & Vans and Other Fleet Equipment.

This contract shall be awarded to the lowest responsible bidder by specification by manufacturer by zone for all police package vehicles and to each of the lowest responsible bidder(s) by specification by manufacturer by zone for all non-police package vehicles which said qualifications shall enable the awarding authority of the participating local governmental agencies of the State of Florida to take into consideration the financial responsibility of the bidder, proven skill and experience, facilities for performing the contract, previous satisfactory performance and such other abilities of the bidder as will enable him to perform efficiently the contract.

No bidder may withdraw his bid for a period of sixty (60) calendar days after the date set for the posting thereof.

Bidders are hereby advised that the participating local governmental agencies reserve the right to reject any bid proposal not considered to be competitive in nature based on the best pricing information available. Furthermore, the participating local governmental agencies reserve the right to reject any or all bids, in whole or in part, and/or make awards either as individual items or as a total combined bid, whichever they consider to be in the best interest of the local governmental agencies of the State of Florida, and to waive any informality in any proposal.

Specifications and solicitation documents may be obtained by bona fide bidders via the FSA website at <http://veba.flsheriffs.org>. Vendors who wish to participate in this invitation to bid must contact Lynn Meek with the Florida Sheriffs Association at [lmEEK@flsheriffs.org](mailto:lmEEK@flsheriffs.org) or (850) 877-2165. You will be required to have a user name and generic password before you can log on to the veba site.

### **FLORIDA SHERIFFS ASSOCIATION**

By:   
Gary Perkins  
FSA Executive Director

**PUBLISH:** *Florida Administrative Weekly*  
July 20, 2007  
July 27, 2007

# DISTRICT MAP

## WESTERN




### WESTERN

ESCAMBIA  
SANTA ROSA  
OKALOOSA  
WALTON  
HOLMES  
WASHINGTON  
BAY  
JACKSON  
CALHOUN  
GULF  
LIBERTY  
FRANKLIN  
GADSDEN  
WAKULLA  
LEON  
JEFFERSON  
TAYLOR  
MADISON  
LAFAYETTE  
DIXIE


### NORTHERN

GILCHRIST  
ALACHUA  
UNION  
BRADFORD  
BAKER  
NASSAU  
DUVAL  
CLAY  
PUTNAM  
ST. JOHNS  
FLAGLER  
VOLUSIA  
MARION  
LEVY  
HAMILTON  
COLUMBIA  
SUWANNEE

## NORTHERN



## CENTRAL




### CENTRAL

CITRUS  
SUMTER  
LAKE  
HERNANDO  
SEMINOLE  
ORANGE  
PASCO  
PINELLAS  
HILLSBOROUGH  
POLK  
OSCEOLA  
BREVARD  
INDIAN RIVER  
MANATEE  
HARDEE  
HIGHLANDS  
OKEECHOBEE  
ST. LUCIE  
SARASOTA  
DESOTO

### SOUTHERN

CHARLOTTE  
LEE  
GLADES  
MARTIN  
HENDRY  
PALM BEACH  
COLLIER  
BROWARD  
MONROE  
MIAMI-DADE

## SOUTHERN



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**PART A - INSTRUCTIONS TO BIDDERS**

**BID 07-15-0827**

1. PURPOSE

The purpose of this bid is to establish a twelve (12) month contract, beginning October 1, 2007 and ending September 30, 2008, with manufacturer's authorized dealers for the purchase of 2008 vehicles on a "no trade-in basis". However, the Florida Sheriffs Association, Florida Association of Counties and the Florida Fire Chiefs' Association reserve the option to renew the period of this contract or any portion thereof, for an additional term not to exceed the original contract period unless the original contract period is 24 months or less, in which case the contract may be by mutual agreement renewed up to two (2) one-year periods. Renewal of the contract period shall be by mutual agreement in writing.

2. ESTIMATED QUANTITIES

In FY 2006-07 eligible users purchased over 7,000 vehicles from this bid. These estimated figures are given only as a guideline for preparing your bid and should not be construed as representing projected figures.

3. VEHICLE CONTRACT/SPECIFICATION WORKSHOP

All interested parties are invited to attend the Vehicle Workshop. At this time the contract committee members will be available to answer questions relative to this Invitation to Bid. Any suggested modifications may be presented in writing or discussed with the contract committee members at this meeting and may be considered by said representative(s) in formulating the Invitation to Bid. Should it be decided by the Cooperative Bid Coordinator to issue an addendum after the Pre-Bid Conference, it will be posted on the Florida Sheriffs Association Vehicle Bid Award System. Prospective bidders should check the website periodically for any addendums to the solicitation documents.

Those dealers interested in participating in this year's bid should make every effort to attend this workshop to offer input and recommendations regarding the content of the contract.

4. ELIGIBLE CUSTOMERS OF CONTRACT

Bids will be extended and guaranteed to any and all units of local governments/political subdivisions including but not limited to county, local county board of public instruction, municipalities and/or police agencies, other local public or public safety agencies or authorities within the State of Florida and in accordance with the provisions of Chapter 287, F.S., and 60A, Florida Administrative Code, any state agency including the Division of Universities, Department of Children and Family Services, Department of Health, Department of Juvenile Justice and Department of Corrections which elects and is authorized to purchase from a source other than the State of Florida contract. The participating agencies cannot guarantee any order other than those ordered through each individual agency. All items are to be invoiced separately to individual municipalities.

In addition to the eligible users referenced above and with the **consent of the successful bidder(s)** purchases may be made under the terms and conditions of this contract by govern-



mental entities located outside the State of Florida. Appropriate governmental entities' purchasing laws, rules and regulations shall apply to purchases made under this contract.

5. AMENDMENTS TO SOLICITATION DOCUMENTS

The Cooperative Bid Coordinator reserves the right to issue amendments to the solicitation. Notice of any amendment will be posted on the Florida Sheriffs Association's website. Such notice, if required, will contain the appropriate details for identifying the changes to the solicitation. Each bidder is responsible for monitoring the site for new or changing information concerning the solicitation.

6. SPECIFICATION EXCEPTIONS, OMISSIONS OR ERRORS

Specifications are based on the most current literature available. Bidder shall notify the Cooperative Bid Coordinator, through e-mail notification or by attending the Pre-Bid Conference prior to bid opening, of any change, omission or error in the manufacturer's specifications which conflict with the bid specifications.

Additionally, bidder must indicate on the Vehicle Bid Award System any options requiring the purchase of other options, and also indicate options that are included as a part of another option. The codes listed in the "Prices" section of the Special Conditions must be used. Failure of a bidder to comply with these provisions will result in bidders being held responsible for all costs required to bring the vehicle into compliance with contract specifications.

In the event any component or components are found to be missing from a vehicle after it has been accepted by the customer, the contractor will be required to install the missing component(s), or the customer shall have the authority to decide which course of action will best meet his or her needs.

7. OPTION/WARRANTY PRICING

Bidder shall not exceed Manufacturers Standard Retail Pricing (MSRP) for any options included in the bid submission. Also, when options listed are included in the base vehicle, bidder must submit options as "Included" or "N/A".

Bidder must also comply with all statutory requirements pertaining to manufacturer's extended warranties, as outlined in Section 634, Florida Statutes.

Any violations of this requirement, or any awarded dealers determined to be charging agencies an additional price for options included in the base vehicle, will be subject to withdrawal from the current and/or future bids at the contract manager's discretion.

See Part B - Special Conditions Item #27 "FSA Administrative Fees for Trucks starting at 52,000 LB. GVWR" for exception.

8. REQUESTS FOR ADDITIONAL INFORMATION OR CLARIFICATION

Bidders must examine the specifications carefully. In case doubt should arise as to the meaning or intent of anything contained in the specifications, inquiry should be made to the Cooperative Bid Coordinator through e-mail notification or at the Pre-Bid Conference before the bid is submitted. The submission of a bid shall indicate that the bidder thoroughly understands the terms of the specifications.

9. SUBMITTAL OF BID

Bidders must submit their bid electronically via the Florida Sheriffs Association Vehicle Bid Award System, located at <http://veba.flsheriffs.org>. Prices are to be rounded to the nearest dollar. Bids can be entered more than once; however, only the **last** bid entered into the system will be considered in the award process. Bids not submitted within the system will be rejected. Each bidder is responsible for ensuring that his bid is submitted before the deadline outlined in the Bid Calendar. Late bids will not be considered and the system will not accept bids after the due date and time specified in the Bid Calendar.

In addition to submitting the bid via the system, three (3) copies of the bid package in separate **3-ring binders** (not report folders) must be delivered or mailed to the attention of:

Lynn Meek  
Florida Sheriffs Association  
2617 Mahan Drive  
Tallahassee, Florida 32308

Separate bid packages must be submitted for each individual dealership for which a bid was submitted thru the online system. The bid package must include a printed copy of the submitted bid (printed after final bid submission takes place), the Manufacturer's print-out as described herein, warranties, and signature page. The bid package must be received at the Florida Sheriffs Association according to the date and time specified in the Bid Calendar. Failure to meet all submission requirements by the dates indicated in the Bid Calendar will result in rejection of the bid.

All bidders are required to submit a copy of the **Manufacturer's print-out** (Chrysler - "Dial System"; Ford - "Dora"; General Motors - "GM Autobook"; or approved equivalent), to verify the vehicle bid meets all the requirements to equal the base vehicle for each of the contract's specifications when applicable. Also, any dealer installed aftermarket components, if specified, must be noted on the Manufacturer's print-out. Failure to provide a Manufacturer's print-out will result in bidder disqualification for the pertinent specification.

Bidder must complete the Signature Page in its entirety. Bidder must indicate by signature on the form that bidder has read and understands the provisions contained in this Invitation to Bid. All bids must show the company name and be manually signed (no rubber stamps, facsimile signatures, etc.) in ink by a company officer or employee who has the authority to bind the company or firm by their signature. Unsigned bids will be rejected.

10. BASIS FOR AWARD

The participating Cooperative Bid Coordinator shall award the bid to the lowest responsible bidder by specification by manufacturer by zone for all police package vehicles and to each of the lowest responsible bidder(s) by specification by manufacturer by zone for all non-police package vehicles, whose qualifications may be determined by necessary facilities, ability, financial resources, and proven experience to perform the work in a satisfactory manner. Bidders are hereby advised that the participating local governmental agencies reserve the right to reject any bid proposal not considered to be competitive in nature based on the best pricing information available. Furthermore, the participating local governmental agencies reserve the right to reject any or all bids, in whole or in part, and/or make awards either as individual items or as a total combined bid, whichever they consider in the best interest of the local governmental agencies of the State of Florida, and to waive any informality in any proposal.

The Cooperative Bid Coordinator reserves the right to waive any minor irregularity, technicality, or omission if it is determined that doing so will serve the agencies' best interest.

11. BID EVALUATION CRITERIA

Eligible responsive bids will be evaluated to determine if all contract requirements are met. Bids that do not meet all contract requirements of this solicitation or fail to provide all required information, documents, or materials will be rejected as non-responsive. Bidders whose bids, past performance, or current status do not reflect the capability, integrity or reliability to fully and in good faith perform the requirements of the contract may be rejected as non-responsible. The Cooperative Bid Coordinator reserves the right to determine which bids meet the contract requirements of this solicitation, and which respondents are responsive and responsible.

12. BID WITHDRAWAL

Bidder warrants by virtue of bidding the prices quoted in his bid response will be good for an evaluation period of sixty (60) calendar days from the date of bid opening unless otherwise stated. Bidders will only be allowed to withdraw their bids after the opening time and date at the discretion of the Cooperative Bid Coordinator.

13. BID OPENING AND ELECTRONIC POSTING OF NOTICE OF INTENDED AWARD

Bids will be opened on the date indicated in the Bid Calendar and will be evaluated thereafter. Although prices will not be read, bidders may, but are not required to, attend. After review, the Cooperative Bid Coordinator will electronically post the results at <http://veba.flsheriffs.org> according to the time outlined in the Bid Calendar.

If the award is delayed, in lieu of posting the notice on the date indicated on the Bid Calendar, the Cooperative Bid Coordinator will post a notice of the delay and a revised date for posting of results.

14. DISTRICT BIDDING

Bidder may condition his bid for award in one or more geographic districts depicted on the enclosed map. Space is provided for bidder to indicate district bidding. Lacking any indication to the contrary, bids will be considered statewide.

15. APPROVED EQUIVALENTS

The term "Approved Equivalent" is used to allow a bidder to bid components or equipment that are equal to the components or equipment described in the detailed specifications. The Cooperative Bid Coordinator shall have the sole authority to determine approved equivalents.

16. MANUFACTURER'S EXTENDED VEHICLE WARRANTIES

All specifications will include, as an option, a transferable Manufacturer's Extended Vehicle Warranty. **A copy of the Manufacturer's Extended Warranty must be submitted with bid package.**

17. IDENTICAL TIE BIDS

In case of tie bids, the award will be made in the following manner:

BIDDER WITHIN (A SPECIFIC ZONE)  
BIDDER WITHIN THE (STATE OF FLORIDA)

Preference shall be given to businesses with drug-free workplace programs. Whenever two or more bids which are equal with respect to price, quality and service are received for the procurement of commodities or contractual services, a bid received from a business that certifies that it has implemented a drug-free workplace program shall be given preference in the award process. In the event of an identical tie bid, a coin toss will determine the bid award.

In order to have a drug-free workplace program, a business shall:

- A. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
- B. Inform employees about the dangers of drug abuse in the workplace, the business' policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, employee assistance program, and the penalties that may be imposed upon employees for drug abuse violations.
- C. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection A.
- D. In the statement specified in subsection A, notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) calendar days after such conviction.
- E. Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, any employee who is so convicted.
- F. Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section.

18. TAX EXEMPTIONS

All State and Federal tax exemptions applicable to the units of local government of the State of Florida will apply, and appropriate certifications furnished.

19. BEST COMMERCIAL PRACTICES

The apparent silence of this specification and any supplemental specifications as to any details or the omission from it of a detailed description concerning any point shall be regarded as meaning that only the best commercial practices, size, and design are to be used. All workmanship is to be first quality. All interpretations of this specification shall be upon the basis of this statement.

20. ENERGY POLICY ACT

The Energy Policy Act of 2005 allows for a tax credit directed toward the purchase of specific fuel efficient vehicle types. Under the Energy Policy Act (HR6, Section 1341) tax credits are available to purchasers of AFV's, hybrids, advanced lean burn, and fuel cell vehicles except when the purchaser is a tax exempt entity. In this case the tax credit goes to the seller provided the seller clearly discloses to the purchaser "in a document the amount of any credit allowable."

Dealers are required to provide written documentation to the purchasing agency regarding the availability of the tax credit, and are required to apply for the tax credit and pass the credit along to the purchasing agency if such credit is available.

Although these tax credits will be phased out for some manufacturers, it is the dealer's responsibility to determine the status of the credits and to notify the agency, as outlined above, if the credit is available.

21. DELIVERY

All fees must be included in base price and prices shall be firm and are to be F.O.B. Destination, delivered to the individual participating user agency. In the event of a discrepancy between a unit bid price and an extension, the unit bid price will govern.

All items delivered or installed at any location of the participating agencies must include all manufacturer's standard equipment and warranties.

22. PROTESTS

Any person who is adversely affected by the decision or intended decision shall file a "Notice of Protest" in writing to the Bid Coordinator within 72 hours after the posting of the bid tabulation or after receipt of the notice of a decision or intended decision and shall file a formal written protest within 10 calendar days after filing the "Notice of Protest". Failure to file both a notice of protest and a formal written protest within the above referenced timelines shall constitute a waiver of proceedings.

The burden is on the party protesting the award of the bid to establish grounds for invalidating the award(s). The formal written protest **must** state with particularity the facts and law upon which the protest is based. Failure to do so will result in a denial of protest. Formal written protest which states with particularity the facts and law upon which the protest is based will be reviewed by FSA legal counsel for legal soundness and validity and corrective action will be taken contingent upon the validity of such claims. However, any additional time required and cost incurred by the FSA to substantiate a protesting party's claim(s) . . . beyond the normal scope of its legal review . . . due to the vague and/or inconclusive nature of the protesting party's filing will be reimbursable to the FSA and deducted from the protesting party's bond or security which must accompany their filing.

23. LICENSING/FACILITIES

Bidders will be required to possess a Florida Motor Vehicle Dealers License in order to bid and all bidders must maintain a repair/warranty facility within the State of Florida to provide sales and service for the vehicles and equipment bid.

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**PART B - SPECIAL CONDITIONS**

**BID 07-15-0827**

1. SHERIFF AS COUNTY CONSTITUTIONAL OFFICER

The Offices of the Sheriff of the State of Florida are constitutional offices of the State of Florida. Each has the authority either individually or collectively to execute contracts for all goods and services for the proper conduct of that office. Section 30.53, Florida Statutes, exempts the Sheriff's Office from the provisions of the Florida Statute requiring among other things, sealed and competitive bids procedures. It is our practice to give consideration to the prices offered, but the Office of the Sheriff is not required by law to accept the lowest priced proposal and may reject any or all of the proposals without recourse. Nothing in this proposal in any way obligates the participating Sheriff's Offices for any payment for any activity or costs incurred by any vendor in responding to this proposal.

2. LOCAL GOVERNMENT ORDINANCE

Any local governmental agency must follow their governing ordinance in order to purchase off this bid.

3. FUNDING

Funds expended for the purposes of the contract must be appropriated by the individual participating agency for each fiscal year included within the contract period. Therefore, the contract shall automatically terminate without penalty or termination of costs if such funds are not appropriated.

4. PARTICIPATION OF MBE/WBE

The Cooperative Bid Participants of the local governmental agencies of the State of Florida, coordinated by the Florida Sheriffs Association, have a policy that Minorities and Women Business Enterprises (MBE/WBE) shall have the opportunity to participate in competitive bids. Such process would be for supplying goods and services to the participating agencies.

5. PUBLIC ENTITY CRIMES

In accordance with the Public Entity Crimes Act (Section 287.133, Florida Statutes) a person or affiliate who has been placed on the convicted vendor list maintained by the State of Florida Department of General Services following a conviction for a public entity crime may not submit a bid or perform work as a contractor, supplier or subcontractor for a period of thirty-six (36) months from the date of being placed on the convicted vendor list. Violation of this section by the bidder will result in termination of the contract and may cause bidder debarment.

6. TERMINATION

The contract may be canceled or annulled by the Cooperative Bid Coordinator in whole or in part by written notice of default to the awardee upon non-performance or violation of contract terms. An award may be made to the next low responsive and responsible bidder, or articles specified may be purchased on the open market similar to those so terminated. Failure of the contractor to deliver materials or services within the time stipulated in these specifications, unless extended in writing by the Cooperative Bid Coordinator, shall constitute contract default. Vendors who default on contracts may be removed from the vendor mailing lists for future contracts at the discretion of the Cooperative Bid Coordinator.

Each participating agency shall be obligated to reimburse the contractor only for those services rendered prior to the date of notice of termination, less any liquidation damages that may be assessed for non-performance.

With the mutual agreement of the participating agency and the contractor upon receipt and acceptance of not less than thirty (30) calendar days written notice, the contract may be terminated in whole or in part on an agreed date prior to the end of the contract period without penalty to either party.

7. TECHNICAL DOCUMENTATION

All products bid must meet or exceed all conditions and specifications of the Invitation to Bid (ITB). When technical documentation is required by this ITB, its purpose is to demonstrate compliance of the product bid for evaluation of the product.

8. NEXT LOW BIDDER

In the event of a default by the awarded vendor, the Cooperative Bid Coordinator reserves the right to utilize the next low responsive and responsible bidder as the new awardee. In the event of this occurrence, the next low responsive and responsible bidder shall be required to provide the bid items at the prices as contained on their proposal for this specification for the remainder of the award period.

9. EMERGENCY

If and when an emergency requirement should occur, the participating agencies reserve the right to deviate from this contract and procure the item(s) from the most available source.

10. ADDITION/DELETION

The Cooperative Bid Coordinator reserves the right to add or delete any items from this bid or resulting contract(s) when deemed to be in the best interest of the participating agencies.

11. ASSIGNMENT OF PAYMENTS

No assignment of payment will be permitted.

12. PRODUCTION CUTOFF

All purchases made after the close of manufacturer's production year cutoff shall be subject to availability. Contractor shall notify the Cooperative Bid Coordinator, in writing, no less than thirty (30) calendar days prior to the close of production.

For orders received after the production cutoff, at the discretion of the manufacturer and dealer, next year's models may be provided at current year contract prices until the end of the contract term.

If vehicles are ordered prior to the manufacturer's published cutoff date, and the manufacturer fails to deliver the production years vehicle, the manufacturer must provide next year's model at current contract bid prices.

13. SAFETY STANDARDS

It is intended that all specifications be in full and complete compliance with all Federal and State of Florida laws and regulations that apply to the type and class of vehicles being provided. This includes, but is not limited to, Federal MVSS, OSHA, and EPA standards, and Florida requirements for external noise control that apply to the type and class vehicle being provided. If an apparent conflict exists, the bidder must contact the Cooperative Bid Coordinator immediately. In addition, any Federal and State legislation which should become effective regarding vehicle safety shall immediately become a part of this contract. Contractor shall have the option to meet or exceed any such safety standard or cancel his portion of the contract by providing thirty (30) calendar days written notice to the Cooperative Bid Coordinator.

14. FACTORY INSTALLED

The term "Factory Installed" is used to identify the components of the specifications that shall be installed by the manufacturer or at the final assembly, and may not be installed by the contracting dealer. After market parts and components and factory produced parts and components ordered as parts and installed by the dealer, or a contractor, do not meet the requirements of "Factory Installed" components, will be rejected for noncompliance with the requirements of the specification.

In the event a component(s) that does not meet the specifications is found to be installed on a vehicle before or after the vehicle has been accepted by the customer, the contractor shall be required to replace the vehicle with a vehicle that meets the required specifications, **INCLUDING ALL FACTORY INSTALLED COMPONENTS**. In the alternative, the customer shall decide whether they will accept dealer installed. components.

15. EQUITABLE ADJUSTMENT

The Florida Sheriffs Association may make an equitable adjustment in the contract terms or pricing if pricing or availability of supply (i.e. material surcharge) is affected by extreme and unforeseen volatility in the marketplace, that is, by circumstances that satisfy all the following criteria: (1) the volatility is due to causes wholly beyond the contractor's control, (2) the volatility affects the marketplace or industry, not just the particular contract source of supply, (3) the effect on pricing or availability of supply is substantial, and (4) the volatility so affects the contractor that continued performance of the contract would result in a substantial loss.

16. INDEMNIFICATION

Contractor shall be fully liable for the actions of its agents, employees, partners, or subcontractors and shall fully indemnify, defend, and hold harmless the Florida Sheriffs Association, Florida Association of Counties, Florida Fire Chiefs' Association, the participating agencies,



and their officers, agents, and employees from suits, actions, damages, and costs of every name and description, including attorneys' fees, arising from or relating to personal injury and damage to real or personal tangible property alleged to be caused in whole or in part by bidder, its agents, employees, partners, or subcontractors; provided, however, that the bidder shall not indemnify for that portion of any loss or damages proximately caused by the negligent act or omission of the Florida Sheriffs Association, Florida Association of Counties, Florida Fire Chiefs' Association, and participating agencies.

Contractor's obligations under the above paragraph with respect to legal action are contingent upon the Florida Sheriffs Association, Florida Association of Counties, Florida Fire Chiefs' Association or participating agencies giving the bidder (1) written notice of any action or threatened action, (2) the opportunity to take over and settle or defend any such action at bidder's sole expense. Bidder shall not be liable for any cost, expense or compromise incurred by the Florida Sheriffs Association, Florida Association of Counties, Florida Fire Chiefs' Association or participating agencies in any legal action without bidder's prior written consent, which shall not be unreasonably withheld.

17. C.I.D./LITER AND HORSEPOWER

Bidder shall bid the smallest available engines meeting or exceeding the C.I.D./Liter and minimum horsepower requirements. Horsepower ratings listed were based on the best information available at the time the specifications were developed.

18. PRE-DELIVERY SERVICES

Bidder's attention is directed to the pre-delivery service requirements as detailed. To assure proper pre-delivery service, the contractor shall provide, at time of delivery, a completed copy of the manufacturer's standard retail sale pre-delivery inspection form (examples are listed below).

- \*1. CHRYSLER NEW PREPARATION, INSPECTION AND ROAD TEST
- \*2. FORD PRE-DELIVERY SERVICE RECORD
- \*3. GM NEW VEHICLE INSPECTION PROCEDURE

(\*OR MANUFACTURER'S LATEST PRE-DELIVERY INSPECTION FORM)

19. ORDER, DELIVERY AND LIQUIDATED DAMAGES

A. Order

- 1) Bidder shall state in space provided on each price sheet the approximate time required for delivery after receipt of purchase order.
- 2) All vehicles ordered prior to manufacturer's close of production and in accordance with the contract shall be supplied in the manufacturer's next model run of that class vehicle even if it requires supplying later model at the original bid prices.
- 3) Contractor shall place order with manufacturer within seven (7) calendar days after receipt of purchase order. Contractor shall assure that all orders are placed in full compliance with the specifications and purchase order.
- 4) It is the contractor's responsibility to insure that the vehicle ordered by the customer is fully compatible with all ordered options and that the vehicle complies with all applicable manufacturer and industry standards. The contractor's acceptance of a customer's order will indicate that the contractor agrees to deliver a vehicle that

will be fully compatible with all of its options. Any changes that are required to bring a vehicle into compliance with its various options due to an incorrect order will be accomplished at the contractor's expense.

- 5) A "**Confirmation of Order**" form shall be completed and returned to the user agency placing order(s) against this contract, (a sample copy of the confirmation form is included). A completed form shall be returned within seven (7) calendar days after receipt of purchase order. Some user agencies purchasing vehicles against this contract may require additional information from the dealership and/or factory. The form may be modified to accommodate each agency individually as necessary.

#### B. Delivery

- 1) Contractor shall complete delivery of the vehicle to the ordering agency within fourteen (14) calendar days after receipt of the vehicle(s) from the manufacturer or equipment supplier. Trucks starting at 25,500 lb. GVWR and all heavy equipment would be exempt.
- 2) Receipt of a vehicle by the contractor is defined as acceptance of the vehicle(s) from a common carrier at the contractor's place of business or any third party's place of business.
- 3) Deliveries of less than 350 miles may be accomplished by driving the vehicle. Any delivery accomplished by driving the vehicle must be supervised and the driver must comply with manufacturer's break-in requirements and all applicable traffic laws and ordinances. **Any delivery accomplished by driving a pursuit vehicle must use an "OUT OF SERVICE" cover on lightbars.** All deliveries in excess of 350 miles shall be made by transport, or otherwise approved by the purchasing agency. Trucks starting at 25,500 lb. GVWR and all heavy equipment would be exempt.
- 4) At the purchaser's option, a vehicle with more than 350 odometer miles may be rejected or 30¢ per mile in excess of 350 miles may be deducted from the invoice, unless previously approved by the purchasing agency. This requirement also applies to redelivery of vehicles which were rejected upon delivery. In any event, all warranties shall begin at the time of delivery and final acceptance by the purchaser. Trucks starting at 25,500 lb. GVWR and all heavy equipment would be exempt.
- 5) Contractor shall notify agency personnel designated on purchase order no less than 24 hours prior to delivery. Deliveries will be accepted only between 8:00 A.M. and 3:00 P.M. on agency's normal work days. Transport deliveries must be unloaded and ready for inspection prior to 3:00 P.M. Deliveries not complying with these requirements may be rejected and will have to be redelivered at contractor's expense.
- 6) All vehicles must contain no less than 1/4 tank of fuel as indicated by fuel gauge at time of delivery.

#### C. Liquidated Damages

- 1) Should the contractor fail to comply with the requirements in Section B above, the agency may invoke liquidated damages of \$20.00 per day per unit for each day beyond the specified delivery requirements.
- 2) Liquidated damages shall not be assessed for a delay resulting from the vendor's failure to comply with delivery requirements if neither the fault nor the negligence of the vendor or its employees contributed to the delay and the delay is due directly to acts of God, wars, acts of public enemies, strikes, fires, floods, or other similar cause wholly beyond the vendor's control, or for any of the foregoing that affect

subcontractors or suppliers if no alternate source of supply is available to the vendor. In case of any delay the vendor believes is excusable, the vendor shall notify the customer in writing of the delay or potential delay and describe the cause of the delay either (1) within ten (10) days after the cause that creates or will create the delay first arose, if the vendor could reasonably foresee that a delay could occur as a result, or (2) if delay is not reasonably foreseeable, within five (5) days after the date the vendor first had reason to believe that a delay could result. The foregoing shall constitute the vendor's sole remedy or excuse with respect to delay.

## 20. ACCEPTANCE

IT IS THE PURCHASER'S RESPONSIBILITY TO THOROUGHLY INSPECT EACH VEHICLE PRIOR TO ACCEPTANCE. COPIES OF THE BID SPECIFICATIONS AND PURCHASE ORDER FOR THE VEHICLE WILL BE DELIVERED WITH THE VEHICLE. PURCHASERS ARE TO INSPECT THE VEHICLE AND COMPARE BID SPECIFICATIONS, PURCHASE ORDER, AND MANUFACTURER'S WINDOW STICKER OR MANUFACTURER'S INVOICE TO ENSURE VEHICLE MEETS OR EXCEEDS THE REQUIREMENTS OF THE TECHNICAL BID SPECIFICATIONS AND PURCHASE ORDER. PURCHASERS ARE TO ALSO INSPECT THE VEHICLE FOR PHYSICAL DAMAGE.

Delivery of a vehicle to a purchaser does not constitute acceptance for the purpose of payment. Final acceptance and authorization of payment shall be given only after a thorough inspection indicates that the vehicle meets contract specifications and the requirements listed below.

SHOULD THE DELIVERED VEHICLE(S) DIFFER IN ANY RESPECT FROM SPECIFICATIONS, PAYMENT WILL BE WITHHELD UNTIL SUCH TIME AS THE CONTRACTOR COMPLETES NECESSARY CORRECTIVE ACTION.

Units shall be delivered with each of the following documents completed/included:

- a. Copy of "Purchaser's Purchase Order"
- b. Copy of the applicable "Vehicle Specification"
- c. Copy of "Manufacturer's Invoice" or "Window Sticker". Copy of manufacturer's invoice if vehicle model is not delivered with a window sticker. Prices may be deleted from manufacturer's invoice.
- d. Copy of "Pre-Delivery Service Report"
- e. "Warranty Certification"
- f. Owner's manual
- g. DHSMV 82040, "Application for Certificate of Title and/or Vehicle Registration" (for signature of authorized representative)
- h. Temporary Tag
- i. "Rustproofing Certificate/Warranty", if applicable.

DELIVERIES THAT DO NOT INCLUDE THE ABOVE FORMS AND PUBLICATIONS WILL BE REFUSED.

## 21. INVOICING AND PAYMENTS

Invoicing and payments shall be the responsibility of the user agency placing orders against this contract. Vendors should invoice each agency independently from the Florida Sheriffs Association, Florida Association of Counties and the Florida Fire Chiefs' Association for vehicle(s) purchased from this contract.

The contractor shall be paid upon submission of properly certified invoices to the purchaser at the prices stipulated on the contract at the time the order is placed, after delivery and acceptance of goods. Upon receipt of goods, an agency has five (5) working days to inspect and approve the goods and services. The Florida Prompt Payment Act (as stated in Sections 218.70–218.80, Florida Statutes), will apply to ensure timely payment of vendor invoices.

The invoice(s) shall indicate the following but is not limited to these requirements:

**Shipping location, purchase order number, quantity shipped, price, date, make, model and serial number of vehicle(s).**

22. INADEQUATE SERVICE

When equipment requires service or adjustments upon delivery, the contractor shall either remedy the defect, or be responsible for reimbursing the manufacturer’s local authorized dealer, or others, to remedy the defect. Such service or adjustments shall be initiated by the contractor within forty-eight (48) hours (not including weekends and holidays) after notification by an agency. Delivery will not be considered complete until all service and/or adjustments are satisfactory and the equipment redelivered. The provisions of the delivery paragraph shall remain in effect until the redelivery is accomplished. The cost of any transportation required shall be the responsibility of the contractor until the equipment is satisfactory and accepted by the purchasing agency.

23. WARRANTY, REPAIRS AND SERVICE

Failure by any manufacturer’s authorized representative to render proper warranty service/ adjustments, including providing a copy of the warranty work order to the agency, shall subject that representative and the contractor to suspension from the approved vendor listing until satisfactory evidence of correction is presented to the Cooperative Bid Coordinator.

24. VEHICLE TITLE AND REGISTRATION

All vehicles delivered under this contract shall be titled and registered by the contractor (dealer) in accordance with Florida Statutes Chapters 319 and 320. Contractor shall send any necessary form(s) that must be signed with the vehicle upon delivery. Contractor shall obtain necessary signature(s) and complete the titling and registration process for the purchaser. Contractor shall include all fees (title, application plate transfer, administrative, etc.) in the base price for each vehicle.

**NOTE:** There is no registration fee for state or political subdivision owned vehicles. BIDDERS ARE ENCOURAGED TO VERIFY THESE FEES PRIOR TO SUBMITTING THEIR BID. Should a purchaser elect to obtain a new plate in lieu of transferring their old plate or if the vehicle is an addition to their fleet, the purchase order shall include an additional amount to cover the cost of a new plate. Contractor will not be required to obtain new plates for purchaser(s), unless there is a notation on the purchase order and the additional fee is included. Contractor may obtain special plates such as “State”, “County” or “City” from most county tax offices.

Purchaser(s) requesting new plates must state on their purchase order what type of plate is required and a person’s name, title, and phone number to contact if there are any questions.

25. FSA ADMINISTRATIVE FEES FOR PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES, TRUCKS & VANS (Any Vehicle up to 52,000 lb. GVWR)

Auto dealers **ARE** to include a \$75.00 per unit administrative fee in their bid prices and cannot be added as a separate line item.

27. FSA ADMINISTRATIVE FEES FOR TRUCKS STARTING AT 52,000 LB. GVWR AND ALL HEAVY EQUIPMENT (Any specification after trucks starting at 52,000 LB. GVWR)

Dealers **ARE** to include a one-half percent (.005) administrative fee in their base bid prices and their quotes and pricing for all additional equipment items (add options). The one-half percent (.005) will be incorporated into and made a part of the total invoice amount and shall not be treated or added as a separate line item.

Option pricing **may exceed** Manufacturers Standard Retail Pricing (MSRP) by no more than the one-half percent (.005) administrative fee included in base vehicle and option pricing. Options exceeding this amount will subject the bidder to rejection of his or her bid submission.

28. CONTRACTING DEALERS' QUARTERLY SALES ACTIVITY REPORT AND FEE DEPOSIT REQUIREMENTS

**After receipt of payment from the contract purchases, all administrative fees shall be payable by the contracting dealerships to the Florida Sheriffs Association no later than 15 days after the end of each quarter.** All fees payable to the FSA during any given quarter will be accompanied and supported by a detailed quarterly activity report as defined in section 29, "Summary of Total Sales" of the contract. By submission of these sales summary reports and corresponding fee deposits, the dealership is certifying their correctness. All such reports and fee deposits shall be subject to audit by the Florida Sheriffs Association. Copies of purchasing agencies original purchase orders will be used by the FSA as a check and balance measure. **Failure to deposit fees with accompanying sales summary reports in a timely manner, even if there are no sales, within 30 calendar days following the end of each quarter may result in the dealer being found in default in which case any and all reprourement cost may be charged against the defaulting dealer and may result in immediate, unilateral cancellation of your contract by the Florida Sheriffs Association and removal from its bidder's list.**

Due to the continued problems we are experiencing in receiving reports and administrative fees in a timely manner, we will include a provision for a late fee of \$25 PER DAY for each day reports and payments are past due.

We will provide for a 5-day grace period, and after that date (20th of the month), the \$25 late fee will be assessed. These fees should be included in your payment; however, if for some reason they are not, FSA will invoice your company for the amount of the late fee. **Any late fees not paid within 30 days of invoice can result in your disqualification from participating in this contract in future years.**

29. SUMMARY OF TOTAL SALES

**Contractor shall furnish the Cooperative Bid Coordinator a detailed "Summary of Total Sales" supported by copies of the purchase orders from participating agencies at the end of each quarterly contract period.** The Sales Summary shall include the total number of units of each specification and the total dollars for each specification.

Pursuant to the provisions of Section 28, "**Quarterly Activity Reports**" must be submitted **promptly** at the end of each of the following quarterly contract periods:

October 1 – December 30  
January 1 – March 31  
April 1 – June 30  
July 1 – September 30

**Quarterly Activity Reports must be prepared in the following format and all information contained in the report must be supported by complete, legible copies of all purchase orders in their entirety:**

Column 1 = Name of Purchasing Agency  
Column 2 = Purchase Order No.  
Column 3 = Quantity Sold  
Column 4 = Specification No.  
Column 5 = Vehicle Type (indicate 4x4 – where applicable)  
Column 6 = Purchase Order Date  
Column 7 = Expected Delivery Date  
Column 8 = Total Purchase Order Amount  
Column 9 = Total Administrative Fee

Column 6, 7, and 8 applies to trucks starting at 52,000 lb. GVWR and all heavy equipment. Please make sure that your "Quarterly Report" has your dealership name and the quarter indicated that you are reporting. Also, keep specifications in numerical order and grouped together. Indicate all 4x4 vehicles.

**Note:** Should there be no activity during a given quarter, indicate "NO SALES THIS QUARTER" on your report format.

**A SAMPLE OF THE PROPER FORMAT TO SUBMIT YOUR "QUARTERLY ACTIVITY REPORTS" IS INCLUDED. REPORTS WHICH DO NOT ADHERE TO THE REQUIRED FORMAT AND/OR NOT SUPPORTED BY COMPLETE, LEGIBLE COPIES OF ALL PURCHASE ORDERS IN THEIR ENTIRETY WILL BE RETURNED TO THE REPORTING DEALERSHIP FOR CORRECTION OF CITED DEFICIENCIES. DELAYS RESULTING FROM SUCH DEFICIENCIES MAY PLACE THE DEALER IN NON-COMPLIANCE WITH THE TIMELINE REQUIREMENTS SET FORTH IN SECTION 29 PART B OF THE CONTRACT.**

All notices for quarterly reports will be sent via e-mail – there will be no faxed reminders for dealers to submit quarterly reports. All participating dealers will be responsible for making sure that the Florida Sheriffs Association has the correct e-mail address for the person responsible for all quarterly reports. This information must be submitted to Lynn Meek at [lmeek@flsheriffs.org](mailto:lmeek@flsheriffs.org)

### 30. ALTERNATIVE FUELED VEHICLES

The Florida Sheriffs Association and the Florida Association of Counties is very interested in the purchase of alternative fueled vehicles. Bidder shall provide prices for any standard production, special productions, limited production or experimental vehicles available from the vehicle manufacturer for any of the classes of vehicles specified in this bid. State the production status of the vehicle and enclose any and all available literature and information for each specification bid.

31. EXCEPTIONS TO BID

All bid submittals must clearly state with specific detail all deviations to the requirements imposed upon the Bidder by the Instructions to Bidders (Part A), the Special Conditions (Part B), General Requirements For All Vehicles (Part C) and the Emergency Vehicle Lighting Specifications (Part D). Such deviations should be stated upon the Detailed Specifications Bid Proposal (Part E) or appended thereto. Bidders are hereby advised that the Cooperative Bid Coordinator will only consider bid proposals that meet the specifications and other requirements imposed upon them by this bid package. In instances where an exception is stated upon the Detailed Specifications Bid Proposal (Part E), said bid proposal will be subject to rejection by the Cooperative Bid Coordinator in recognition of the fact that said bid proposal does not meet the exact requirements imposed upon the Bidder by the Instructions to Bidders (Part A), the Special Conditions (Part B), and the General Requirements For All Vehicles (Part C).

32. SEVERABILITY

In the event any provision of this contract is held to be unenforceable for any reason, the unenforceability thereof shall not affect the remainder of the contract which shall remain in full force and effect and enforceable in accordance with its terms.

33. NONDISCRIMINATION

Contractor shall not discriminate against any client, employee or applicant for employment because of race, age, color, religion, sex, national origin, physical or mental disability, marital status or medical status. Contractor shall take affirmative action to ensure that applicants, subcontractors, Independent Contractors, and employees are treated without discrimination in regard to their race, color, religion, sex, national origin, disability or medical status. Contractor shall comply with all applicable sections of the Americans with Disabilities Act. The Contractor agrees that compliance with this article constitutes a material condition of this contract.

34. FORCE MAJEURE, NOTICE OF DELAY, AND NO DAMAGES FOR DELAY

The Contractor shall not be responsible for delay resulting from its failure to perform if neither the default nor the negligence of the Contractor or its employees or agents contributed to the delay and the delay is due directly to acts of God, wars, acts of public enemies, strikes, fires, floods, or other similar cause wholly beyond the Contractor's control, or for any of the foregoing that affect subcontractors or suppliers if no alternate source of supply is available to the Contractor. In case of any delay the Contractor believes is excusable, the Contractor shall notify the Customer in writing of the delay or potential delay and describe the cause of the delay either (1) within ten (10) days after the cause that creates or will create the delay first arose, if the Contractor could reasonably foresee that a delay could occur as a result, or (2) if delay is not reasonably foreseeable, within five (5) days after the date the Contractor first had reason to believe that a delay could result. THE FOREGOING SHALL CONSTITUTE THE CONTRACTOR'S SOLE REMEDY OR EXCUSE WITH RESPECT TO DELAY. Providing notice in strict accordance with this paragraph is a condition precedent to such remedy. No claim for damages, other than for an extension of time, shall be asserted against the customer or the Florida Sheriffs Association. The Contractor shall not be entitled to an increase in the contract price or payment of any kind from the customer or the Florida Sheriffs Association for direct, indirect, consequential, impact or other costs, expenses or damages, including

but not limited to costs of acceleration or inefficiency, arising because of delay, disruption, interference or hindrance from any cause whatsoever. If performance is suspended or delayed, in whole or in part, due to any of the causes described in this paragraph, after the causes have ceased to exist the Contractor shall perform at no increased cost, unless the Florida Sheriffs Association, in its sole discretion, that the delay will significantly impair the value of the contract to the Florida Sheriffs Association or to customers, in which case the Florida Sheriffs Association may (1) accept allocated performance or deliveries from Contractor, provided that the Contractor grants preferential treatment to customers with respect to products subjected to allocation, and/or (2) purchase from other sources (without recourse to and by the Contractor for the related costs and expenses) to replace all or part of the products that are the subject of the delay, which purchases may be deducted from the contract quantity, or (3) terminate the contract in whole or in part.

35. WARRANTY OF AUTHORITY

Persons signing the contract warrants that he or she is duly authorized to do so and to bind the respective party to the contract.

36. ANTI-COLLUSION STATEMENT

By submitting this bid, the bidder affirms that this bid is without previous understanding, agreement, or connection with any person, business or corporation submitting a bid for the same services, materials, supplies, or equipment, and that this bid is in all respect fair, and without collusion or fraud.



# CONFIRMATION OF ORDER

**Florida Sheriffs Association, Florida Association of Counties &  
Florida Fire Chiefs' Association  
PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES,  
TRUCKS & VANS, & OTHER FLEET EQUIPMENT  
BID NO. 07-15-0827**

Dealers are to confirm receipt of order and return this confirmation of order form by fax or mail to the following location within seven (7) calendar days after receipt of purchase order.

**TO BE FILLED OUT BY PURCHASER:**

**Agency:** \_\_\_\_\_

Contact Person: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax: \_\_\_\_\_ E-Mail: \_\_\_\_\_

Purchase Order Number: \_\_\_\_\_ Qty. Ordered: \_\_\_\_\_

Specification No. \_\_\_\_\_ Type Vehicle \_\_\_\_\_

**Dealership:** \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax: \_\_\_\_\_

**TO BE FILLED OUT BY DEALERSHIP:**

Purchase Order Received: \_\_\_\_\_

Order Was Placed With the Manufacturer on: \_\_\_\_\_

Under Production Number: \_\_\_\_\_

Delivery should occur within \_\_\_\_\_ calendar days after receipt of Purchase Order.  
A Copy of the Production Sheet(s) are Attached for Your Files.

Comments: \_\_\_\_\_



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**PART C - GENERAL REQUIREMENTS  
FOR ALL VEHICLES**

**BID 07-15-0827**

1. IN GENERAL

The requirements specified herein apply to all light vehicles purchased under the terms and conditions of this contract. This specification is not complete without the specific requirements described in the detailed specifications for the particular vehicle to be purchased. In the event there is a conflict between the requirements of this specification and those of the enclosed detailed specifications, the requirements as stated in the detailed specifications for the vehicle to be purchased shall apply.

2. GENERAL SPECIFICATIONS

All units covered by this specification and the detailed specifications shall be the manufacturer's current basic production model, and shall, as a minimum, be equipped with all standard equipment in accordance with the manufacturer's latest literature. Bidders must supply a unit that either meets or exceeds all the requirements included in the applicable detailed specifications.

All bidders will be required to bid on the models listed in each designated specification.

All bidders will be required to provide any information requested on the price sheets, such as manufacturer and model number of various components, or may have their bid rejected.

All equipment, options, and features provided must be designed, constructed, and installed to be fully suitable for their intended use and service.

ENGINE:

Must have the maximum capacity cooling system available on model bid; permanent anti-freeze; coolant recovery system, factory installed.

PERFORMANCE ITEMS:

Parking brake warning light, if applicable.

SAFETY ITEMS:

Seatbelts (lap and shoulder), all locations available.

Minimum 2-speed electric windshield wipers; windshield washer(s).

Interior dome light(s) that operate from push-button door switches.

TIRES AND WHEELS:

Black sidewall tires preferred. White sidewall tires are acceptable if supplied as standard equipment from the manufacturer.

All full size spare tires are to be the same brand, size and quality as the factory installed tires or dealer installed. tires which are on the ground when the vehicle is delivered.

CHASSIS, FRAME, CAB:

Manufacturer's standard paints and colors, factory painted. To include all standard and optional clearcoat and metallic paints and colors offered by manufacturer.

Inside hood release, if available.

CONDITIONS:

In addition to equipment specified by these specifications and by the applicable detailed specifications, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model, and shall comply with all EPA Emission Standards and all Federal Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean, and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication of chassis, engine, and operating mechanisms with manufacturer's recommended grades of lubricants;
- b. Check all fluid levels to assure proper fill;
- c. Adjustment of engine to proper operating condition;
- d. Inflate tires to proper pressure;
- e. Check to assure proper operation of all accessories, gauges, lights and mechanical and hydraulic features;
- f. Front end alignment and wheels balanced, including spare;
- g. Focusing of headlights;
- h. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet;
- i. Speedometer must be correct regardless of the tires provided by the vehicle manufacturer or axle ratio furnished;
- j. Owner's manual and warranty manual to accompany each vehicle;
- k. All specified as "factory installed" is to be installed on the vehicle at the primary site of assembly and is to be the manufacturer's standard assembly-line product. No aftermarket and no dealer installed equipment will be accepted as "factory installed". Vendors found supplying aftermarket or dealer installed equipment where "factory installed" is specified may be required to retrieve all vehicles delivered and reorder new vehicles meeting the specifications;
- l. Manufacturer's suggested retail price list sheet (window sticker) form **MUST** be in the vehicle when it is delivered to the purchasing agency. Vehicles that are missing this form, or have forms that have been altered, will not be accepted;

- m. All dealer installed accessories (rollbar, trailer hitch, etc.) shall be installed according to the manufacturer's specifications. All such accessories must be manufactured by a recognized manufacturer of the product provided, unless the accessory is not available from a recognized manufacturer. Location, design, and model of rollbars must be approved prior to installation.

#### CONTRACTOR INSTALLED EQUIPMENT

An awarded contractor that employs or subcontracts technicians to install emergency equipment on vehicles purchased on this contract are required to utilize technicians that are certified in Law Enforcement Vehicle Installation through EVT Certification Commission, Inc. or an approved equivalent.

The Florida Sheriffs' Association Bid Coordinator may at any time during the contract period request proof of the required certification. Any awarded contractor that violates this provision will be considered in default of the contract. The contract may then be terminated upon ten day written notice of said violation.

#### OPERATING PERFORMANCE

Vehicle must be suitable for traffic and other law enforcement operational needs and meet or exceed minimum standards of performance, as specified in the Michigan State Police Report for current year Police Patrol Vehicle Evaluation and Purchasing Program Report.

- a. Acceleration
- b. Braking
- c. Top Speed

### 3. BRAKE TEST AND CERTIFIED SPEEDOMETER, PURSUIT VEHICLES ONLY

#### A. Brake Test

All vehicles delivered under this specification must be capable of passing the following braking test:

- 1) Test vehicles will be required to make four (4) consecutive stops from 90 MPH with a constant deceleration rate of 2 ft. per second maintained from 90 to 0 MPH. Immediately following this brake heat-up procedure, a controlled impending skid stop will be made from 60 MPH.
- 2) After a four-minute cooling period, test "A-1" will be repeated. Immediately following, each vehicle is required to complete a panic stop from 60 MPH. Evidence of brake fade and ability of the vehicle to stop in a straight line within a 12 ft. lane will be evaluated.

#### B. Certified Speedometer (Police Package Vehicles Only)

The speedometer shall be calibrated and accurate to within 2 MPH at all speeds to 120 MPH. Face marking shall not be in increments greater than 2 MPH up to 120 MPH. Dial face shall contain the wording "CERTIFIED SPEEDOMETER".

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**PART D - EMERGENCY VEHICLE  
LIGHTING SPECIFICATIONS**

**BID 07-15-0827**

**PREMIUM LIGHTBAR PACKAGE:**

- CPLB – LED 2 TIER      Code 3 (Model # FSA-CPLB-23-47A3) XF2300 47" Front Facing 3-Up Optix Modules, 10 Rear Facing Optix Modules, 8 6-Up Optix Corner Modules (4 Double Stacked), 4 X-Fire Intersection Lights (2 Double Stacked), 4 End 3-Up Optix Modules (2 Double Stacked), 2 55W H3 Alley Lights and 2 55W H3 Takedown Lights, includes 3892L6 Master Com Siren & Light Controller; C3100 Speaker, New Lit3Kit Mounting Kit.
- CPLB – STROBE      Code 3 (Model # FSA-CPLB-X47A16) Excalibur, w/12 strobes Fast rotator w/ flat mirrors, 4-27w stat w/700 flasher, TDs, Alleys, 3892L6S Mastercom Siren; and C3100 Speaker. New basic Lit3Kit Mounting Kit.
- CPLB – HALOGEN      Code 3-360 (Model # FSA-CPLB-47A18) 47" w/4 Std Rotators, 1 Fast 2-Dia Mir, 2-Flt Mir, 4-27w stat w/700 flasher, Takedowns & Alley Lights and 6 light arrow stick w/ control, includes 3892L6 Master Com Siren & Light Controller; C3100 Speaker, Brackets included.
- DRPLB – LED 2 TIER      D&R Electronics – Lightbar Deluxe LED, 95% double tier Intimidator Light and Siren Controller, 100-watts, include Alley lights and Take down, Siren Speaker and bracket. Specify vehicle and lightbar color – X (RB, BB) PART # PLFS46-2INSS-XX.
- DRPLB – LED      D&R Electronics – Lightbar Deluxe LED, 95% single tier Intimidator Light and Siren Controller, 100-watts, include Alley lights and Take down, Siren Speaker and bracket. Specify vehicle and lightbar color – X (RB, BB) PART # PLFS46-1INSS-XX.
- FPLB – LED 2 TIER      Federal Signal Deluxe Marked Patrol 2 Tier LED Lightbar Package - Federal Signal All LED 44" VistaSL™ Lightbar (Model 581034) with 100% LED warning light coverage (CONTAINS NO EMPTY HOLES OR MISSING DIODES). Lightbar feature FSC patented Solaris™ optic modules. Lightbar is equipped standard with flashing and/or steady burning 50-watt halogen takedown lamps and 35-watt alley assemblies and full 5-year warranty. Package also includes a Federal Signal 100/200-watt Smart-Sirens (Siren Model number SS2000SM-D) remote-head siren controller, with independent SignalMaster™ controls, and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Package also includes Smart-Siren extension cable (Model RMK) and microphone (Model MNCT-SB). Lightbars are available in red, blue, amber, or any combination of these colors.
- FPLB – LED      Federal Signal 45" All LED Legend™ Lightbar (Model LGD45), or 44" All

LED ArjentS2™ Lightbar (Model 583004), either lightbar fully populated with 100% LED warning light coverage (CONTAINS NO EMPTY HOLES OR MISSING DIODES). Both lightbars feature FSC patented Solaris™ optics and utilize patented ROC™ (Reliable Onboard Circuitry) Technology. All lightbars are equipped standard with flashing and/or steady burning 50-watt halogen takedown lamps and 35-watt MR-11 style alley assemblies, as well as built-in SignalMaster™ functions and full 5-year warranty. Both lightbars are available with either clear or colored top domes, for lower profile or high-visibility. Package also includes a Federal Signal 100/200-watt SmartSirens (Siren Model number SS2000SM-D) remote-head siren controller, with independent SignalMaster™ controls, and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Package also includes SmartSiren extension cable (Model RMK) and microphone (Model MNCT-SB). Lightbars are available in red, blue, amber, or any combination of these colors.

**FPLB – STROBE**

Federal Signal Deluxe Marked Patrol 12 Strobe Lightbar Package – Federal Signal 44” Vista™ Strobe Lightbar, consists of 8 primary strobe heads, 1 traffic clearing light, 2 front halogen flashers, 2 rear halogen flashers, 50-watt halogen takedown lamps and 35-watt alley assemblies, 2 Vista-beam strobes, 2 directional strobes, and a six-head halogen SignalMaster™ and full 2-year product warranty. Package also includes a Federal Signal 100/200-watt SmartSirens (Siren Model number SS2000SM-D) remote-head siren controller, with independent SignalMaster™ controls, and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Package also includes SmartSiren extension cable (Model RMK) and microphone (Model MNCT-SB). Lightbars are available in red, blue, amber, or any combination of these colors.

**FPLB – HALOGEN**

Federal Signal Deluxe Marked Patrol Halogen Lightbar Package - Federal Signal All-Light 48” Halogen StreetHawk™ Lightbar (Model SHL) with 100% warning light coverage, consists of 4 Halogen Solid State Electronic Flashers, 5 Rotators, with flashing and/or steady burning 55-watt halogen takedown lamps and alley assemblies, and 2-year product warranty. Package also includes a Federal Signal 100/200-watt SmartSirens (Siren Model number SS2000SM-D) remote-head siren controller, with independent SignalMaster™ controls, and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Package also includes SmartSiren extension cable (Model RMK) and microphone (Model MNCT-SB). Lightbars are available in red, blue, amber, or any combination of these colors.

**SPLB – LED 2 TIER**

Signal (Model 5420LED-S 1553) Deluxe Marked Patrol 2 Tier LED Lightbar Package - 100% LED module coverage with no open spaces except for Takedown and Alley Lights; Combination Light Controller/Siren, Speaker and Brackets LED lights may be blue, red, amber or any combination - specify color.

**SPLB – LED**

Signal (Model 5420LED-SP) Deluxe Marked Patrol LED Lightbar Package - 100% LED module coverage with no open spaces except for Takedown and Alley Lights; Combination Light Controller/Siren, Speaker and Brackets LED lights may be blue, red, amber or any combination - specify color.

SPLB – STROBE	Signal (Model 5420SLD-SP) Deluxe Marked Patrol 10 Strobe (minimum) Lightbar Package - with Takedown and Alley Lights; Combination Light Controller/Siren, Speaker and Brackets.
SPLB – HALOGEN	Signal (Model 5420HSP-SP) Deluxe Marked Patrol Halogen Lightbar Package -Consist of 4 Halogen Solid State Electronic Flashers, 5 Rotators, with Takedown and Alley Lights; Combination Light Controller/Siren, Speaker and Brackets.
WPLB – LED 2 TIER	Whelen Premium Led Lightbar Dual Level (Model FX8-FLD-FSA) Freedom Lightbar With (14) 2-Teir Led Modules, Two Wire Controlled Traffic Advisor, (2) Flashing/Takedown Halogen Lights, (2) Flashing/Alley Halogen Lights, Mounting Kit, 295HFSA6 Combination Light/Siren Controller, SA315P Siren Speaker and Mounting Bracket.
WPLB – LED 1 TIER	Whelen Premium Led Lightbar (Model SX8-SLD-FSA) LFL Liberty Lightbar With 14 Led Modules, Two Wire Controlled Traffic Advisor, (2) Flashing/Takedown Halogen Lights, (2) Flashing/Alley Halogen Lights, Mounting Kit, 295HFSA6 Combination Light/Siren Controller, SA315P Siren Speaker and Mounting Bracket.
WPLB – STROBE	Whelen Premium Strobe Lightbar (Model 9M-14-FSA) 9M Lightbar With 14 Strobe Modules, Two Wire Controlled Traffic Advisor, (2) Flashing/Takedown Halogen Lights, (2) Flashing/Alley Halogen Lights, Mounting Kit, 295HFSA6 Combination Light/Siren Controller, SA315P Siren Speaker and Mounting Bracket.
911PLB – LED	911EP (Model GALE48CUS) Galaxy Elite 48” LED Lightbar, with 2 LED takedowns, 30+ Preprogrammed Flash Patterns (re-programmable), integrated traffic director, capable of future technology integration, complete 360° coverage, 116 LED count, any color.

**MEDIUM LIGHTBAR PACKAGE:**

CMLB – LED	Code 3 (Model # FSA-CMLB-2747A4) RX2700 47” 4 Corner P12 Prizm Reflectors, 8 P8 Prizm reflectors, 3-P3 Prizm Relflectors, TD & Alleys. Also includes 3892L6S Mastercom Siren & Light Controller, C3100 speaker, new Lit3Kit Mounting Kit (NOTE: Model 2747A5 w/Rear Arrow-stick may be substituted at no additional charge).
FMLB – LED	Federal Signal 45” All LED Legend™ Lightbar (Model LGD45), or 44” All LED Arjents2™ Lightbar (Model 583004), either lightbar fully populated with 100% LED warning light coverage (CONTAINS NO EMPTY HOLES OR MISSING DIODES). Both lightbars feature FSC patented Solaris™ optics and utilize patented ROC™ (Reliable Onboard Circuitry) Technology. All lightbars are equipped standard with flashing and/or steady burning 50-watt halogen takedown lamps and 35-watt MR-11 style alley assemblies, as well as built-in SignalMaster™ functions and full 5-year warranty. Both lightbars are available with either clear or colored top domes, for lower profile or high-visibility. Package also includes a Federal Signal 100-watt PA-640 Programmable, Full-Feature Light and Siren Controller (Model 640000), and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or



Model MS100 for all others). Lightbars are available in red, blue, amber, or any combination of these colors.

- SMLB – LED Signal (Model 5421LED) Marked Patrol LED Lightbar Package WITH Integrated LED Traffic Director Underneath- 95% LED module coverage with no open spaces except for Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets LED lights may be blue, red, amber or any combination - specify color. Includes LED Traffic Director.
- SMLB – STROBE Signal (Model 5421SLD) Marked Patrol Strobe Lightbar Package WITH Integrated LED Traffic Director Underneath -Consist of 8 Strobes, 4 Halogen Solid State Electronic Flashers, with Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets Includes LED Traffic Director.
- SMLB – HALOGEN Signal (Model 5421H) Marked Patrol Halogen Lightbar Package WITH Integrated LED Traffic Director Underneath -Consist of 4 Halogen Solid State Electronic Flashers, 5 Rotators, with Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets Includes LED Traffic Director.
- WMLB – LED Whelen Medium Led Lightbar (Model SX8-SLE-FSA) LFL Liberty Lightbar With 14 Led Modules, Two Wire Controlled Traffic Advisor, (2) Flashing/Takedown Halogen Lights, (2) Flashing/Alley Halogen Lights, Mounting Kit, PCC6R (6) Switch Controller, 295SL100 Siren, SA315P Siren Speaker and Mounting Bracket.
- WMLB – STROBE Whelen Medium Strobe Lightbar (Model 9M-8-FSA) 9M Lightbar With 8 Strobe Modules, (4) Flashing Halogen Modules (2) Takedown Halogen Lights, (2) Alley Halogen Lights, Mounting Kit, PCC6R (6) Switch Controller, 295SL100 Siren, SA315P Siren Speaker and Mounting Bracket.
- 911MLB – LED 911EP (Model GAL48CUS) Galaxy 48" LED Lightbar, with 2 halogen take-downs, 30+ Preprogrammed Flash Patterns, integrated traffic director, complete 360° coverage, 104 LED count, any color.

**ECONOMIC LIGHTBAR PACKAGE:**

- CELB – LED Code 3 (Model # FSA-CELB-2147A21) LEDX2100 47" Hybrid Optix Lightbar w/Center Takedowns & Alley Lights 4 Corner Optix Modules, 9 Hybrid Optix Modules, 3892L6S Mastercom Siren; and C3100 Speaker New Basic Lit3Kit Mounting Kit.
- CELB – STROBE Code 3 (Model #FSA-CELB-X47A1) Excalibur, 47" 5 w/8 Strobes, Takedowns & Alley Lights, 4-27w stat w/700 Flasher, 3892L6S Mastercom Siren; and C3100 Speaker. New Basic Lit3Kit Mounting Kit.
- CELB – HALOGEN Code 3 (Model # FSA-CELB-A1-647) 47" 5 rotator, 2-Diamond Mirror, TD, Alley, w/700 flasher includes: 3930/415PR controller; and C3100 Speaker. New Basic Lit3 Kit Mounting Kit.

DRELB – LED 2 TIER	D&R Electronics – Lightbar basic LED, 95% double tier RDS Light and Siren Controller, 100-watts, include Alley lights and Take down, Siren Speaker and bracket. Specify vehicle and lightbar color – X (RB, BB) PART # PLFS46-2RDSS-XX.
DRELB – LED	D&R Electronics – Lightbar basic LED, 95% single tier RDS Light and Siren Controller, 100-watts, include Alley lights and Take down, Siren Speaker and bracket . Specify vehicle and lightbar color – X (RB, BB) PART # PLFS46-1RDSS-XX.
FELB – LED	Federal Signal 45” All LED Legend™ Lightbar (Model LGD45), or 44” All LED ArjentS2™ Lightbar (Model 583004), either lightbar fully populated with 100% LED warning light coverage (CONTAINS NO EMPTY HOLES OR MISSING DIODES). Both lightbars feature FSC patented Solaris™ optics and utilize patented ROC™ (Reliable Onboard Circuitry) Technology. All lightbars are equipped standard with flashing and/or steady burning 50-watt halogen takedown lamps and 35-watt MR-11 style alley assemblies, as well as built-in SignalMaster™ functions and full 5-year warranty. Both lightbars are available with either clear or colored top domes, for lower profile or high-visibility. Package also includes a Federal Signal 100-watt PA-300 Programmable, Full-Feature Siren Unit (Model 690000), Federal Signal 6-Switch Control unit (Model SW300-012), and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Lightbars are available in red, blue, amber, or any combination of these colors.
FELB – STROBE	Federal Signal Basic Marked Patrol Strobe Lightbar Package - Federal Signal 44” Vista™ Strobe Lightbar, consists of 8 primary strobe heads, 1 traffic clearing light, 2 front halogen flashers, 2 rear halogen flashers, 50-watt halogen takedown lamps and 35-watt alley assemblies, 2 Vistabeam strobes, 2 directional strobes, and a six-head halogen SignalMaster™ and full 2-year product warranty. Package also includes a Federal Signal 100-watt PA-300 Programmable, Full-Feature Siren Unit (Model 690000), Federal Signal 6-Switch Control unit (Model SW300-012), and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Lightbars are available in red, blue, amber, or any combination of these colors.
FELB – HALOGEN	Federal Signal Basic Marked Patrol Halogen Lightbar Package - Federal Signal All-Light 48” Halogen StreetHawk™ Lightbar (Model SHL) with 100% warning light coverage, consists of 4 Halogen Solid State Electronic Flashers, 5 Rotators, with flashing and/or steady burning 55-watt halogen takedown lamps and alley assemblies, and 2-year product warranty. Package also includes a Federal Signal 100-watt PA-300 Programmable, Full-Feature Siren Unit (Model 690000), Federal Signal 6-Switch Control unit (Model SW300-012), and 100-watt SAE approved siren speaker w/vehicle specific mounting bracket (Speaker Model 750501 for CVPI; or Model MS100 for all others). Lightbars are available in red, blue, amber, or any combination of these colors.
SELB – LED	Signal (Model 5420LED) Basic Marked Patrol LED Lightbar Package - 95% LED module coverage with no open spaces except for Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets LED lights may be blue, red, amber or any combination - specify color.

- SELB – STROBE Signal (Model 5420SLD) Basic Marked Patrol Strobe Lightbar Package -Consist of 8 Strobes, 4 Halogen Solid State Electronic Flashers, with Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets.
- SELB – HALOGEN Signal (Model 5420HSP) Basic Marked Patrol Halogen Lightbar Package -Consist of 4 Halogen Solid State Electronic Flashers, 5 Rotators, with Takedown and Alley Lights; Basic (6) Switch Controller; Siren, Speaker and Brackets.
- WELB – LED Whelen Economic Led Lightbar (Model JLE4-JLE-FSA) Justice Series Lightbar With Led Modules, (2) Takedown Halogen Lights, (2) Alley Halogen Lights, Mounting Kit, PCC6R (6) Switch Controller, 295SL100 Siren, or 295HFSA6 Combination Light/Siren Controller, SA315P Siren Speaker and Mounting Bracket.
- 911ELB – LED 911EP (Model GAL48CUSB) Galaxy 48” LED Lightbar, with 2 halogen take-downs and two blank modules (1 front and 1 rear), 30+ Preprogrammed Flash Patterns, integrated traffic director, complete 360° coverage, 92 LED count, any color.

**PREMIUM UNMARKED PATROL PACKAGE:**

- CPUMP – LED Code 3: Deluxe Unmarked Patrol Package - Consist of Front and Rear Full-Width Interior LED System with Takedown Lights; Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- FPUMP – LED Federal Signal: Deluxe Unmarked Patrol Package - Consist of Front and Rear Full-Width Interior LED System with Takedown Lights; Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- SPUMP – LED Signal: Deluxe Unmarked Patrol Package - Consist of Front and Rear Full-Width Interior LED System with Takedown Lights; Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- WPUMP – LED Whelen: Deluxe Unmarked Patrol Package - Consist of Front and Rear Full-Width Interior LED System with Takedown Lights; Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.

**ECONOMIC UNMARKED PATROL PACKAGE:**

- CEUMP – LED Code 3: Basic LED Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck LED System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt

	Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s) - LED lights may be blue, red, amber or any combination - specify color.
CEUMP – STROBE	Code 3: Basic Strobe Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck Strobe System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s).
FEUMP – LED	Federal Signal: Basic LED Unmarked Patrol Package - Consist of Interior Rearview Mirror, Grille and Rear Deck LED System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s) - LED lights may be blue, red, amber or any combination - specify color.
FEUMP – STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - Consist of Interior Rearview Mirror, Grille and Rear Deck Strobe System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60(6) Switch Controller; Siren, Speaker and Bracket(s).
SEUMP – LED	Signal: Basic LED Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck LED System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s) - LED lights may be blue, red, amber or any combination - specify color.
SEUMP – STROBE	Signal: Basic Strobe Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck Strobe System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s).
WEUMP – LED	Whelen: Basic LED Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck LED System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s) - LED lights may be blue, red, amber or any combination - specify color.
WEUMP – STROBE	Whelen: Basic Strobe Unmarked Patrol Package - Consist of Interior Rearview Mirror, Grille and Rear Deck Strobe System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s).
911EUMP – LED	911EP: Basic LED Unmarked Patrol Package - Consist of Interior Rear-view Mirror, Grille and Rear Deck LED System (Minimum 2 Lights in Each Position); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Basic (6) Switch Controller; Siren, Speaker and Bracket(s) - LED lights may be blue, red, amber or any combination - specify color.

**ADMINISTRATIVE VEHICLE PACKAGE:**

- CAVP Code 3: Administrative Vehicle Package - Consist of Interior Rearview Mirror LED Light; Rear Deck or Headliner LED Lights (Minimum of 2); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- FAVP Federal Signal: Administrative Vehicle Package - Consist of Interior Rearview Mirror LED Light; Rear Deck or Headliner LED Lights (Minimum of 2); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- SAVP Signal: Administrative Vehicle Package - Consist of Interior Rearview Mirror LED Light; Rear Deck or Headliner LED Lights (Minimum of 2); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.
- WAVP Whelen: Administrative Vehicle Package - Consist of Interior Rearview Mirror LED Light; Rear Deck or Headliner LED Lights (Minimum of 2); Headlight Flasher; Four Corner Strobe System (60 Watt Power Supply Minimum); Combination Light Controller/Siren; Speaker and Bracket - LED lights may be blue, red, amber or any combination - specify color.

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #1 - FULL SIZE PURSUIT VEHICLES - RWD (POLICE PACKAGE)**

2008 Ford Crown Victoria (P71/720A)  
2008 Dodge Charger (LXDH48/27A)  
2008 Dodge Magnum (LXDH49/27A)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard engine (Ford V8 or Dodge V6), minimum 250 HP, oil cooler, alternator, battery, and cooling package.

2. TRANSMISSION:

- a. Manufacturer's standard automatic transmission.

3. AXLES:

- a. Manufacturer's standard axle ratio for pursuit vehicle.

4. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering designed for pursuit vehicle.
- b. Manufacturer's standard gauges and certified speedometer.
- c. 5" round dome lamp between sunvisors, independently switched.

5. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard trunk opener, electric, remote unit location.
- d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).
- e. Manufacturer's standard AM/FM stereo.
- f. Heavy-duty rubber floor covering.
- g. Power door locks and power windows.
- h. Cloth front bucket seats and vinyl rear bench seat.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Speed rated blackwall tires with full size spare tire.
- b. Manufacturer's standard production wheel covers.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Factory front and rear door molding.
- c. Manufacturer's standard fuel tank.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

Brand Name:

Ford Crown Victoria (P71/720A)

Dodge Charger (LXDH48/27A)

Dodge Magnum (LXDH49/27A)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**



**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Black vinyl floor covering	\$ _____
_____	Cloth rear seat in lieu of vinyl	\$ _____
_____	Front door body side molding	\$ _____
_____	5" round dome lamp	\$ _____
_____	Space saver spare tire in lieu of full size spare tire	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Limited slip differential	\$ _____
_____	Silicone hoses	\$ _____
_____	Priority start/battery saver	\$ _____
_____	Engine: V8, Hemi, 5.7L	\$ _____
_____	Engine block heater	\$ _____
68P	Police prep package	\$ _____
65U	Police prep package - "Ready for the Road"	\$ _____
65N	Visibility package base	\$ _____
65W	Visibility package	\$ _____
60S	Fire suppression system	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Rechargeable mag light	\$ _____
_____	Roof wiring with hole	\$ _____
_____	Roof wiring without hole	\$ _____
_____	Accessory feed wires for police equipment	\$ _____
14T	Kevlar trunk package	\$ _____
_____	Ignition powered trunk button, factory installed	\$ _____
_____	Comfort and convenience group	\$ _____
_____	Street appearance group	\$ _____
_____	Full wheel covers	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Daytime running lights	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Sunscreen privacy glass	\$ _____
_____	Heavy duty padded cloth bucket front seats with rear cloth bench seat	\$ _____
_____	Cloth split bench – front	\$ _____
_____	Driver seat only – 6 way power	\$ _____
_____	Carpet (installed)	\$ _____
_____	Rear door locks & handles inoperative	\$ _____
_____	Rear door locks & handles inoperative, dealer modification	\$ _____
_____	Rear windows inoperative	\$ _____
_____	Cruise control	\$ _____
_____	Radio noise suppression	\$ _____
_____	Courtesy light disabled	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Legal deep tinted film, lifetime warranty, dealer installed	\$ _____
_____	Third key	\$ _____
_____	Keyed alike	\$ _____
_____	Factory remote keyless entry with 2 fobs included.	\$ _____
_____	Front door moldings, not installed	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Door blank & rear window barriers with manual lock override (Setina, Pro-Gard, Cruisers or approved equivalent)	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Locking gas cap	\$ _____
_____	Two-tone paint	\$ _____
_____	Class III hitch with 2" ball, dealer installed	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____



**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat – Cruiser PCM012	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #1 FULL SIZE PURSUIT VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	Cruisers Cage with slide and lock window, lower extension panels, dealer installed	\$ _____
_____	Cruisers Cage with 1/2 Lexan and 1/2 mesh, lower extension panels, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #2 - FULL SIZE PURSUIT VEHICLES - FWD (POLICE  
PACKAGE)**

2008 Chevrolet Impala (1WS19/9C1)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V6 engine, oil cooler, alternator, battery, and cooling package.

2. TRANSMISSION:

- a. Manufacturer's standard automatic transmission.

3. TRANSAXLE:

- a. Manufacturer's standard axle ratio for pursuit vehicle.

4. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering designed for pursuit vehicle.
- b. Manufacturer's standard gauges and certified speedometer.
- c. 5" round dome lamp between sunvisors, independently switched.

5. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard trunk opener, electric, remote unit location.
- d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).
- e. Remote keyless entry with 2 fobs included.
- f. Manufacturer's standard AM/FM stereo with single CD with radio noise suppression.
- g. Heavy-duty rubber floor covering.
- h. Power door locks, power windows, cruise control and tilt steering wheel.
- i. Cloth front bucket seats and vinyl rear bench seat.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Speed rated blackwall tires with full size spare tire.
- b. Manufacturer's standard production wheel covers.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Factory front and rear door molding.
- c. Manufacturer's standard fuel tank.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the

manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5" round dome lamp	\$ _____
_____	Full size spare tire & rim	\$ _____
_____	Body side mouldings	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Priority start/battery saver	\$ _____
_____	Factory remote engine start	\$ _____
_____	Skid plate	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Plastic fiber rear seat	\$ _____
_____	Auxiliary equipment tray	\$ _____
_____	Night saver light	\$ _____
_____	Courtesy light disabled	\$ _____
_____	Rear panel lamps	\$ _____
_____	Under hood lamp	\$ _____
_____	Short shift lever	\$ _____
_____	Rear door locks & handles inoperative	\$ _____
_____	Rear door locks & handles inoperative, dealer modification	\$ _____
_____	Rear windows inoperative	\$ _____
_____	Legal deep tinted film, lifetime warranty, dealer installed	\$ _____
_____	Third key	\$ _____
_____	Keyed alike	\$ _____
AMF	6 additional remotes (fleet keyless entry)	\$ _____
_____	Relocation of full size spare tire	\$ _____
9C3	Undercover police package with front bench seat	\$ _____
_____	Floor mats	\$ _____
_____	Factory alarm	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
A98	Ignition control trunk release	\$ _____
_____	Surveillance mode switch – blackout switch	\$ _____
_____	Hole in roof* (drilled on centerline of roof panel approx. 29" rearward of windshield opening)	\$ _____
_____	Hole in roof* (drilled on passenger side of roof panel approx. 29" rearward of windshield opening & approx. 6" inboard from passenger side door)	\$ _____
_____	Wiring - grille lamps & speaker	\$ _____
_____	Wiring - auxiliary speaker	\$ _____
_____	Wiring - coaxial radio antenna	\$ _____
_____	Wiring - horn/siren circuit	\$ _____
_____	Wiring - roof wires	\$ _____
_____	Wiring - ignition and main power supply	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Rechargeable mag light	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Door blank & rear window barriers with manual lock override (Setina, Pro-Gard, Cruisers or approved equivalent)	\$ _____
_____	Locking gas cap	\$ _____
_____	Two-tone paint	\$ _____
_____	Class III hitch with 2" ball, dealer installed	\$ _____
_____	Full bolt-on wheel covers	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____



**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Factory rear spoiler	\$ _____
_____	Immobilize daytime running lights	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat – Cruiser PCM012	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____

**Specification #2 FULL SIZE PURSUIT VEHICLES - FWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	Cruisers Cage with 1/2 sliding lexan, lower extension panels, dealer installed	\$ _____
_____	Cruisers Cage with center sliding lexan, lower extension panels, dealer installed	\$ _____
_____	Cruisers Cage with mesh, lower extension panels, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #3 - FULL SIZE UTILITY VEHICLES - RWD (POLICE  
PACKAGE)**

2008 Chevrolet Tahoe 1500 (CC10706)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Minimum 295 HP @ 5200 RPM and 335 lb. ft. Torque @ 4000 RPM.
- b. Manufacturer's standard V8 gasoline engine or E85 flex fuel, oil cooler, alternator, battery, and cooling package.

2. **TRANSMISSION:**

- a. Manufacturer's standard automatic transmission.

3. **TRANSAXLE:**

- a. Manufacturer's standard axle ratio for pursuit vehicle.

4. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering designed for pursuit vehicle.
- b. Manufacturer's standard gauges and certified speedometer.
- c. 5" round dome lamp between sunvisors, independently switched (may be dealer installed).

5. **COMFORT ITEMS:**

- a. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).
- b. Manufacturer's standard air conditioning, front and rear.
- c. Deep tinted glass all around.
- d. Manufacturer's standard AM/FM stereo with suppression.
- e. Heavy-duty rubber floor covering.
- f. Power door locks, power windows and tilt steering wheel.
- g. Cloth front bucket seats and vinyl rear split bench seat.

6. **BRAKES:**

- a. Power disc brakes with four wheel ABS system.

7. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Front and side air bags for driver and passenger.
- c. Safety belt reminder.

8. **TIRES AND WHEELS:**

- a. Manufacturer's police wheel center caps.
- b. Speed rated blackwall tires on manufacturer's pursuit rated wheels.
- c. Full size spare tire and rim.

9. **CHASSIS, FRAME, CAB:**



- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

#### 10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

Brand Name:  Chevrolet Tahoe 1500 (CC10706)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:

**Std.** = Manufacturer's standard equip.

**Incl.** = included with base specs.

**NC** = no additional charge

**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
9G8	Daytime running lights and automatic headlights	\$ _____
ANJ	Non deep tinted glass	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
G80	Locking rear differential	\$ _____
8Y9	Dual 770-cca batteries	\$ _____
K05	Engine block heater	\$ _____
6E2	Fleet key, keyed alike	\$ _____
6E8	Fleet key, keyed alike	\$ _____
AMF	6 additional remotes (fleet keyless entry)	\$ _____
B30	Carpeted floor covering	\$ _____
B58	Floor mats colored keyed to carpet	\$ _____
9R0	Radio AM/FM stereo cassette	\$ _____
UB1	Radio AM/FM CD cassette	\$ _____
6B2	Rear door handles inoperative	\$ _____
6N6	Rear door locks inoperative	\$ _____
6N5	Rear window switches inoperative	\$ _____
RYJ	Cargo shade	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
BVE	Assist steps	\$ _____
5G4	Provision for roof mounted lamp	\$ _____
V54	Roof mounted luggage rack, no center cross beams	\$ _____
V22	Chrome grille	\$ _____
9R4	Body side mouldings	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
BUC	Back-up camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____



**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #3 FULL SIZE UTILITY VEHICLES - RWD (Police Package)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of show manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #4 - FULL SIZE 4-DOOR ADMINISTRATIVE  
VEHICLES**

2008 Ford Crown Victoria (P73) (RO)  
2008 Ford Taurus (P24) (RO)  
2008 Mercury Grand Marquis (M74) (RO)  
2008 Chevrolet Impala (1WB19)  
2008 Chrysler 300 (LXCH48)  
2008 Dodge Charger (LXDH48)  
2008 Dodge Magnum (LXDH49)  
2008 Nissan Maxima (08218)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Manufacturer's standard V8 engine, or minimum V6, alternator, battery, and cooling package.

2. **TRANSMISSION:**

a. Manufacturer's standard automatic transmission/transaxle.

3. **PERFORMANCE ITEMS:**

a. Manufacturer's standard power steering.  
b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

a. Manufacturer's standard air conditioning with 134A system.  
b. Manufacturer's standard tinted glass all around.  
c. Manufacturer's standard trunk opener, electric, remote unit location.  
d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).  
e. Manufacturer's standard AM/FM stereo.  
f. Manufacturer's standard floor covering, with front and rear floor mats.  
g. Power door locks, power windows, cruise control and tilt steering wheel.  
h. Manufacturer's standard production seats. Purchaser will select color at time of order.

5. **BRAKES:**

a. Four wheel anti-lock brake ABS system.

6. **SAFETY ITEMS:**

a. Dual outside mirrors and inside rearview mirror.  
b. Interior dome light(s), with left and right door activated switches.  
c. Minimum 2-speed electric wipers and windshield washer.  
d. Manufacturer's standard air bags.

7. **TIRES AND WHEELS:**

a. Manufacturer's standard tires and wheels.  
b. Manufacturer's standard spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Inside hood release.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard door molding.
- d. Manufacturer's standard fuel tank.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #4 FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Cruise control	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #4 FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
P27	Ford Taurus - AWD	\$ _____
_____	Vehicle upgrade package - specify	\$ _____
_____	Remote start system	\$ _____
_____	Floor mats, front and rear	\$ _____
_____	Side air protection	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Third key	\$ _____
_____	Keyless entry	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Pin stripes/door edge guard	\$ _____
_____	Body side mouldings	\$ _____
_____	Class III hitch and rec. draw bar with 2" ball, dealer installed	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #4 FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #4 FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #4 FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHE power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## SPECIFICATION #5 - MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES

2008 Ford Edge (K36)  
2008 Ford Fusion (P07) (RO)  
2008 Chevrolet Malibu (1ZG69)  
2008 Pontiac G6 (2ZG69)  
2008 Chrysler Sebring (JSCH41)  
2008 Dodge Avenger (JSDH41)  
2008 Honda Accord (CM6637JW)  
2008 Nissan Altima (05918)  
2008 Saturn Aura (ZZS69)  
2008 Toyota Camry (2552) (RO)

### **ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### 1. ENGINE:

- a. Manufacturer's 6 cylinder gasoline engine, alternator, battery, and cooling package.

#### 2. TRANSMISSION:

- a. Manufacturer's standard automatic transmission and axle ratio.

#### 3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

#### 4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard trunk opener, electric, remote unit location.
- d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).
- e. Manufacturer's standard AM/FM stereo.
- f. Manufacturer's standard floor covering, with front and rear floor mats.
- g. Power door locks, power windows, cruise control and tilt steering wheel.
- h. Manufacturer's standard production seats. Purchaser will select color at time of order.

#### 5. BRAKES:

- a. Four wheel anti-lock brake ABS system.

#### 6. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome light(s), with left and right door activated switches.
- c. Minimum 2-speed electric wipers and windshield washer.
- d. Manufacturer's standard air bags.

#### 7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Inside hood release.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard door molding.
- d. Manufacturer's standard fuel tank.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Edge (K36)
  - Ford Fusion (P07) (RO)
  - Chevrolet Malibu (1ZG69)
  - Pontiac G6 (2ZG69)
  - Chrysler Sebring (JSCH41)
  - Dodge Avenger (JSDH41)
  - Honda Accord (CM6637JW)
  - Nissan Altima (05918)
  - Saturn Aura (ZZS69)
  - Toyota Camry (2552) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	4 cylinder engine in lieu of 6 cylinder	\$ _____
_____	Front and rear floor mats	\$ _____
_____	ABS brakes	\$ _____
_____	Cruise control	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
K46	Ford Edge AWD	\$ _____
_____	Vehicle upgrade package - specify	\$ _____
_____	Power seats	\$ _____
_____	Bucket seats	\$ _____
_____	Split folding rear seat	\$ _____
_____	Side air protection	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Aluminum wheels	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Pin stripes/door edge guard	\$ _____
_____	Body side moldings	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #5 MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #6 - COMPACT 4-DOOR ADMINISTRATIVE  
VEHICLES**

2008 Ford Focus (P35) (RO)  
2008 Chevrolet Cobalt (1AK69)  
2008 Chevrolet HHR (1AT46)  
2008 Chrysler PT Cruiser (PTCH44)  
2008 Dodge Caliber (PMDX49)  
2008 Honda Civic (FA1657EW)  
2008 Nissan Sentra (42718)  
2008 Toyota Corolla (1802) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Manufacturer's 4 cylinder gasoline engine, alternator, battery, and cooling package.

2. **TRANSMISSION:**

a. Manufacturer's standard automatic transmission and axle ratio.

3. **PERFORMANCE ITEMS:**

a. Manufacturer's standard power steering.  
b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

a. Manufacturer's standard air conditioning with 134A system.  
b. Manufacturer's standard tinted glass all around.  
c. Manufacturer's standard trunk opener, electric, remote unit location.  
d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).  
e. Manufacturer's standard AM/FM stereo.  
f. Manufacturer's standard floor covering, with front and rear floor mats.  
g. Manufacturer's standard production seats. Purchaser will select color at time of order.

5. **BRAKES:**

a. Four wheel anti-lock brake ABS system.

6. **SAFETY ITEMS:**

a. Dual outside mirrors and inside rearview mirror.  
b. Interior dome light(s), with left and right door activated switches.  
c. Minimum 2-speed electric wipers and windshield washer.  
d. Manufacturer's standard air bags.

7. **TIRES AND WHEELS:**

a. Manufacturer's standard tires and wheels.  
b. Manufacturer's standard spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Inside hood release.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard door molding.
- d. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #6 COMPACT 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	ABS brakes	\$ _____
_____	Front and rear floor mats	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #6 COMPACT 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Vehicle upgrade package - specify	\$ _____
_____	Cruise control/tilt steering wheel	\$ _____
_____	Power windows and door locks	\$ _____
_____	Power seat, driver	\$ _____
_____	Split folding rear seat	\$ _____
_____	Side air protection	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Aluminum wheels	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Pin stripes/door edge guard	\$ _____
_____	Body side moldings	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____



**Specification #6 COMPACT 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #6 COMPACT 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #6 COMPACT 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## SPECIFICATION #7 - HYBRID 4-DOOR ADMINISTRATIVE VEHICLES

2008 Chevrolet Malibu (1ZF69)  
2008 Honda Accord (CN3647JNW)  
2008 Honda Civic (FA3627EW)  
2008 Nissan Altima (05018)  
2008 Toyota Prius (1224) (RO)

### **ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### 1. ENGINE:

- a. Manufacturer's standard cooling system.
- b. Manufacturer's standard gasoline electric hybrid propulsion system.

#### 2. TRANSMISSION:

- a. Manufacturer's automatic transmission, continuously variable.

#### 3. AXLE:

- a. Manufacturer's standard drive axle ratio for specified engine and transmission combination.

#### 4. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Parking brake warning light.

#### 5. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning system.
- b. Manufacturer's standard tinted glass all around.
- c. Power windows and power door locks.
- d. Cruise control, factory installed.
- e. Tilt steering wheel.
- f. Manufacturer's standard AM/FM stereo.
- g. Manufacturer's standard trunk opener, electric, remote unit location.
- h. Manufacturer's standard floor covering.
- i. Manufacturer's standard production seats. Purchaser will select color at time of order.
- j. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

#### 6. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome light(s), with left and right door activated switches.
- c. Minimum 2-speed electric wipers and windshield washer.
- d. Manufacturer's standard air bags.

#### 7. BRAKES:

- a. Four wheel anti-lock brake ABS system.

#### 8. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.

- b. Manufacturer's standard spare tire and rim.

9. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #7 HYBRID 4-DOOR ADMINISTRATIVE VEHICLES**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Chevrolet Malibu (1ZF69)
  - Honda Accord (CN3647JNW)
  - Honda Civic (FA3627EW)
  - Nissan Altima (05018)
  - Toyota Prius (1224) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #7 HYBRID 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Vehicle upgrade package - specify	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	AM/FM radio with 6-disc CD changer in dash	\$ _____
_____	Front and rear carpet floor mats	\$ _____
_____	Cargo net	\$ _____
_____	Side air protection	\$ _____
_____	Glass breakage sensor	\$ _____
_____	Third key	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Accent stripes	\$ _____
_____	Wheel locks	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____

**Specification #7 HYBRID 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____



**Specification #7 HYBRID 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHE power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #7 HYBRID 4-DOOR ADMINISTRATIVE VEHICLES**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #8 - SMALL 4 PASSENGER ELECTRIC VEHICLE**

2008 Electro Bubble Buddy (4P)  
2008 Global Electric Motors (GEM)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. On board DC charger to be used with standard 110-volt AC wall outlet.
- b. Regenerative braking system.
- c. 48-volt DC motor, minimum.
- d. Manufacturer's heavy duty deep cycle batteries.

2. **TRANSMISSION:**

- a. Front or rear wheel drive.

3. **AXLES:**

- a. Manufacturer's standard drive axle ratio for specified engine and transmission combination.

4. **PERFORMANCE ITEMS:**

- a. Automotive style rack and pinion with permanently sealed tie rods.
- b. Automotive style hydraulic brakes.
- c. Street legal on any street with posted speed limit up to 35 mph.

5. **COMFORT ITEMS:**

- a. Four passenger seating.
- b. Manufacturer's standard seating.
- c. Rubber floor mats.
- d. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

6. **SAFETY ITEMS:**

- a. Laminated tinted safety glass windshield with wiper.
- b. Driver side mount outside rearview mirrors.
- c. Rear and side reflectors.
- d. Manufacturer's standard headlights.
- e. Front and rear turn signals.
- f. Parking brake.
- g. Zero speed detect "Anti-Runaway".
- h. Horn

7. **TIRES AND WHEELS:**

- a. 12" two-ply street rated tires.

8. **CHASSIS, FRAME, CAB:**

- a. 2100 lbs. GVWR minimum.
- b. 86" wheel base minimum.
- c. Single, non-metallic, OEM standard color paint. Color to be determined by individual agency.

- d. Aluminum welded space frame using custom aluminum-alloy extrusions.
- e. 12-month full factory warranty, bumper to bumper.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #8 SMALL 4 PASSENGER ELECTRIC VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Two passenger vehicle in lieu of 4-passenger base vehicle	\$ _____
_____	Two passenger short bed in lieu of 4-passenger base vehicle	\$ _____

**Specification #8 SMALL 4 PASSENGER ELECTRIC VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Sealed gel batteries (2 & 4 passenger)	\$ _____
_____	Six passenger model	\$ _____
_____	Stereo system with CD player	\$ _____
_____	Rear window insert for 2-passenger model	\$ _____
_____	Rear window insert for 4-passenger model	\$ _____
_____	Soft side weather enclosure for 2-passenger model	\$ _____
_____	Soft side weather enclosure for 4-passenger model	\$ _____
_____	Heater/defroster	\$ _____
_____	Dome light	\$ _____
_____	Windshield washer kit	\$ _____
_____	Right side mounted outside rearview mirror	\$ _____
_____	Chrome front bumper	\$ _____
_____	Charging cord with bag	\$ _____
_____	Swivel pack (removable trunk)	\$ _____
_____	Stake back kit for short bed	\$ _____
_____	Stake back kit for long bed	\$ _____
_____	Long back 2-passenger flat bed (70" x 48" flat bed body)	\$ _____
_____	Long bed heavy duty for 2-passenger model	\$ _____
_____	Hard doors for 2-passenger model	\$ _____
_____	Hard doors for 4-passenger model	\$ _____
_____	Scuff guards for 2-passenger model	\$ _____
_____	Scuff guards for 4-passenger model	\$ _____

**Specification #8 SMALL 4 PASSENGER ELECTRIC VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Grab handle package for 2-passenger model	\$ _____
_____	Grab handle package for 4-passenger model	\$ _____
_____	Car cover for 2-passenger model	\$ _____
_____	Car cover for 4-passenger model	\$ _____
_____	Clip-in stack bed	\$ _____
_____	Rugged bumpers (front & rear) 2 & 4 passenger models	\$ _____
_____	Beacon light	\$ _____
_____	Hazard lights	\$ _____
_____	Hi-Low beam headlights	\$ _____
_____	PA system	\$ _____
_____	Enclosed cargo carrier	\$ _____
_____	Top security light (yellow or red/blue)	\$ _____
_____	Aluminum rims	\$ _____
_____	Extended warranty - 3 years	\$ _____
_____	Extended warranty - 2 years	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #9 - LOW SPEED ELECTRIC UTILITY VEHICLE**

2008 E-Ride EXV2

2008 E-Ride EXV4

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **POWER:**

- a. 72 volt DC motor, 16.5 HP with microprocessor control.
- b. Built in 72 volt battery charger 115/230 AC input.
- c. Nine (9) eight volt batteries, lead acid with low water warning system.
- d. Regenerative braking system.

2. **TRANSMISSION/AXLES:**

- a. Dana Spicer direct drive, rear wheel drive.

3. **CHASSIS:**

- a. Frame riveted and bolted structural aluminum unibody.

4. **TIRES AND RIMS:**

- a. 215/75R14 radial all season tires.
- b. 14"x7" dot rated steel wheels.

5. **BRAKES:**

- a. 4 wheel hydraulic brakes with split system master cylinder.
- b. Disc brakes, front - drum brakes, rear.
- c. Manual hand operated parking brake.

6. **SUSPENSION AND STEERING:**

- a. Dual A-arm front suspension with coilover shocks.
- b. Leaf spring rear suspension.
- c. Rack and pinion steering.

7. **COMFORT ITEMS:**

- a. Automatic tilt steering column.
- b. Two front adjustable seats.
- c. 2 passenger rear seating (EXV4 model).

8. **SAFETY ITEMS:**

- a. Laminated safety glass windshield with wiper.
- b. Rear view mirrors mounted outside on driver and passenger sides, also inside centered mounted mirror.
- c. Rear and side reflectors.
- d. Low/high beam headlights.
- e. Front and rear turn signals.
- f. Horn.

9. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #9 LOW SPEED ELECTRIC UTILITY VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
EACD	35 HP 3 phase AC power drive system	\$ _____
ERHD	Right hand drive vehicles	\$ _____
EHTR	DC - 72 volt heater with defroster	\$ _____
EACHTR	AC - 120 volt auxiliary cab heater	\$ _____
ERAD	Radio with CD player	\$ _____
EWDO	Sliding windows	\$ _____
EDOOR	Hard doors	\$ _____
EDBAR	Door bar system	\$ _____
ELOC	Locking door handles and windows	\$ _____
EOBC	Onboard charger	\$ _____
EFAN	2-speed fan system	\$ _____
ERE2	Rear enclosure - EXV2	\$ _____
ERE4	Rear enclosure - EXV4	\$ _____
ERE2S	Rear enclosure with slider - EXV2	\$ _____
ETOP2	Full length aluminum topper	\$ _____
ETOP2TB	Full length aluminum topper raised for tool boxes	\$ _____
EBULK	Bulkhead for ETOP2 & ETOP2TB	\$ _____
EBULKS	Bulkhead with slider for ETOP2 & ETOP2TB	\$ _____
ESTK	Aluminum stake sides	\$ _____
EDUMP	Dump kit solid sides	\$ _____
EDUMPT	Dump kit tip down sides	\$ _____
ETOOL	Diamond plate tool boxes	\$ _____
ESTOR	Storage box	\$ _____

**Specification #9 LOW SPEED ELECTRIC UTILITY VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
ELAD	Ladder rack	\$ _____
ECRIM	Chrome rims	\$ _____
ELBRK	Flat bumper license plate bracket	\$ _____
EBUMP	Tube bumper with license bracket	\$ _____
ELOCS	Locking storage door latches	\$ _____
EBALM	Back-up alarm	\$ _____
ERLT	Reverse light	\$ _____
EDOME	Dome light	\$ _____
ESTLT	Amber strobe light	\$ _____
ERCR	Refuge carrier	\$ _____
EREF	Hydraulic refuge hauler	\$ _____
ETRAN	Transporter - people hauler	\$ _____
ETRSH	Trash hauler	\$ _____
ETAIL	Rear tail gate - between tool boxes	\$ _____
EREC	Receiver 2" opening	\$ _____
ELBAR-22	Halogen 22" lightbar	\$ _____
ELBAR-46	Halogen 46" lightbar	\$ _____
EPA	PA system	\$ _____
ECOL	Additional colors: Black, Blue, Yellow, Red (white - standard color at NC)	\$ _____
EWAR2	2 year limited warranty	\$ _____
EWAR3	3 year limited warranty	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #10 - OFF-ROAD UTILITY VEHICLE**

2008 Bobcat (2200) (RO)  
2008 Bush Hog TH440  
2008 John Deere Gator (HPX) (RO)  
2008 Kubota Diesel (RTV900)  
2008 Land Pride Treker (4410)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's minimum 2 cylinder gasoline engine, air cooled, overhead valve, keyed electronic ignition, 20 HP minimum.

2. **TRANSMISSION:**

- a. Forward, neutral, reverse, constantly variable.

3. **BATTERY:**

- a. 300 cca

4. **CHASSIS:**

- a. Standard headlights
- b. Standard taillights
- c. Power plug
- d. Front brakes: hydraulic discs
- e. Rear brakes: hydraulic drum
- f. Steering rack and pinion
- g. Standard front bumper

5. **TIRES AND WHEELS:**

- a. Front and rear all terrain tires, must match drive train.

6. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #10 OFF-ROAD UTILITY VEHICLE**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Bobcat (2200) (RO)
  - Bush Hog TH440
  - John Deere Gator (HPX) (RO)
  - Kubota Diesel (RTV900)
  - Land Pride Treker (4410)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #10 OFF-ROAD UTILITY VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Delete Standard front bumper at no charge	\$ _____
_____	Delete All Terrain Tires at no charge	\$ _____
_____	Delete Standard Stance 4x2 at no charge	\$ _____



**Specification #10 OFF-ROAD UTILITY VEHICLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Diesel 20 HP engine - specify	\$ _____
_____	Model upgrade - specify	\$ _____
_____	Standard manufacturer body color - specify	\$ _____
_____	Standard manufacturer seat color - specify	\$ _____
_____	Turf Tire Package	\$ _____
_____	Camo paint	\$ _____
_____	4x4	\$ _____
_____	Roll over protection structure	\$ _____
_____	Windshield and sun shade (fiberglass top)	\$ _____
_____	Fire body and EMT body (aftermarket vendors)	\$ _____
_____	Power lift cargo box (manual is standard)	\$ _____
_____	2,000 lb. winch	\$ _____
_____	Winch roller package	\$ _____
_____	Grab light	\$ _____
_____	Gun rack	\$ _____
_____	Rear receiver hitch	\$ _____
_____	Front mud flaps	\$ _____
_____	Rear mud flaps	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

# **FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION**

## **SPECIFICATION #11 - POLICE MOTORCYCLE**

2008 Harley Davidson Road King (FLHP)  
2008 Harley Davidson Electra Glide (FLHTP)

### **ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### **1. POWERTRAIN:**

- a. Engine: Air-cooled Twin Cam 103" Vibration Isolated V-Twin
- b. Displacement: 103 cu. in. (1690 cc)
- c. Bore & Stroke: 3.88 in. x 4.38 in.
- d. Engine Torque: 102.0 ft. lbs. @ 2500 rpm
- e. Fuel System: Electronic Sequential Port Fuel Injection (ESPFI).
- f. Compression Ratio: 9.6 to 1
- g. Powertrain Deluxe Chrome Group: Designed for low maintenance; black wrinkle paint finish on engine; chrome rocker boxes, timer cover, outer primary housing and transmission covers.
- h. Miles Per Gallon (EFI.): City 35 mpg, Highway 54 mpg
- i. Primary Drive: Chain, 34/46 ratio
- j. Final Drive: Belt, 32/66 ratio
- k. Clutch: 9-plate, wet
- l. Transmission: Six-speed cruise drive
- m. Gear Ratios: 1st: 9.312; 2nd: 6.421; 3rd: 4.774; 4th: 3.926; 5th: 3.279; 6th: 2.790
- n. Oil Cooler: Standard

#### **2. DIMENSIONS:**

- a. Length: 93.7 in.
- b. Overall Width: FLHP 34.5 in.; FLHTP 39.0 in.
- c. Overall Height: FLHP 55.1 in.; FLHTP 61.0 in.
- d. Seat Height (1): 27.3 in.
- e. Ground Clearance: 5.1 in.
- f. Wheelbase: 63.5 in.
- g. Fuel Capacity: 6.0 gal. – includes 1.0 gal. reserve
- h. Oil Capacity: 4 qts.
- i. Dry Weight: FLHP 739 lbs.; FLHTP 764 lbs.
- j. GVWR: 1200 lbs.

#### **3. ELECTRICAL:**

- a. Battery (per Battery Council International rating): Sealed, maintenance-free, 12-volt, 28 amp-hour, 270 cca
- b. Charging: Three-phase, 50 amp system (585 watts @ 13v, 2000 rpm, 650 watts max power @ 13v)
- c. Starting: 1.2 kw electric with solenoid shift starter motor engagement
- d. Ignition: Non-waste spark, Alpha control
- e. Hand Controls: Water resistant switches
- f. Connectors: Industrial grade throughout
- g. Lights: As per country regulation
  1. Headlamp: Quartz halogen; 55-watt low beam, 60-watt high beam
  2. Tail/Stop Lights: 8w/28w (5w/21w)
  3. Turn Signal Lights (self-canceling): 28w (21w)
  4. Pursuit Lamps: Front mounted PAR-36 lamps; one red, one blue; incandescent
  5. Flashers (four way): Integrated into turn signal switches

6. Indicator Lamps: High beam, neutral, oil pressure, engine diagnostic light, turn signals, security system (optional), 6-speed, low fuel, ABS, pursuit lamp indicator
7. Rear blue marker lights
8. Front and rear fender tip running lights (amber front, red rear)

h. Instruments:

1. Speedometer: Certified analog speedometer, indicates 0-120 MPH, or KPH equivalent
2. Odometer: Calibrated, cumulative and separate trip meter (2) and clock
3. Tachometer: Analog

4. CHASSIS:

- a. Frame: Mild steel square section backbone with twin down tubes.
- b. Swing Arm: Mild steel, rectangular tube sections, stamped junctions, MIG welded.
- c. Front Fork: 41.3 mm, telescopic cartridge style damping.
- d. Rear Shocks: Air-adjustable
- e. Exhaust System: Dual crossover

5. BRAKES (DIAMETER X WIDTH):

- a. Front (Dual): 11.81 in x 0.20 in.
- b. Rear: 11.81 in x 0.28 in.
- c. Caliper Type: Four piston calipers front and rear
- d. Rotor Type: Patented, Uniform Expansion Rotors
- e. Anti-lock brakes (optional)

6. SUSPENSION TRAVEL:

- a. Front: 4.6 in.
- b. Rear: 3.0 in.
- c. Lean Angle (per SAEJ1168): Right 32 degrees; Left 30 degrees
- d. Redesigned suspension, retuned rear air shocks, engineered for sidecar usage.

7. WHEELS/TIRES:

- a. Front Wheel: 9-spoke black/silver cast aluminum alloy.
- b. Rear Wheel: 9-spoke black/silver cast aluminum alloy.
- c. Front Tire (D402F PT): MT90B16 72H
- d. Rear Tire (D402 PT): MT90B16 71H
- e. Tubeless type tires have non-skid tread (Harley-Davidson/Dunlop).
- f. Bead Retention extended mobility tires designed to remain on wheel during sudden loss of pressure.
- g. Sealed automotive style wheel bearings requiring no end play adjustments and service interval of 100,000 miles.

8. STYLING/CONVENIENCE:

- a. Engine Trim: Black powder-coated w/chrome treatment
- b. Windshield: FLHP – Fork mounted windshield; latest design using Lexan, or polycarbonate; FLHTP – Fairing and windshield; fork mounted fairing and windshield; latest design using Lexan, or polycarbonate.
- c. Seat: Latest deluxe solo air saddle, special police type, covered w/ breathable material, w/ rear back support design and quick release mechanism; single air bladder w/ reservoir and gauge.
- d. Side Stand: Jiffy stand rubber bumper design with interlock.
- e. Footboards: Adjustable, provided w/non-skid rubber pads on upper surfaces.
- f. Engine Guards: Front engine guard, rear saddlebag guards.
- g. Saddlebags: Factory installed, law enforcement type injected molded GTX nylon alloy saddlebags; bags are water resistant; utilizes police style speed latches.
- h. Drive: Final belt drive
- i. Mirrors: 2 long stem true image mirrors
- j. Fuel level gauge; low fuel indication lamp; low fuel light indicates reserve fuel capacity when main supply is exhausted.
- k. Sight glass on brake master cylinder front and rear.

- l. One key fits all locks.
- m. Color Options: Standard birch white or vivid black; Solid color other than birch white or vivid black available at an optional cost; Two-tone paint available at an optional cost. Police color palette only.

9. WARRANTY:

- a. Warranty: 24 months (unlimited mileage)
- b. Service Interval: First 1000 miles; every 5000 miles thereafter – both models.
- c. Inspections of certain systems and components are required at 2500 mile intervals.
- d. Extended service contract up to 3 years available as option.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #11 POLICE MOTORCYCLE**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

Brand Name:                                     Harley Davidson Road King (FLHP)  
     Harley Davidson Electra Glide (FLHTP)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
 DIRECTLY AFTER PROPOSAL PRICE PAGE  
 FOR EACH SPECIFICATION**

**Specification #11 POLICE MOTORCYCLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
91453-00	Whelen electric siren, speaker and microphone.	\$ _____
91448-00	Police Microphone Kit	\$ _____
53631-04	Black pre-drilled Tour Pak for LEDs	\$ _____
53632-04	White pre-drilled Tour Pak for LEDs	\$ _____
53634-04	Tour Pak without Holes (Black)	\$ _____
53647-04	Tour Pak without Holes (White)	\$ _____
70672-04	Ballast (for LEDs)	\$ _____
67634-04	LED Lights for Tour Pak (Red)	\$ _____
67638-04	LED Lights for Tour Pak (Blue)	\$ _____
67650-04	LED Lights for Tour Pak (One red/blue, one red, one blue)	\$ _____
69251-04	LED Engine Guard Lights (Red, Blue, or Red/Blue)	\$ _____
91270-92	Headlamp Cut Off Switch	\$ _____
98990-02	Saddlebag Mounted Fire Extinguisher	\$ _____
93510-02	Motorcycle First Aid Kit	\$ _____
93511-02	Sheriffs First Aid Kit	\$ _____
_____	Solid color paint (other than birch white or vivid black)	\$ _____
_____	Two-tone paint	\$ _____
_____	Anti-lock brakes	\$ _____
KE-21FG	Setcom helmet kit	\$ _____
SWE-1G5/L	Setcom Liberator Wireless Microphone - connects to M/A-Com portable radios	\$ _____
SWE-1M2A/L	Setcom Liberator Wireless Microphone - connects to Motorola JEDI series	\$ _____

**Specification #11 POLICE MOTORCYCLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
MWH-31	Setcom wireless transmitter	\$ _____
_____	3-year Extended Service Contract	\$ _____

# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## SPECIFICATION #12 - MOTORCYCLE

2008 Harley Davidson Sporster (XL 883)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

### 1. POWERTRAIN:

- a. Engine Type: Air cooled evolution
- b. Displacement: 53.86 cu. in.
- c. Bore & Stroke: 3.00 in. x 3.81 in.
- d. Engine Torque (per SAE J607): 55.0 ft. lbs. @ 3500 rpm
- e. Fuel System: Electronic Sequential Port Fuel Injection (ESPFI)
- f. Compression Ratio: 8.9 to 1
- g. Miles Per Gallon (EFI): City 45 mpg; Highway 60 mpg
- h. Primary Drive: Chain, 34/57 ratio
- i. Final Drive: Belt, 28/68 ratio
- j. Clutch: 9-plate, wet
- k. Transmission: 5 speed
- l. Gear Ratios: 1st: 10.782; 2nd: 7.702; 3rd: 5.728; 4th: 4.748; 5th: 4.071

### 2. DIMENSIONS:

- a. Length: 90.1 in.
- b. Overall Width: 32.7 in.
- c. Overall Height: 45.7 in.
- d. Seat Height: 27.3 in.
- e. Ground Clearance: 5.6 in.
- f. Wheelbase: 60.0 in.
- g. Fuel Capacity: 3.3 gal., includes 0.8 gal. reserve
- h. Oil Capacity: 3.6 qts.
- i. Dry Weight: 563 lbs.
- j. GVWR: 1000 lbs.

### 3. ELECTRICAL:

- a. Battery (per Battery Council International rating): Sealed, maintenance-free, 12-volt, 12 amp-hour, 200 cca
- b. Charging: Single phase, 30 amp system (357w @ 13.5v, 2000 rpm, 405w max power @ 13.5v)
- c. Starting: 1.2 kw electric with solenoid shift starter motor engagement.
- d. Hand Controls: Water resistant switches.
- e. Connectors: Industrial grade throughout
- f. Lights: As per country regulation
  1. Headlamp: Quartz halogen; 55-watt low beam, 60-watt high beam
  2. Tail/Stop Lights: 8w/28w (5w/21w)
  3. Turn Signal Lights (self-canceling): 28w (21w)
  4. Flashers (four way): Integrated into turn signal switches.
  5. Indicator Lamps: High beam, neutral, low oil pressure, engine diagnostic light, turn signals, low fuel warning, security system optional.
- g. Instruments:
  1. Speedometer: Certified analog speedometer
  2. Odometer: Calibrated, cumulative and separate trip meter (2), clock



#### 4. CHASSIS:

- a. Frame: Mild steel, tubular frame, circular sections, cast junctions.
- b. Swing Arm: Mild steel, rectangular tube sections, stamped junctions, MIG welded.
- c. Front Fork: 39 mm, telescopic cartridge style damping.
- d. Rear Shocks: Coil over, dual adjustable preload.
- e. Exhaust System: Chrome staggered shorty duals.

#### 5. BRAKES (DIAMETER X WIDTH):

- a. Front: 11.5 in. x 0.20 in.
- b. Rear: 11.5 in. x 0.23 in.
- c. Caliper Type: Dual piston front and single piston rear
- d. Rotor Type: Patented, Uniform Expansion Rotors

#### 6. SUSPENSION TRAVEL:

- a. Front: 5.6 in.
- b. Rear: 4.1 in.
- c. Lean Angle (per SAEJ1168): Right 32 degrees; Left 32 degrees.

#### 7. WHEELS/TIRES:

- a. Front Wheel: 13 spoke silver cast aluminum.
- b. Rear Wheel: 13 spoke silver cast aluminum.
- c. Front Tire (D401F): 100/90 – 19 57H
- d. Rear Tire (D401): 150/80B – 16 71H
- e. Tubeless type tires

#### 8. STYLING/CONVENIENCE:

- a. Side Stand: Jiffy stand rubber bumper design.
- b. Drive: Final belt drive.
- c. Mirrors: Two (2) long stem true image mirrors.
- d. Fuel level gauge; low fuel indication lamp; low fuel light indicates reserve fuel capacity when main supply is exhausted.
- e. Sight glass on brake master cylinder front and rear.
- f. One key fits all locks.
- g. Color Options: Standard Birch White, Vivid Black, Glacier White Pearl

#### 9. WARRANTY:

- a. Warranty: 24 months (unlimited mileage)
- b. Service Interval: First 1000 miles; every 5000 miles thereafter
- c. Extended service contract up to 3 years available as option.

#### 10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.

g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #12 MOTORCYCLE**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.  
 Northern District \$ \_\_\_\_\_ /ea.  
 Central District \$ \_\_\_\_\_ /ea.  
 Southern District \$ \_\_\_\_\_ /ea.

Brand Name:  Harley Davidson Sporster (XL 883)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
 DIRECTLY AFTER PROPOSAL PRICE PAGE  
 FOR EACH SPECIFICATION**

**Specification #12 MOTORCYCLE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
49060-04	Engine Guard Bar	\$ _____
57716-01	Detachable windshield	\$ _____
58164-96A	Windshield docking hardware	\$ _____
91412-04AV	Saddlebags (Birch White)	\$ _____
91412-04DH	Saddlebags (Black)	\$ _____
68746-03A	Pursuit Lamp Kit (Red/Blue) with switches and mounting brackets	\$ _____
677-299	Self contained siren/speaker with switches and mounting brackets	\$ _____
_____	3-year Extended Service Contract	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #13 - HYBRID 4-DOOR UTILITY VEHICLES - 4X2**

2008 Ford Escape (U49) (RO)  
2008 Chevrolet Tahoe (CC10706)  
2008 GMC Yukon (TC10706)  
2008 Saturn Vue (ZLT26)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard gasoline electric hybrid propulsion system.
- b. Manufacturer's standard cooling system.

2. **TRANSMISSION:**

- a. Manufacturer's standard automatic transmission.

3. **AXLES:**

- a. Manufacturer's standard drive axle ratio for specified engine and transmission combination.

4. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.

5. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows and power door locks.
- e. Cruise control, factory installed.
- f. Tilt steering wheel.
- g. Manufacturer's standard trunk opener, electric, remote unit location.
- h. Manufacturer's standard floor covering.
- i. Manufacturer's standard production seats. Purchaser will select color at time of order.
- j. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

6. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Safety belt reminder.
- c. Minimum 2-speed electric wipers and windshield washer.
- d. Manufacturer's standard air bags.

7. **BRAKES:**

- a. Power disc brakes with 4-wheel ABS.
- b. Regenerative braking.

8. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

9. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford Escape (U49) (RO)
  - Chevrolet Tahoe (CC10706)
  - GMC Yukon (TC10706)
  - Saturn Vue (ZLT26)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine block heater	\$ _____
3K	Third key	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #13 HYBRID 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #14 - HYBRID 4-DOOR UTILITY VEHICLES - 4X4 OR  
AWD**

2008 Ford Escape (U59) (RO)  
2008 Mercury Mariner (U39) (RO)  
2008 Chevrolet Tahoe (CK10706)  
2008 GMC Yukon (TK10706)  
2008 Toyota Highlander (6964)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard gasoline electric hybrid propulsion system.
- b. Manufacturer's standard cooling system.

2. **TRANSMISSION:**

- a. Manufacturer's standard automatic transmission.

3. **AXLES:**

- a. Manufacturer's standard drive axle ratio for specified engine and transmission combination.

4. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.

5. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows and power door locks.
- e. Cruise control, factory installed.
- f. Tilt steering wheel.
- g. Manufacturer's standard trunk opener, electric, remote unit location.
- h. Manufacturer's standard floor covering.
- i. Manufacturer's standard production seats. Purchaser will select color at time of order.
- j. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

6. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Safety belt reminder.
- c. Minimum 2-speed electric wipers and windshield washer.
- d. Manufacturer's standard air bags.

7. **BRAKES:**

- a. Power disc brakes with 4-wheel ABS.
- b. Regenerative braking.

8. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

9. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4 or AWD**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford Escape (U59) (RO)
  - Mercury Mariner (U39) (RO)
  - Chevrolet Tahoe (CK10706)
  - GMC Yukon (TK10706)
  - Toyota Highlander (6964)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4  
or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4  
or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine block heater	\$ _____
3K	Third key	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
CAVP	Code 3: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FAVP	Federal Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SAVP	Signal: Administrative Vehicle Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WAVP	Whelen: Administrative Vehicle Package - See Emergency Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4  
or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4  
or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #14 HYBRID 4-DOOR UTILITY VEHICLES - 4x4  
or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #15 - SMALL SIZE 4-DOOR UTILITY VEHICLES - 4X2**

2008 Ford Escape (U02) (RO)  
2008 Chevrolet Equinox (1LF26)  
2008 Chevrolet HHR Panel (1AT26)  
2008 Jeep Liberty (KJTH74)  
2008 Dodge Nitro (KA1L74)  
2008 Honda CR-V (RE3837EW)  
2008 Honda Element (YHW1837EW)  
2008 Saturn Vue (ZLF26)  
2008 Toyota Rav4 (4430) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Manufacturer's standard gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/TRANSAXLE:**

a. Manufacturer's standard automatic transmission/transaxle.

3. **PERFORMANCE ITEMS:**

a. Manufacturer's standard power steering.  
b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

a. Manufacturer's standard air conditioning with 134A system.  
b. Manufacturer's standard tinted glass all around.  
c. Manufacturer's standard AM/FM stereo.  
d. Power windows, power door locks, cruise control and tilt steering wheel.  
e. Manufacturer's standard floor covering.  
f. Manufacturer's standard production seats. Purchaser will select color at time of order.  
g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

a. Dual outside mirrors and inside rearview mirror.  
b. Interior dome lights with left and right door activated switches.  
c. Manufacturer's standard air bags.

6. **BRAKES:**

a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

a. Manufacturer's standard tires and wheels.  
b. Manufacturer's standard spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.

- b. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Escape (U02) (RO)
  - Chevrolet Equinox (1LF26)
  - Chevrolet HHR Panel (1AT26)
  - Jeep Liberty (KJTH74)
  - Dodge Nitro (KA1L74)
  - Honda CR-V (RE3837EW)
  - Honda Element (YHW1837EW)
  - Saturn Vue (ZLF26)
  - Toyota Rav4 (4430) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	2-door model in lieu of 4-door model	\$ _____
_____	Cruise control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Power windows	\$ _____
_____	Power door locks	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Factory external engine oil cooler	\$ _____
_____	Battery, 650-cca or greater	\$ _____
_____	Limited slip differential	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	Rear window defogger	\$ _____
_____	Rear window washer/wiper with intermittent feature	\$ _____
_____	Heavy duty rubber floor mats, replaces carpet	\$ _____
_____	Cargo area cover	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Fog lamps	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Tow hooks	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Outside tire carrier	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #15 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #16 - SMALL SIZE 4-DOOR UTILITY VEHICLES - 4X4  
OR AWD**

2008 Ford Escape (U92) (RO)  
2008 Chevrolet Equinox (1LG26)  
2008 Jeep Liberty (KJH74)  
2008 Dodge Nitro (KA5L74)  
2008 Honda CR-V (RE4837EW)  
2008 Honda Element (YHW2837EW)  
2008 Saturn Vue (ZLG26)  
2008 Toyota Rav4 (4432) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Manufacturer's standard gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/TRANSAXLE:**

- a. Four wheel drive to include automatic locking hubs, all required options included.
- b. Limited slip differential on 4-wheel drive, if available (except AWD).
- c. Manufacturer's standard automatic transmission/transaxle.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES - 4x4 or AWD**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Escape (U92) (RO)
  - Chevrolet Equinox (1LG26)
  - Jeep Liberty (KJH74)
  - Dodge Nitro (KA5L74)
  - Honda CR-V (RE4837EW)
  - Honda Element (YHW2837EW)
  - Saturn Vue (ZLG26)
  - Toyota Rav4 (4432) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	2-door model in lieu of 4-door model	\$ _____
_____	Cruise control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Power windows	\$ _____
_____	Power door locks	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Factory external engine oil cooler	\$ _____
_____	Battery, 650-cca or greater	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	Rear window defogger	\$ _____
_____	Rear window washer/wiper with intermittent feature	\$ _____
_____	Heavy duty rubber floor mats, replaces carpet	\$ _____
_____	Cargo area cover	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Fog lamps	\$ _____
_____	Tow hooks	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Outside tire carrier	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____

**Specification #16 SMALL SIZE 4-DOOR UTILITY VEHICLES -  
4x4 or AWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #17 - MID SIZE 4-DOOR UTILITY VEHICLES - 4X2**

2008 Ford Explorer (U63) (RO)  
2008 Ford Explorer Sport Trac (U31) (RO)  
2008 Chevrolet Trailblazer (CS15506)  
2008 GMC Acadia (TR14526)  
2008 GMC Envoy (TS15506)  
2008 Jeep Grand Cherokee Laredo (WKTH74)  
2008 Nissan Pathfinder (09217) (RO)  
2008 Saturn Outlook (ZR14526)  
2008 Toyota 4 Runner (8642) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/TRANSAXLE:**

- a. Manufacturer's standard automatic transmission/transaxle.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.

- b. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Explorer (U63) (RO)
  - Ford Explorer Sport Trac (U31) (RO)
  - Chevrolet Trailblazer (CS15506)
  - GMC Acadia (TR14526)
  - GMC Envoy (TS15506)
  - Jeep Grand Cherokee Laredo (WKTH74)
  - Nissan Pathfinder (09217) (RO)
  - Saturn Outlook (ZR14526)
  - Toyota 4 Runner (8642) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	2-door model in lieu of 4-door model	\$ _____
_____	Cruise control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Power windows	\$ _____
_____	Power door locks	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Factory external engine oil cooler	\$ _____
_____	Battery, 650-cca or greater	\$ _____
_____	Limited slip differential	\$ _____
_____	Police or special service package (include all options required to equal total package)	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Third row seat	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	Rear window defogger	\$ _____
_____	Rear window washer/wiper with intermittent feature	\$ _____
_____	Heavy duty rubber floor mats, replaces carpet	\$ _____
_____	Cargo area cover	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Daytime running lights	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Immobilize daytime running lights	\$ _____
_____	Fog lamps	\$ _____
_____	Tow hooks	\$ _____
_____	Heavy duty towing package, includes HD class III receiver with 2" ball	\$ _____
_____	Full size spare tire	\$ _____
_____	Outside tire carrier	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____

**Specification #17 MID SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #18 - MID SIZE 4-DOOR UTILITY VEHICLES - 4X4**

2008 Ford Explorer (U73) (RO)  
2008 Ford Explorer Sport Trac (U51) (RO)  
2008 Chevrolet Trailblazer (CT15506)  
2008 GMC Acadia (TV14526)  
2008 GMC Envoy (TT15506)  
2008 Jeep Grand Cherokee Laredo (WKJH74)  
2008 Nissan Pathfinder (09617) (RO)  
2008 Saturn Outlook (ZV14526)  
2008 Toyota 4 Runner (8664) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/TRANSAXLE:

- a. Four wheel drive to include automatic locking hubs, includes all required options.
- b. Limited slip differential on 4-wheel drive.
- c. Manufacturer's standard automatic transmission/transaxle.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Explorer (U73) (RO)
  - Ford Explorer Sport Trac (U51) (RO)
  - Chevrolet Trailblazer (CT15506)
  - GMC Acadia (TV14526)
  - GMC Envoy (TT15506)
  - Jeep Grand Cherokee Laredo (WKJH74)
  - Nissan Pathfinder (09617) (RO)
  - Saturn Outlook (ZV14526)
  - Toyota 4 Runner (8664) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	2-door model in lieu of 4-door model	\$ _____
_____	Cruise control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Power windows	\$ _____
_____	Power door locks	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Factory external engine oil cooler	\$ _____
_____	Battery, 650-cca or greater	\$ _____
_____	Police or special service package (include all options required to equal total package)	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Third row seat	\$ _____
_____	5" round dome lamp between sunvisors	\$ _____
_____	Rear window defogger	\$ _____
_____	Rear window washer/wiper with intermittent feature	\$ _____
_____	Heavy duty rubber floor mats, replaces carpet	\$ _____
_____	Cargo area cover	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Fog lamps	\$ _____
_____	Daytime running lights	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Immobilize daytime running lights	\$ _____
_____	Tow hooks	\$ _____
_____	Heavy duty towing package, includes HD class III receiver with 2" ball	\$ _____
_____	Full size spare tire	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Outside tire carrier	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____

**Specification #18 MID SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #19 - FULL SIZE 4-DOOR UTILITY VEHICLES - 4X2**

2008 Ford Expedition (U15) (RO)  
2008 Chevrolet Avalanche 1500 (CC10936)  
2008 Chevrolet Tahoe 1500 (CC10706/1FL)  
2008 GMC Yukon (TC10706/1SA)  
2008 Chrysler Aspen (HG1P74)  
2008 Jeep Commander (XKTH74)  
2008 Dodge Durango (HB1M74)  
2008 Nissan Armada (49217) (RO)  
2008 Toyota Sequoia (7916) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/TRANSAXLE:

- a. Manufacturer's standard automatic transmission/transaxle.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.

- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Expedition (U15) (RO)
  - Chevrolet Avalanche 1500 (CC10936)
  - Chevrolet Tahoe 1500 (CC10706/1FL)
  - GMC Yukon (TC10706/1SA)
  - Chrysler Aspen (HG1P74)
  - Jeep Commander (XKTH74)
  - Dodge Durango (HB1M74)
  - Nissan Armada (49217) (RO)
  - Toyota Sequoia (7916) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Transmission oil cooler	\$ _____
_____	Alternator, 130-Amp	\$ _____
_____	Limited slip differential	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Bucket seats	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Running boards	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Mirrors, camper type	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Tow hooks	\$ _____
_____	Heavy duty towing package, includes HD class III receiver with 2" ball	\$ _____
_____	All terrain tires	\$ _____
_____	Nitroten filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____

**Specification #19 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____



# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## SPECIFICATION #20 - FULL SIZE 4-DOOR UTILITY VEHICLES - 4X4

2008 Ford Expedition (U16) (RO)  
2008 Chevrolet Avalanche 1500 (CK10936)  
2008 Chevrolet Tahoe 1500 (CK10706/1FL)  
2008 GMC Yukon (TK10706/1SA)  
2008 Chrysler Aspen (HG5P74)  
2008 Jeep Commander (XKJH74)  
2008 Dodge Durango (HB5M74)  
2008 Nissan Armada (49617) (RO)  
2008 Toyota Sequoia (7918) (RO)

### **ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### 1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

#### 2. TRANSMISSION/TRANSAXLE:

- a. Four wheel drive to include automatic locking hubs, includes all required options.
- b. Limited slip differential or traction control on 4-wheel drive.
- c. Manufacturer's standard automatic transmission/transaxle.

#### 3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

#### 4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

#### 5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

#### 6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

#### 7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

#### 8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

#### 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Expedition (U16) (RO)
  - Chevrolet Avalanche 1500 (CK10936)
  - Chevrolet Tahoe 1500 (CK10706/1FL)
  - GMC Yukon (TK10706/1SA)
  - Chrysler Aspen (HG5P74)
  - Jeep Commander (XKJH74)
  - Dodge Durango (HB5M74)
  - Nissan Armada (49617) (RO)
  - Toyota Sequoia (7918) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Transmission oil cooler	\$ _____
_____	Alternator, 130-Amp	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Bucket seats	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Privacy glass, factory installed	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Running boards	\$ _____
_____	Daytime running lights	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Immobilize daytime running lights	\$ _____
_____	Mirrors, camper type	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Tow hooks	\$ _____
_____	Heavy duty towing package, includes HD class III receiver with 2" ball	\$ _____
_____	All terrain tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Skid plate package	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____

**Specification #20 FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #21 - 1/2 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4X2**

2008 Ford Expedition (ELK15) (RO)  
2008 Chevrolet Suburban 1500 (CC10906/1FL)  
2008 GMC Yukon 1500 (TC10906/1SA)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/TRANSAXLE:

- a. Manufacturer's standard automatic transmission/transaxle.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

Brand Name:                       Ford Expedition (ELK15) (RO)  
     Chevrolet Suburban 1500 (CC10906/1FL)  
     GMC Yukon 1500 (TC10906/1SA)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTURER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Limited slip differential	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Captain chairs, front	\$ _____
_____	Captain chairs, middle	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat, fleet only	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Mirrors, camper type, fleet only	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty towing package, includes HD class III receiver hitch	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	All terrain tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____

**Specification #21 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #22 - 1/2 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4X4**

2008 Ford Expedition (ELK16) (RO)  
2008 Chevrolet Suburban 1500 (CK10906/1FL)  
2008 GMC Yukon 1500 (TK10906/1SA)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/TRANSAXLE:

- a. Manufacturer's standard automatic transmission/transaxle.
- b. Four wheel drive to include automatic locking hubs, includes all required options.
- c. Limited slip differential or traction control on 4-wheel drive.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

Brand Name:

Ford Expedition (ELK16) (RO)

Chevrolet Suburban 1500 (CK10906/1FL)

GMC Yukon 1500 (TK10906/1SA)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Limited slip differential	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Captain chairs, front	\$ _____
_____	Captain chairs, middle	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat, fleet only	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Mirrors, camper type, fleet only	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty towing package, includes HD class III receiver hitch	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	All terrain tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Skid plate package	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____

**Specification #22 1/2 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #23 - 3/4 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4X2**

2008 Chevrolet Suburban 2500 (CC20906/1FL)  
2008 GMC Yukon 2500 (TC20906/1SA)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/TRANSAXLE:

- a. Manufacturer's standard automatic transmission/transaxle.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

Brand Name:

Chevrolet Suburban 2500 (CC20906/1FL)

GMC Yukon 2500 (TC20906/1SA)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Limited slip differential	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Captain chairs, front	\$ _____
_____	Captain chairs, middle	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat, fleet only	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Mirrors, camper type, fleet only	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty towing package, includes HD class IV receiver hitch	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	10,000 lb. winch, electric with remote	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	All terrain tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____

**Specification #23 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #24 - 3/4 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4X4**

2008 Chevrolet Suburban 2500 (CK20906/1FL)  
2008 GMC Yukon 2500 (TK20906/1SA)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/TRANSAXLE:**

- a. Manufacturer's standard automatic transmission/transaxle.
- b. Four wheel drive to include automatic locking hubs, includes all required options.
- c. Limited slip differential or traction control on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Heavy duty rubber floor covering, if available.
- f. Seating: cloth front seats with vinyl rear seat, if available. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Full perimeter frame, ladder type.
- d. Manufacturer's towing package.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

Brand Name:

Chevrolet Suburban 2500 (CK20906/1FL)

GMC Yukon 2500 (TK20906/1SA)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Deep tinted glass	\$ _____
_____	Manufacturer's towing package	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Tremco anti-theft - foot activated, dealer installed	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Remote vehicle start	\$ _____
3K	Third key	\$ _____
_____	Console	\$ _____
_____	Captain chairs, front	\$ _____
_____	Captain chairs, middle	\$ _____
_____	Cloth 2nd row seat	\$ _____
_____	Third row seat, fleet only	\$ _____
_____	Floor carpet with color keyed floor mats	\$ _____
_____	Air conditioning - front and rear	\$ _____
_____	Side air protection (may affect cage availability)	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Body side molding	\$ _____
_____	Mirrors, camper type, fleet only	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty towing package, includes HD class IV receiver hitch	\$ _____
_____	10,000 lb. winch, electric with remote	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6  
PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	All terrain tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Skid plate package	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____

**Specification #24 3/4 TON 4-DOOR EXTENDED WHEELBASE 6 PASSENGER UTILITY VEHICLES - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
_____	Setina #10 Series Lexan Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Setina 8S Lexan cage with 1/2 lexan and 1/2 expanded metal with full lower extension panel, dealer installed	\$ _____
_____	Pro-Gard P2600 Series Polycarbonate (Lexan) Cage with sliding window, full width lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-120 Lexan cage with 1/2 lexan and 1/2 metal with full lower extension panel, dealer installed	\$ _____
_____	Patriot VP1-100 all Lexan cage with full lower extension panel, dealer installed	\$ _____
_____	K-9 Container. All aluminum In-Vehicle (rear seat area) K-9 Container to protect the public, officer, K-9, and vehicle. Please specify vehicle year, make and model. Call for installation, shipping, and/or delivery prices.	\$ _____
_____	Electronic Remote Rear Door Opening system to be used with the K-9 Container. Allows the officer to release the K-9 from the vehicle from a remote position.	\$ _____
_____	Heat Alarm System to be used in a K-9 vehicle. Warns officer when dangerously high temperatures are inside the vehicle.	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #25 - 7 PASSENGER MINI VAN - FWD**

2008 Chevrolet Uplander (CU11416)  
2008 Chrysler Town & Country (RTYH53)  
2008 Dodge Grand Caravan (RTKH53)  
2008 Nissan Quest (10217) (RO)  
2008 Toyota Sienna (5326) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard 6 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Manufacturer's standard suspension system.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard door arrangements with standard glass placement.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Cargo van in lieu of passenger van	\$ _____
_____	3rd row passenger seating	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____



**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Extended version	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Enhanced seat group	\$ _____
_____	Air conditioning - rear	\$ _____
_____	Side air bags	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Manual RH/LH door	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Dutch doors	\$ _____
_____	Deep tint for base	\$ _____
_____	Class I trailer wiring	\$ _____
_____	Class I hitch	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #25 7 PASSENGER MINI VAN - FWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #26 - 8 PASSENGER VAN - RWD**

2008 Ford E-150 Club Wagon (E11)  
2008 Chevrolet Express 1500 (CG13406)  
2008 GMC Savana 1500 (TG13406)  
2008 Dodge Sprinter (VB2L53)  
2008 Freightliner Sprinter (VB6L53)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Manufacturer's standard suspension system.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel, if available.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard door arrangements with standard glass placement.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard fuel tank.



## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #26 8 PASSENGER VAN - RWD**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford E-150 Club Wagon (E11)
  - Chevrolet Express 1500 (CG13406)
  - GMC Savana 1500 (TG13406)
  - Dodge Sprinter (VB2L53)
  - Freightliner Sprinter (VB6L53)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Cargo van in lieu of passenger van with side and rear door glass	\$ _____
_____	Power windows/door locks	\$ _____
_____	Cruise control/tilt steering wheel	\$ _____
_____	3rd row passenger seating	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	10 passenger Sprinter	\$ _____
_____	Extended version	\$ _____
_____	AWD model	\$ _____
_____	Glove compartment	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____
_____	Enhanced seat group	\$ _____
_____	Air conditioning - rear	\$ _____
_____	Side air bags	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Manual RH/LH door	\$ _____
_____	Dutch doors	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Deep tint for base	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Class III trailer wiring	\$ _____
_____	Class III hitch	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____



**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____

**Specification #26 8 PASSENGER VAN - RWD**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

# **FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION**

## **SPECIFICATION #27 - 12 PASSENGER VAN**

2008 Ford E-350 Club Wagon (E31)  
2008 Chevrolet Express 2500 (CG23406)  
2008 GMC Savana 2500 (TG23406)  
2008 Dodge Ram 5500 (DM0L63)  
2008 Freightliner Sprinter (VB6L53)

### **ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### **1. ENGINE:**

- a. Manufacturer's standard engine, alternator, battery and cooling package.

#### **2. TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Manufacturer's standard suspension system.

#### **3. PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

#### **4. COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system, front and rear.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel, if available.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

#### **5. SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

#### **6. BRAKES:**

- a. Four wheel anti-lock brake ABS system.

#### **7. TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard size spare tire and rim.

#### **8. CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard door arrangements with standard glass placement.
- b. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- c. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #27 12 PASSENGER VAN**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford E-350 Club Wagon (E31)
  - Chevrolet Express 2500 (CG23406)
  - GMC Savana 2500 (TG23406)
  - Dodge Ram 5500 (DM0L63)
  - Freightliner Sprinter (VB6L53)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Cargo van in lieu of passenger van with side and rear door glass	\$ _____
_____	8 passenger seating in lieu of 12 passenger seating	\$ _____
_____	Power windows/door locks	\$ _____
_____	Cruise control/tilt steering wheel	\$ _____
_____	Air conditioning - rear	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Deluxe engine cover	\$ _____
_____	Battery - 770 cca	\$ _____
_____	Alternator - 130-Amp	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Interior upgrade - specify	\$ _____
_____	On-Star 1-year safe & sound service	\$ _____
_____	Power mirrors	\$ _____
_____	Recreational mirrors	\$ _____
_____	11 passenger center aisle seating	\$ _____
_____	Power driver's seat	\$ _____
_____	Cloth seats	\$ _____
_____	Full carpet	\$ _____
_____	Legal deep tinted film, dealer installed	\$ _____
_____	Rear window defogger	\$ _____
_____	Privacy glass	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Remote keyless entry	\$ _____



**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Side air bags	\$ _____
_____	Exterior upgrade - specify	\$ _____
_____	Front license plate bracket	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Rear step bumper	\$ _____
_____	Sliding side door	\$ _____
_____	Swing-out cargo doors on driver's side	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Class IV hitch, only	\$ _____
_____	Class III hitch, includes bar and ball	\$ _____
_____	Heavy-duty towing package up to 6,500 lbs.	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHE power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
FCD-IPK-12	American Aluminum Inmate Transport Package for a 12-Passenger Van, or approved equivalent. Kit includes complete window guards set and replacement door trim panels set, and one front security partition. Please specify year, make and model. *Other options and combinations available, but not included.	\$ _____
FCD-FP-12	*Front partition	\$ _____
FCD-CP-12	*Center partition	\$ _____
FCD-RP-12	*Rear partition	\$ _____
FCD-FANS	*Dual forced air circulation fans	\$ _____
FCD-RDP-12	*Replacement door panels (set)	\$ _____
FCD-RSTEP-12	*Rear step	\$ _____
FCD-SSSTEP-12	*Side slide-out step	\$ _____
FCD-WGS-12	*Complete window guard set	\$ _____

**Specification #27 12 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



# **FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION**

## **SPECIFICATION #28 - 15 PASSENGER VAN**

2008 Ford E-350 Club Wagon Extended (S31)  
2008 Chevrolet Express 3500 (CG33706)  
2008 GMC Savana 3500 (TG33706)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard 8 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Manufacturer's standard suspension system (must support 15 passenger payload).

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system, front and rear.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Power windows, power door locks, cruise control and tilt steering wheel.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard front and rear bumpers.
- b. Manufacturer's standard door arrangements with standard glass placement.
- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- d. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #28 15 PASSENGER VAN**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

Brand Name:

Ford E-350 Club Wagon Extended (S31)

Chevrolet Express 3500 (CG33706)

GMC Savana 3500 (TG33706)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Cargo van in lieu of passenger van with side and rear door glass	\$ _____
_____	12 passenger seating (keeps extended wheelbase) in lieu of 15 passenger seating	\$ _____
_____	Power windows/door locks	\$ _____
_____	Cruise control/tilt steering wheel	\$ _____
_____	High capacity air conditioning	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Deluxe engine cover	\$ _____
_____	Battery - 770 cca	\$ _____
_____	Alternator - 130-Amp	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Interior upgrade - specify	\$ _____
_____	On-Star 1-year safe & sound service	\$ _____
_____	Remote power mirrors	\$ _____
_____	Recreational mirrors	\$ _____
_____	14 passenger center aisle seating	\$ _____
_____	Power driver's seat	\$ _____
_____	Power passenger seat	\$ _____
_____	Cloth seats	\$ _____
_____	Full carpet	\$ _____
_____	Legal deep tinted film, dealer installed	\$ _____
_____	Rear window defogger	\$ _____
_____	Privacy glass	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Remote keyless entry	\$ _____
_____	Side air bags	\$ _____
_____	Exterior upgrade - specify	\$ _____
_____	Front license plate bracket	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Running boards	\$ _____
_____	Sliding side door	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Class IV hitch, only	\$ _____
_____	Class III hitch, includes bar and ball	\$ _____
_____	Heavy-duty towing package up to 6,500 lbs.	\$ _____
_____	Heavy-duty towing package up to 10,000 lbs.	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____



**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHE power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
FCD-IPK-15	American Aluminum Inmate Transport Package for a 15-Passenger Van, or approved equivalent. Kit includes complete window guards set and replacement door trim panels set, and one front security partition. Please specify year, make and model. *Other options and combinations available, but not included.	\$ _____
FCD-FP-15	*Front partition	\$ _____
FCD-CP-15	*Center partition	\$ _____
FCD-RP-15	*Rear partition	\$ _____
FCD-FANS	*Dual forced air circulation fans	\$ _____
FCD-RDP-15	*Replacement door panels (set)	\$ _____
FCD-RSTEP-15	*Rear step	\$ _____
FCD-SSSTEP-15	*Side slide-out step	\$ _____
FCD-WGS-15	*Complete window guard set	\$ _____

**Specification #28 15 PASSENGER VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #29 - UTILITY CARGO VAN**

2008 Ford E-250 Cargo Van (E24)  
2008 Chevrolet Express Cargo Van (CG23405)  
2008 GMC Savana Cargo Van (TG23405)  
2008 Dodge Sprinter (VB2L53)  
2008 Freightliner Sprinter (VB6L13)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard 8 cylinder gasoline engine or 5 cylinder turbo diesel, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Manufacturer's standard suspension system.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Console engine cover.
- b. Manufacturer's standard air conditioning with 134A system.
- c. Manufacturer's standard tinted glass all around.
- d. Manufacturer's standard AM/FM stereo.
- e. Manufacturer's standard floor covering.
- f. Manufacturer's standard production seats. Purchaser will select color at time of order.
- g. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard front and rear bumpers.
- b. Manufacturer's standard door arrangements with side and rear glass placement.

- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- d. Manufacturer's standard fuel tank.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #29 UTILITY CARGO VAN**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford E-250 Cargo Van (E24)
  - Chevrolet Express Cargo Van (CG23405)
  - GMC Savana Cargo Van (TG23405)
  - Dodge Sprinter (VB2L53)
  - Freightliner Sprinter (VB6L13)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**



**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	1/2 ton cargo van	\$ _____
_____	Engine downgrade - specify	\$ _____
_____	Console engine cover	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Delete side glass only	\$ _____
_____	Delete side & rear glass	\$ _____
_____	Air conditioning	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Diesel engine upgrade - specify	\$ _____
_____	Deluxe engine cover	\$ _____
_____	Battery - HD auxiliary	\$ _____
_____	Alternator - 130-Amp	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	Appearance package - specify	\$ _____
_____	Crew van package - specify	\$ _____
_____	Remote power mirrors	\$ _____
_____	Recreational mirrors	\$ _____
_____	Legal deep tinted film, dealer installed	\$ _____
_____	Air conditioning - rear	\$ _____
_____	Rear heater	\$ _____
_____	Privacy glass	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Side air bags	\$ _____
_____	Exterior upgrade - specify	\$ _____
_____	High roof option	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Running boards	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Swing-out side doors on driver's side	\$ _____
_____	Sliding side door	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Full body glass	\$ _____
_____	6 door utility body with metal canopy roof with single rear wheels (requires 1 ton cutaway)	\$ _____
_____	6 door utility body with metal canopy roof with dual rear wheels (requires 1 ton cutaway)	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Class III hitch	\$ _____
_____	Heavy-duty towing package up to 6,500 lbs.	\$ _____
_____	Dual rear wheels	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	9,000 GVWR package, minimum	\$ _____
_____	8,550 GVWR rated cargo van with 158" WB	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	8,550 GVWR rated cargo van, extended body length	\$ _____
_____	9,200 GVWR rated cargo van, standard body length	\$ _____
_____	9,200 GVWR rated cargo van, extended body length	\$ _____
_____	Full partition & industrial ladder rack for 135" WB	\$ _____
_____	Full partition & industrial ladder rack for 155" WB	\$ _____
_____	Full partition & commercial customer bin system	\$ _____
_____	Full partition & general service interior bins	\$ _____
_____	Full partition & fiberboard van liner for 135" WB	\$ _____
_____	Full partition & fiberboard van liner for 155" WB	\$ _____
_____	Dual rear wheel cutaway with 12' box (contact awarded vendor)	\$ _____
_____	Dual rear wheel cutaway with 14' box (contact awarded vendor)	\$ _____
_____	Dual rear wheel cutaway with 16' box (contact awarded vendor)	\$ _____
CPLB - LED 2 TIER	Code 3 (Model # FSA-CPLB-23-47A3) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - STROBE	Code 3 (Model # FSA-CPLB-X47A16) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPLB - HALOGEN	Code 3-360 (Model # FSA-CPLB-47A18) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED 2 TIER	D&R Electronics (PART # PLFS46-2INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRPLB - LED	D&R Electronics (PART # PLFS46-1INSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED 2 TIER	Federal Signal (Model 581034) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FPLB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FPLB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED 2 TIER	Signal (Model 5420LED-S 1553) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - LED	Signal (Model 5420LED-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - STROBE	Signal (Model 5420SLD-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPLB - HALOGEN	Signal (Model 5420HSP-SP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 2 TIER	Whelen (Model FX8-FLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - LED 1 TIER	Whelen (Model SX8-SLD-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPLB - STROBE	Whelen (Model 9M-14-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911PLB - LED	911EP (Model GALE48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CMLB - LED	Code 3 (Model # FSA-CMLB-2747A4) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FMLB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - LED	Signal (Model 5421LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - STROBE	Signal (Model 5421SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SMLB - HALOGEN	Signal (Model 5421H) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WMLB - LED	Whelen (Model SX8-SLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WMLB - STROBE	Whelen (Model 9M-8-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911MLB - LED	911EP (Model GAL48CUS) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - LED	Code 3 (Model # FSA-CELB-2147A21) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - STROBE	Code 3 (Model #FSA-CELB-X47A1) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CELB - HALOGEN	Code 3 (Model # FSA-CELB-A1-647) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED 2 TIER	D&R Electronics (PART # PLFS46-2RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
DRELB - LED	D&R Electronics (PART # PLFS46-1RDSS-XX) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - LED	Federal Signal (Model LGD45 or Model 583004) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - STROBE	Federal Signal 44 inch Vista(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FELB - HALOGEN	Federal Signal All-Light 48 inch StreetHawk(tm) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - LED	Signal (Model 5420LED) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - STROBE	Signal (Model 5420SLD) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SELB - HALOGEN	Signal (Model 5420HSP) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WELB - LED	Whelen (Model JLE4-JLE-FSA) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911ELB - LED	911EP (Model GAL48CUSB) See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CPUMP - LED	Code 3: Deluxe Unmarked Patrol Package See Emergency Vehicle Lighting Specifications (Part D)	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
FPUMP - LED	Federal Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SPUMP - LED	Signal: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WPUMP - LED	Whelen: Deluxe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - LED	Code 3: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
CEUMP - STROBE	Code 3: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - LED	Federal Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
FEUMP - STROBE	Federal Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - LED	Signal: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
SEUMP - STROBE	Signal: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - LED	Whelen: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
WEUMP - STROBE	Whelen: Basic Strobe Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
911EUMP - LED	911EP: Basic LED Unmarked Patrol Package - See Emergency Vehicle Lighting Specifications (Part D)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____



**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Setina PB100A12 – 12" Aluminum Push Bumper	\$ _____
_____	Setina PB100A16 – 16" Aluminum Push Bumper	\$ _____
_____	Setina PB300 Push Bumper	\$ _____
_____	Go Rhino 5000 Series Push Bumpers	\$ _____
_____	Rear Transport Seat – Laguna System 3P	\$ _____
_____	Rear Transport Seat – Pro Gard 6000 Series	\$ _____
_____	Rear Transport Seat with extended seat belt – Patriot PSCV1	\$ _____
FCD-MT-X1C	American Aluminum Modular Inmate Transport Unit or approved equivalent. One (1) compartment system for extended length cargo van includes: One (1) rear door (key lockable, with two (2) 6,000 lb. strength locks, one (1) rear step, interior and exterior lights, dual high speed ventilation fans, control panel, and auxiliary (rear) AC/heat. Must be ordered with rear AC.	\$ _____
FCD-MT-X2C/FB	American Aluminum Modular Inmate Transport Unit or approved equivalent. Two (2) compartment system for extended length cargo van includes: Two (2) rear door (key lockable, with four (4) 6,000 lb. strength locks, one (1) rear step, interior and exterior lights, dual high speed ventilation fans, control panel, and auxiliary (rear) AC/heat. Must be ordered with rear AC.	\$ _____
FCD-MT-X2CILR	American Aluminum Modular Inmate Transport Unit or approved equivalent. Two (2) compartment system for extended length cargo van includes: One (1) rear door (key lockable), one (1) side door (key lockable), four (4) 6,000 lb. strength locks, one (1) rear step, one (1) side step, interior and exterior lights, dual high speed ventilation fans, control panel, and auxiliary (rear) AC/heat. Must be ordered with rear AC.	\$ _____
FCD-MT-X3C	American Aluminum Modular Inmate Transport Unit or approved equivalent. Three (3) compartment system for extended length cargo van includes: Two (2) rear doors (key lockable), one (1) side door (key lockable), and six (6) 6,000 lb. strength locks, one (1) rear step,	\$ _____

**Specification #29 UTILITY CARGO VAN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
	one (1) side step, interior and exterior lights, dual high speed ventilation fans, control panel, and auxiliary (rear) AC/heat. Must be ordered with rear AC.	
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #30 - COMPACT PICKUP TRUCK - 4X2**

2008 Ford Ranger (R10) (RO)  
2008 Chevrolet Colorado (CS15403)  
2008 GMC Canyon (TS15403)  
2008 Dodge Dakota Club Cab (ND1L33)  
2008 Nissan Frontier SE King Cab (33317) (RO)  
2008 Toyota Tacoma Access Cab (7164) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's minimum 5 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard axle.
- b. Manufacturer's standard automatic transmission.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Manufacturer's standard floor covering.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard front and rear bumpers.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #30 COMPACT PICKUP TRUCK - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Ranger (R10) (RO)
  - Chevrolet Colorado (CS15403)
  - GMC Canyon (TS15403)
  - Dodge Dakota Club Cab (ND1L33)
  - Nissan Frontier SE King Cab (33317) (RO)
  - Toyota Tacoma Access Cab (7164) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #30 COMPACT PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Engine: 4 cylinder in lieu of 5 or 6 cylinder	\$ _____
_____	Manual transmission in lieu of automatic transmission	\$ _____
_____	Delete pickup bed	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #30 COMPACT PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Battery, 650 cca or greater	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	Sliding rear window	\$ _____
_____	Jump seat for extended models	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Floor mats	\$ _____
_____	Side air bags	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Extended cab model (2 door)	\$ _____
_____	Extended cab model (4 door)	\$ _____
_____	Long bed model, minimum 83.4" inside box length, with minimum 113.5" and maximum 118.0" WB	\$ _____
_____	Front license plate bracket	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Heavy duty aluminum tool box	\$ _____



**Specification #30 COMPACT PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Heavy duty towing package up to 3,500 lbs.	\$ _____
_____	Manufacturer's certified factory utility body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Midbox body option	\$ _____
_____	Astro body option	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #30 COMPACT PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #30 COMPACT PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #31 - COMPACT PICKUP TRUCK - 4X4**

2008 Ford Ranger (R11) (RO)  
2008 Chevrolet Colorado (CT15403)  
2008 GMC Canyon (TT15403)  
2008 Dodge Dakota Club Cab (ND5L33)  
2008 Nissan Frontier SE King Cab (43317) (RO)  
2008 Toyota Tacoma Access Cab (7554) (RO)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's minimum 5 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLE:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard axle.
- c. Four wheel drive with automatic locking hubs, includes all required options.
- d. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Manufacturer's standard floor covering.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Full size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard front and rear bumpers.
- b. Manufacturer's standard fuel tank.

c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #31 COMPACT PICKUP TRUCK - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford Ranger (R11) (RO)
  - Chevrolet Colorado (CT15403)
  - GMC Canyon (TT15403)
  - Dodge Dakota Club Cab (ND5L33)
  - Nissan Frontier SE King Cab (43317) (RO)
  - Toyota Tacoma Access Cab (7554) (RO)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #31 COMPACT PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Engine: 4 cylinder in lieu of 5 or 6 cylinder	\$ _____
_____	Manual transmission in lieu of automatic transmission	\$ _____
_____	Delete pickup bed	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #31 COMPACT PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Battery, 650 cca or greater	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	Sliding rear window	\$ _____
_____	Jump seat for extended models	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Floor mats	\$ _____
_____	Side air bags	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Extended cab model (2 door)	\$ _____
_____	Extended cab model (4 door)	\$ _____
_____	Long bed model, minimum 83.4" inside box length, with minimum 113.5" and maximum 118.0" WB	\$ _____
_____	Front license plate bracket	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Heavy duty aluminum tool box	\$ _____
_____	Bedliner	\$ _____



**Specification #31 COMPACT PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Heavy duty towing package up to 3,500 lbs.	\$ _____
_____	All terrain tires in lieu of all season tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Skid plates	\$ _____
_____	Manufacturer's certified factory utility body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Midbox body option	\$ _____
_____	Astro body option	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #31 COMPACT PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____

**Specification #31 COMPACT PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #32 - 1/2 TON PICKUP TRUCK - 4X2**

2008 Ford F-150 (F12) (RO)  
2008 Chevrolet Silverado 1500 (CC10703)  
2008 GMC Sierra 1500 (TC10703)  
2008 Dodge Ram 1500 (DR1L61)  
2008 Nissan Titan XE King Cab FFV (31517) (RO)  
2008 Toyota Tundra (8202)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Manufacturer's standard 6 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

a. Manufacturer's standard automatic transmission and axles.

3. **PERFORMANCE ITEMS:**

a. Manufacturer's standard power steering.  
b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

a. Manufacturer's standard air conditioning with 134A system.  
b. Manufacturer's standard tinted glass all around.  
c. Manufacturer's standard AM/FM stereo.  
d. Heavy duty rubber floor covering instead of carpet.  
e. Manufacturer's standard production seats. Purchaser will select color at time of order.  
f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

a. Dual outside mirrors and inside rearview mirror.  
b. Interior dome lights with left and right door activated switches.  
c. Manufacturer's standard air bags.

6. **BRAKES:**

a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

a. Manufacturer's standard tires and wheels.  
b. Manufacturer's standard size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.  
b. Manufacturer's standard fuel tank.  
c. Manufacturer's standard front and rear bumpers.  
d. Manufacturer's standard short bed.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-150 (F12) (RO)
  - Chevrolet Silverado 1500 (CC10703)
  - GMC Sierra 1500 (TC10703)
  - Dodge Ram 1500 (DR1L61)
  - Nissan Titan XE King Cab FFV (31517) (RO)
  - Toyota Tundra (8202)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Rear seat on extended cab model	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Flex fuel engine	\$ _____
_____	Battery, 650 cca or greater	\$ _____
_____	Dual batteries	\$ _____
_____	7,700 lbs. GVWR	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Passenger dome lamp	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Side air bags	\$ _____



**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Extended cab model (4 door)	\$ _____
_____	Crew cab	\$ _____
_____	Mega cab (extended 4 door cab)	\$ _____
_____	Long bed in lieu of short bed	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
_____	Trailer tow mirrors	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Aluminum tool box	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Tow hooks	\$ _____
_____	Class IV hitch and ball	\$ _____
_____	8,000 lb. winch with remote	\$ _____
_____	Heavy duty towing package up to 5,000 lbs. with appropriate hitch	\$ _____
_____	Heavy duty towing package up to 7,200 lbs. with appropriate hitch	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Manufacturer's certified factory utility body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Midbox body option	\$ _____
_____	Astro body option	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____

**Specification #32 1/2 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #33 - 1/2 TON PICKUP TRUCK - 4X4**

2008 Ford F-150 (F14) (RO)  
2008 Chevrolet Silverado 1500 (CK10703)  
2008 GMC Sierra 1500 (TK10703)  
2008 Dodge Ram 1500 (DR6L61)  
2008 Nissan Titan XE King Cab FFV (31417) (RO)  
2008 Toyota Tundra (8322)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard 6 cylinder gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission and axles.
- b. Four wheel drive with automatic locking hubs, includes all required options.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Manufacturer's standard size spare tire and rim.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard front and rear bumpers.

d. Manufacturer's standard short bed.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-150 (F14) (RO)
  - Chevrolet Silverado 1500 (CK10703)
  - GMC Sierra 1500 (TK10703)
  - Dodge Ram 1500 (DR6L61)
  - Nissan Titan XE King Cab FFV (31417) (RO)
  - Toyota Tundra (8322)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Rear seat on extended cab model	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____



**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Flex fuel engine	\$ _____
_____	Battery, 650 cca or greater	\$ _____
_____	Dual batteries	\$ _____
_____	7,700 lbs. GVWR	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Passenger dome lamp	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Side air bags	\$ _____
_____	Extended cab model (4 door)	\$ _____

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Crew cab	\$ _____
_____	Mega cab (extended 4 door cab)	\$ _____
_____	Long bed in lieu of short bed	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
_____	Trailer tow mirrors	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Aluminum tool box	\$ _____
_____	All terrain tires in lieu of all season tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Tow hooks	\$ _____
_____	Class IV hitch and ball	\$ _____
_____	8,000 lb. winch with remote	\$ _____
_____	Heavy duty towing package up to 5,000 lbs. with appropriate hitch	\$ _____
_____	Heavy duty towing package up to 7,200 lbs. with appropriate hitch	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Skid plates	\$ _____

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Manufacturer's certified factory utility body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Midbox body option	\$ _____
_____	Astro body option	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____

**Specification #33 1/2 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #34 - 3/4 TON PICKUP TRUCK - 4X2**

2008 Ford F-250 SD (F20) (RO)  
2008 Chevrolet Silverado 2500 HD (CC20903)  
2008 GMC Sierra 2500 HD (TC20903)  
2008 Dodge Ram 2500 (DH2L62)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. TRANSMISSION/AXLES:

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard front and rear bumpers.
- d. Fleetside long bed.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-250 SD (F20) (RO)
  - Chevrolet Silverado 2500 HD (CC20903)
  - GMC Sierra 2500 HD (TC20903)
  - Dodge Ram 2500 (DH2L62)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**



**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Short bed in lieu of long bed	\$ _____
_____	Cargo box and rear bumper	\$ _____
_____	6' cargo box on crew cab	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Battery, auxiliary HD	\$ _____
_____	Increase to 9,200 lbs. GVWR	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Side air bags	\$ _____
_____	Extended cab model (4 door)	\$ _____
_____	Crew cab (4 door)	\$ _____
_____	Mega cab	\$ _____
_____	Cab steps	\$ _____

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
_____	Trailer tow mirrors	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty aluminum tool box	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	All terrain tread tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Tow hooks	\$ _____
_____	1,200 lb. lift gate	\$ _____
_____	8,000 lb. winch with remote	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. Does not include trailer tow mirrors. May be dealer installed.	\$ _____
_____	Manufacturer's certified factory standard service body - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Daytime running lights	\$ _____

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Immobilize daytime running lights	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #34 3/4 TON PICKUP TRUCK - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHE power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #35 - 3/4 TON PICKUP TRUCK - 4X4**

2008 Ford F-250 SD (F21) (RO)  
2008 Chevrolet Silverado 2500 HD (CK20903)  
2008 GMC Sierra 2500 HD (TK20903)  
2008 Dodge Ram 2500 (DH7L62)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard front and rear bumpers.
- d. Fleetside long bed.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-250 SD (F21) (RO)
  - Chevrolet Silverado 2500 HD (CK20903)
  - GMC Sierra 2500 HD (TK20903)
  - Dodge Ram 2500 (DH7L62)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Short bed in lieu of long bed	\$ _____
_____	Cargo box and rear bumper	\$ _____
_____	6' cargo box on crew cab	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Battery, auxiliary HD	\$ _____
_____	Increase to 9,900 lbs. GVWR	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	AM/FM radio with single CD	\$ _____
3K	Third key	\$ _____
_____	Side air bags	\$ _____
_____	Extended cab model (4 door)	\$ _____
_____	Crew cab (4 door)	\$ _____
_____	Mega cab	\$ _____
_____	Cab steps	\$ _____
_____	Vent visors - stick-on style	\$ _____

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
_____	Trailer tow mirrors	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Heavy duty aluminum tool box	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Skid plates	\$ _____
_____	All terrain tread tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Tow hooks	\$ _____
_____	1,200 lb. lift gate	\$ _____
_____	8,000 lb. winch with remote	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. Does not include trailer tow mirrors. May be dealer installed.	\$ _____
_____	Manufacturer's certified factory standard service body - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Daytime running lights	\$ _____

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Immobilize daytime running lights	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #35 3/4 TON PICKUP TRUCK - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #36 - 1 TON PICKUP TRUCK (DUAL REAR WHEEL) -  
4X2**

2008 Ford F-350 SD (F32) (RO)  
2008 Chevrolet Silverado 3500 - Ext. Cab (CC30953)  
2008 GMC Sierra 3500 - Ext. Cab (TC30953)  
2008 Dodge Ram 3500 (D13L62)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Manufacturer's standard outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard front and rear bumpers.
- d. Fleetside long bed.



## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-350 SD (F32) (RO)
  - Chevrolet Silverado 3500 - Ext. Cab (CC30953)
  - GMC Sierra 3500 - Ext. Cab (TC30953)
  - Dodge Ram 3500 (D13L62)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Short bed in lieu of long bed	\$ _____
_____	Cargo box and rear bumper	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Air conditioning	\$ _____
_____	Single rear wheels, 9,500 lbs. GVWR	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended/super cab model	\$ _____
_____	Crew cab (4 door)	\$ _____

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Mega cab	\$ _____
_____	Cab steps	\$ _____
_____	Heavy duty aluminum tool box	\$ _____
_____	6' cargo box on crew cab	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	10,000 lb. winch with remote	\$ _____
_____	All terrain tread tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Trailer tow mirrors	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. Does not include trailer tow mirrors. May be dealer installed.	\$ _____
_____	Manufacturer's certified factory standard service body - specify. Requires trailer tow mirrors. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #36 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #37 - 1 TON PICKUP TRUCK (DUAL REAR WHEEL) -  
4X4**

2008 Ford F-350 SD (F33) (RO)  
2008 Chevrolet Silverado 3500 - Reg. Cab (CK30903)  
2008 GMC Sierra 3500 - Reg. Cab (TK30903)  
2008 Dodge Ram 3500 (D18L62)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard V8 gasoline engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Manufacturer's standard outside mirrors and inside rearview mirror.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard front and rear bumpers.
- d. Fleetside long bed.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-350 SD (F33) (RO)
  - Chevrolet Silverado 3500 - Reg. Cab (CK30903)
  - GMC Sierra 3500 - Reg. Cab (TK30903)
  - Dodge Ram 3500 (D18L62)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Short bed in lieu of long bed	\$ _____
_____	Cargo box and rear bumper	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Single rear wheels, 9,500 lbs. GVWR	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	ABS brakes	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Traction control	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Bucket seats in lieu of bench seat	\$ _____
_____	Carpet in lieu of rubber floor covering	\$ _____
_____	Floor mats	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended/super cab model	\$ _____
_____	Crew cab (4 door)	\$ _____
_____	Mega cab	\$ _____

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Cab steps	\$ _____
_____	Heavy duty aluminum tool box	\$ _____
_____	6' cargo box on crew cab	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Bedliner	\$ _____
_____	Spray-on bedliner (Rhino, Line-X or approved equivalent)	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	10,000 lb. winch with remote	\$ _____
_____	Skid plates	\$ _____
_____	All terrain tread tires	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Trailer tow mirrors	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. Does not include trailer tow mirrors. May be dealer installed.	\$ _____
_____	Manufacturer's certified factory standard service body - specify. Requires trailer tow mirrors. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Fiberglass tonneau cover (painted to match)	\$ _____

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Fiberglass cab high topper with front, side and rear windows (painted to match)	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____



**Specification #37 1 TON PICKUP TRUCK (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #38 - 1 TON CAB & CHASSIS (DUAL REAR WHEEL) -  
4X2**

2008 Ford F-350 (F36) (RO)  
2008 Chevrolet Silverado 3500 (CC31003)  
2008 GMC Sierra 3500 (TC31003)  
2008 Dodge Ram 3500 (DC3L63)  
2008 Dodge Sprinter (VB3L02)  
2008 Freightliner Sprinter (VB7L03)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard gas engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard bumper.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-350 (F36) (RO)
  - Chevrolet Silverado 3500 (CC31003)
  - GMC Sierra 3500 (TC31003)
  - Dodge Ram 3500 (DC3L63)
  - Dodge Sprinter (VB3L02)
  - Freightliner Sprinter (VB7L03)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Single rear wheels, 9,900 lbs. GVWR	\$ _____
_____	Full size spare tire & rim	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab model	\$ _____
_____	Crew cab (4 door)	\$ _____
_____	Cab steps	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Vent visors - stick-on style	\$ _____

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	PTO provision	\$ _____
_____	PTO auto trans provision	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____
_____	Headlight flashers	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	West coast style mirrors	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	84" cab to axle	\$ _____
_____	Manufacturer's certified factory 11 ft. extended service body (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	8 ft. 2 yd. dump	\$ _____
_____	Manufacturer's certified factory 9 ft. flat stake body with 40" stake sides and gates (requires 60" CA)	\$ _____
_____	Manufacturer's certified factory 12 ft. flat stake body with 40" stake sides and gates (requires 84" CA)	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____



**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #38 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #39 - 1 TON CAB & CHASSIS (DUAL REAR WHEEL) -  
4X4**

2008 Ford F-350 (F37) (RO)  
2008 Chevrolet Silverado 3500 (CK31003)  
2008 GMC Sierra 3500 (TK31003)  
2008 Dodge Ram 3500 (DC8L63)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Manufacturer's standard gas engine, alternator, battery and cooling package.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags.

6. **BRAKES:**

- a. Four wheel anti-lock brake ABS system.

7. **TIRES AND WHEELS:**

- a. Manufacturer's standard tires and wheels.
- b. Conventional spare tire mounted underbody.

8. **CHASSIS, FRAME, CAB:**

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard bumper.

## 9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-350 (F37) (RO)
  - Chevrolet Silverado 3500 (CK31003)
  - GMC Sierra 3500 (TK31003)
  - Dodge Ram 3500 (DC8L63)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive	\$ _____
_____	Single rear wheels, 9,900 lbs. GVWR	\$ _____
_____	Full size spare tire & rim	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Deep tinted glass	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab model	\$ _____
_____	Crew cab (4 door)	\$ _____
_____	Cab steps	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	All terrain tread tires	\$ _____
_____	Skid plates	\$ _____
_____	PTO provision	\$ _____
_____	PTO auto trans provision	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____
_____	Headlight flashers	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	West coast style mirrors	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	84" cab to axle	\$ _____
_____	Manufacturer's certified factory 11 ft. extended service body (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____



**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Powder coating	\$ _____
_____	8 ft. 2 yd. dump	\$ _____
_____	Manufacturer's certified factory 9 ft. flat stake body with 40" stake sides and gates (requires 60" CA)	\$ _____
_____	Manufacturer's certified factory 12 ft. flat stake body with 40" stake sides and gates (requires 84" CA)	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____

**Specification #39 1 TON CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #40 - 12,000 LB. GVWR MINIMUM TILT CAB &  
CHASSIS (DUAL REAR WHEEL) - 4X2**

2008 Ford LCF 645A (L45)  
2008 Chevrolet W3500 (W3S042)  
2008 GMC W3500 (W3S042)  
2008 International CF500 (KL045)  
2008 Isuzu NB154 (W3S042)  
2008 Mitsubishi Fuso (FE125)  
2008 Sterling 360 (C0E30)

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Diesel engine, 4 cylinder turbo charged, minimum displacement 4.5L, minimum 175 HP and 347 lb.-ft. torque.
- b. Heavy duty alternator, minimum capacity 80 amps.
- c. Maintenance free heavy duty battery, minimum 750 CCA.
- d. Manufacturer's heavy duty engine cooling intercooled diesel.

2. TRANSMISSION/AXLES:

- a. Manufacturer's standard automatic transmission.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. PERFORMANCE ITEMS:

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. COMFORT ITEMS:

- a. Manufacturer's standard air conditioning with 134A system.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. SAFETY ITEMS:

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide. ???
- b. Interior dome lights with left and right door activated switches.
- c. Manufacturer's standard air bags, if available.
- d. Minimum 2 speed electric wipers with wet arm washers.
- e. Collapsible steering column, if available.

6. BRAKES:

- a. Four wheel anti-lock brake ABS system.

7. TIRES AND WHEELS:

- a. BSW steel belted radials, 215/85R16E minimum.
- b. 16 x 6.0 steel - 6-hole disc wheels.
- c. Tire capacity: front - 2,400 lbs. (ea.); rear - 2,200 lbs. (ea.).

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Manufacturer's standard fuel tank.
- c. Manufacturer's standard bumper.
- d. Cab with 45-degree mechanical tilt with torsion assist.
- e. Tilt cab & chassis only.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford LCF 645A (L45)
  - Chevrolet W3500 (W3S042)
  - GMC W3500 (W3S042)
  - International CF500 (KL045)
  - Isuzu NB154 (W3S042)
  - Mitsubishi Fuso (FE125)
  - Sterling 360 (C0E30)

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Standard V8 gas engine, standard battery and alternator in lieu of diesel engine	\$ _____
_____	5-speed manual transmission with overdrive in lieu of automatic overdrive (diesel only)	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	GVWR upgrade - specify	\$ _____
_____	GVWR upgrade - specify	\$ _____
_____	GVWR upgrade - specify	\$ _____
_____	GVWR upgrade - specify	\$ _____
_____	Electric brake controller	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
3K	Third key	\$ _____
_____	Crew cab model (non tilt)	\$ _____
_____	Cab steps	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino. Line-X or approved equivalent)	\$ _____
_____	1,500 lb. lift gate (rail gate)	\$ _____
_____	1,500 lb. lift gate (tuck under)	\$ _____
_____	1,500 lb. lift gate (hydraulic)	\$ _____
_____	111" cab to axle, minimum	\$ _____



**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	129" cab to axle, minimum	\$ _____
_____	155" cab to axle, minimum	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	Manufacturer's certified factory standard wide service body for dual rear wheels approximately 11.5 ft. OAL to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory standard beaver tail landscape wide body for dual rear wheels approximately 14 ft. long to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 12' flatbed wide body for dual rear wheels to include appropriate mirrors - specify. 10 ga. H.S. smooth steel floor cross members on 12" centers. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' flatbed wide body for dual rear wheels to include appropriate mirrors - specify. 10 ga. H.S. smooth steel floor cross members on 12" centers. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____

**Specification #40 12,000 lb. GVWR MINIMUM TILT CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #41 - 15,000 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X2**

2008 Ford F-450 (F46) (RO)  
2008 Chevrolet Kodiak 4500 (CC4C042)  
2008 GMC TopKick 4500 (TC4C042)  
2008 Dodge Ram 4500 (DM4L63)  
2008 Sterling Bullet

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Maintenance free heavy duty battery, minimum 750 CCA.
- b. Manufacturer's heavy duty engine cooling.
- c. Manufacturer's gas engine, 8 cylinder
- d. Heavy duty alternator, minimum capacity 100 amps.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic 4-speed transmission with overdrive and manufacturer's heavy duty cooling.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.
- c. Heavy duty front and rear shocks.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Vinyl seating with head rests to accommodate 3 passengers. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Air bags for driver and right front passenger, if available.
- d. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

- a. Rear anti-lock brakes, minimum.
- b. Power brakes, front brakes disc type, rear brakes may be drum or disc.

7. **TIRES AND WHEELS:**

- a. BSW all season tread radial, 19.5" heavy duty truck tires.

b. Spare tire not included.

8. CHASSIS, FRAME, CAB:

- a. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- b. Front bumper, bright or painted.
- c. Fuel tank capacity, 34 gallons minimum.
- d. Cab to center of rear axle - 60" approximately.
- e. Minimum 15,000 lbs. GVWR.
- f. Cab & chassis only.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-450 (F46) (RO)
  - Chevrolet Kodiak 4500 (CC4C042)
  - GMC TopKick 4500 (TC4C042)
  - Dodge Ram 4500 (DM4L63)
  - Sterling Bullet

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Passenger air bag	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	AFT tank for 18 gallon mid ship	\$ _____



**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	17,500 lb. GVWR	\$ _____
_____	Allison authorized synthetic oil, TES 295 or approved equivalent (required for extended warranty)	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Dual fuel tanks	\$ _____
_____	4-wheel ABS brakes	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab	\$ _____
_____	Crew cab model	\$ _____
_____	Cutaway cab	\$ _____

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Cab steps	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	All terrain tread tires on rear	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	PTO provision, automatic	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	PTO transmission driven, manual (dealer installed)	\$ _____
_____	PTO transmission driven, automatic (dealer installed)	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	5,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Front stabilizer bars	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	8 ft. 2 yd. dump wth manual tarp	\$ _____
_____	10 ft. 2 yd. dump with manual tarp (requires 84" CA)	\$ _____
_____	12 ft. flat stake body (requires 84" CA)	\$ _____
_____	16 ft. flat stake body (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	84" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	11 ft. utility (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #41 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #42 - 15,000 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X4**

2008 Ford F-450 (F47) (RO)  
2008 Chevrolet Kodiak 4500 (CC4C044)  
2008 GMC TopKick 4500 (TC4C044)  
2008 Dodge Ram 4500 (DM9L63)  
2008 Sterling Bullet

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Maintenance free heavy duty battery, minimum 750 CCA.
- b. Manufacturer's heavy duty engine cooling.
- c. Manufacturer's gas engine, 8 cylinder
- d. Heavy duty alternator, minimum capacity 100 amps.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic 4-speed transmission with overdrive and manufacturer's heavy duty cooling.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.
- c. Heavy duty front and rear shocks.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Vinyl seating with head rests to accommodate 3 passengers. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Air bags for driver and right front passenger, if available.
- d. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

- a. Rear anti-lock brakes, minimum.
- b. Power brakes, front brakes disc type, rear brakes may be drum or disc.

7. **TIRES AND WHEELS:**

- a. BSW all season tread radial, 19.5" heavy duty truck tires.
- b. Spare tire not included.

8. CHASSIS, FRAME, CAB:

- a. Cab to center of rear axle - 60" approximately.
- b. Minimum 15,000 lbs. GVWR.
- c. Cab & chassis only.
- d. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- e. Front bumper, bright or painted.
- f. Fuel tank capacity, 34 gallons minimum.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-450 (F47) (RO)
  - Chevrolet Kodiak 4500 (CC4C044)
  - GMC TopKick 4500 (TC4C044)
  - Dodge Ram 4500 (DM9L63)
  - Sterling Bullet

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Passenger air bag	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	AFT tank for 18 gallon mid ship	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	17,500 lb. GVWR	\$ _____
_____	Allison authorized synthetic oil, TES 295 or approved equivalent (required for extended warranty)	\$ _____
_____	Alternator, extra HD	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Dual fuel tanks	\$ _____
_____	4-wheel ABS brakes	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab	\$ _____
_____	Crew cab model	\$ _____
_____	Cutaway cab	\$ _____
_____	Cab steps	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	All terrain tread tires on rear	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	PTO provision, automatic	\$ _____
_____	PTO transmission driven, manual (dealer installed)	\$ _____
_____	PTO transmission driven, automatic (dealer installed)	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	5,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____
_____	Front stabilizer bars	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	8 ft. 2 yd. dump wth manual tarp	\$ _____
_____	10 ft. 2 yd. dump with manual tarp (requires 84" CA)	\$ _____
_____	12 ft. flat stake body (requires 84" CA)	\$ _____
_____	16 ft. flat stake body (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	84" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	11 ft. utility (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #42 15,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #43 - 17,501 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X2**

2008 Ford F-550 (F56) (RO)  
2008 Chevrolet Kodiak 5500 (CC5C042)  
2008 GMC TopKick 5500 (TC5C042)  
2008 Dodge Ram 5500 (DM5L63)  
2008 Freightliner M2  
2008 International 4100 SBA  
2008 Peterbilt 325  
2008 Sterling Bullet

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Maintenance free heavy duty battery, minimum 750 CCA.
- b. Manufacturer's heavy duty engine cooling.
- c. Diesel engine, minimum 190 HP
- d. Heavy duty alternator, minimum capacity 100 amps.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic 4-speed transmission with overdrive and manufacturer's heavy duty cooling.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.
- c. Heavy duty front and rear shocks.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Vinyl seating with head rests to accommodate 3 passengers. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Air bags for driver and right front passenger, if available.
- d. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

- a. Rear anti-lock brakes, minimum.
- b. Power brakes, front brakes disc type, rear brakes may be drum or disc.

7. TIRES AND WHEELS:

- a. BSW all season tread radial, 19.5" heavy duty truck tires.
- b. Spare tire not included.

8. CHASSIS, FRAME, CAB:

- a. Cab to center of rear axle - 60" approximately.
- b. Minimum 17,501 lbs. GVWR.
- c. Cab & chassis only.
- d. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- e. Front bumper, bright or painted.
- f. Fuel tank capacity, 34 gallons minimum.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-550 (F56) (RO)
  - Chevrolet Kodiak 5500 (CC5C042)
  - GMC TopKick 5500 (TC5C042)
  - Dodge Ram 5500 (DM5L63)
  - Freightliner M2
  - International 4100 SBA
  - Peterbilt 325
  - Sterling Bullet

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Gas engine with single battery in lieu of diesel engine	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Passenger air bag	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	AFT tank for 18 gallon mid ship	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Alternator, extra HD - specify amps	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Limited slip differential	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab	\$ _____
_____	Crew cab model	\$ _____
_____	Cutaway cab	\$ _____
_____	Cab steps	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Bug shield	\$ _____
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	All terrain tread tires on rear	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	19,000 lb. GVWR	\$ _____
_____	22,000 lb. GVWR	\$ _____
_____	26,000 lb. GVWR	\$ _____
_____	PTO provision, automatic	\$ _____
_____	PTO transmission driven, manual (dealer installed)	\$ _____
_____	PTO transmission driven, automatic (dealer installed)	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	5,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Front stabilizer bars	\$ _____
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	8 ft. 2 yd. dump wth manual tarp	\$ _____
_____	10 ft. 2 yd. dump with manual tarp (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory 12 ft. flat stake body with 40" stake sides and gates (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory 16 ft. flat stake body with 40" stake sides and gates (requires 120" CA)	\$ _____
_____	16 ft. flatbed dump with manual tarp (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	19 ft. rollback wrecker with wheel lift (requires 120" CA)	\$ _____
_____	84" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	11 ft. utility (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard 9' wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____



**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #43 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #44 - 17,501 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X4**

2008 Ford F-550 (F57) (RO)  
2008 Chevrolet Kodiak 5500 (CC5C044)  
2008 GMC TopKick 5500 (TC5C044)  
2008 Dodge Ram 5500 (DM0L63)  
2008 Freightliner M2  
2008 International 4300M7 (MR065)  
2008 Sterling Bullet

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Diesel engine, minimum 190 HP
- b. Heavy duty alternator, minimum capacity 100 amps.
- c. Maintenance free heavy duty battery, minimum 750 CCA.
- d. Manufacturer's heavy duty engine cooling.

2. **TRANSMISSION/AXLES:**

- a. Manufacturer's standard automatic 4-speed transmission with overdrive and manufacturer's heavy duty cooling.
- b. Manufacturer's standard drive axle ratio for engine and transmission combination.
- c. Limited slip differential on 4-wheel drive.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.
- c. Heavy duty front and rear shocks.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Vinyl seating with head rests to accommodate 3 passengers. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 96" wide.
- b. Interior dome lights with left and right door activated switches.
- c. Air bags for driver and right front passenger, if available.
- d. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

- a. Rear anti-lock brakes, minimum.
- b. Power brakes, front brakes disc type, rear brakes may be drum or disc.

7. TIRES AND WHEELS:

- a. BSW all season tread radial, 19.5" heavy duty truck tires.
- b. Spare tire not included.

8. CHASSIS, FRAME, CAB:

- a. Cab to center of rear axle - 60" approximately.
- b. Minimum 17,501 lbs. GVWR.
- c. Cab & chassis only.
- d. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- e. Front bumper, bright or painted.
- f. Fuel tank capacity, 34 gallons minimum.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-550 (F57) (RO)
  - Chevrolet Kodiak 5500 (CC5C044)
  - GMC TopKick 5500 (TC5C044)
  - Dodge Ram 5500 (DM0L63)
  - Freightliner M2
  - International 4300M7 (MR065)
  - Sterling Bullet

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Gas engine with single battery in lieu of diesel engine	\$ _____
_____	Air conditioning	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Passenger air bag	\$ _____
_____	On-Star	\$ _____
_____	Satellite radio	\$ _____
_____	AFT tank for 18 gallon mid ship	\$ _____
_____	Limited slip differential on 4-wheel drive	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Engine upgrade - specify	\$ _____
_____	Alternator, extra HD - specify amps	\$ _____
_____	Dual alternators	\$ _____
_____	Idle control	\$ _____
_____	Electric brake controller	\$ _____
_____	Dual fuel tanks	\$ _____
_____	Manufacturer's model upgrade package (specify pkg. bid)	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control/tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Sliding rear window	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Extended cab	\$ _____
_____	Crew cab model	\$ _____
_____	Cutaway cab	\$ _____
_____	Cab steps	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Bug shield	\$ _____



**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
WGG	Wrap-around grille guard	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Full size spare tire and rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	All terrain tread tires on rear	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	19,000 lb. GVWR	\$ _____
_____	22,000 lb. GVWR	\$ _____
_____	26,000 lb. GVWR	\$ _____
_____	PTO provision, automatic	\$ _____
_____	PTO transmission driven, manual (dealer installed)	\$ _____
_____	PTO transmission driven, automatic (dealer installed)	\$ _____
_____	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	5,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers	\$ _____
_____	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent	\$ _____
_____	1,500 lb. lift gate	\$ _____
_____	12,000 lb. winch with remote	\$ _____
_____	Front stabilizer bars	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Trailer towing package, to include heavy duty flashers, wiring for trailer plug (7 prong round), and class IV frame mounted trailer hitch with 2" square removable receiver, 1" shank with 2" ball. May be dealer installed.	\$ _____
_____	8 ft. 2 yd. dump wth manual tarp	\$ _____
_____	10 ft. 2 yd. dump with manual tarp (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory 12 ft. flat stake body with 40" stake sides and gates (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory 16 ft. flat stake body with 40" stake sides and gates (requires 120" CA)	\$ _____
_____	16 ft. flatbed dump with manual tarp (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	19 ft. rollback wrecker with wheel lift (requires 120" CA)	\$ _____
_____	84" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	11 ft. utility (requires 84" CA)	\$ _____
_____	Manufacturer's certified factory standard 9' wide service body for dual rear wheels to include appropriate mirrors - specify. May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 14' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 111" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Manufacturer's certified factory 16' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Manufacturer's certified factory 20' dry freight wide body with pine floor for dual rear wheels to include appropriate mirrors - specify. (Requires 129" CA). May be dealer installed. (NOTE: If you are ordering a service body, we are advising you to contact your awarded vendor.)	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Rear deck halogen warning lights - red and or blue flashing	\$ _____
_____	Rear deck strobe warning lights - red and or blue flashing	\$ _____
_____	Rear deck LED, GEN 3 minimum, warning lights - LED lights may be blue, red, amber or any combination - specify color	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, rear view mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, trunk lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Halogen trunk lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #44 17,501 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x4**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Diesel Warrant - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #45 - 25,500 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X2**

2008 Ford F-650 (F65) (RO)  
2008 Chevrolet Kodiak 7500  
2008 GMC TC7500 (TC7C042)  
2008 Freightliner M2  
2008 Hino 268A  
2008 International 4300 M-7 (MA065)  
2008 Kenworth T300  
2008 Peterbilt 330  
2008 Sterling Acterra

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

a. Diesel engine, minimum 200 HP - must meet 2007 emission standards.

2. **TRANSMISSION/AXLES:**

- a. All axles, synthetic lube.
- b. Allison 2100 RDS transmission (with PTO provision) minimum, or approved equivalent.
- c. 17,500 lb. rear

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 102" wide.
- b. Convex mirrors mounted below standard mirrors.
- c. Interior dome lights with left and right door activated switches.
- d. Air bags for driver and right front passenger, if available.
- e. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

a. Factory air brakes, anti-lock, slack adjusters and dust shields.

7. **TIRES AND WHEELS:**

a. BSW 11R22.5 (14 PR) Goodyear G149, or approved equivalent, front and rear.

- b. Front wheel seals, synthetic lube.

8. CHASSIS, FRAME, CAB:

- a. Minimum 25,500 lbs. GVWR.
- b. Cab & chassis only.
- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- d. Front bumper, bright or painted.
- e. Factory front tow hooks.
- f. Fuel tank capacity, 45 gallons minimum.
- g. Cab to center of rear axle - 84" approximately.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Ford F-650 (F65) (RO)
  - Chevrolet Kodiak 7500
  - GMC TC7500 (TC7C042)
  - Freightliner M2
  - Hino 268A
  - International 4300 M-7 (MA065)
  - Kenworth T300
  - Peterbilt 330
  - Sterling Acterra

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Provide 5 speed manual with base engine - specify	\$ _____
_____	Provide 6 speed manual with base engine - specify	\$ _____
_____	Provide 7 speed manual with base engine - specify	\$ _____
_____	Air brakes if compatible with transmission	\$ _____
_____	Wheel seals	\$ _____
_____	Handling package	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Satellite radio	\$ _____
_____	On-Star	\$ _____
_____	Passenger air bag	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine hour meter	\$ _____
_____	Trans oil temp meter	\$ _____
_____	Allison authorized synthetic oil, TES 295 or equivalent (required for extended warranty)	\$ _____
_____	Premium hoses	\$ _____
_____	Dual 45 gallon fuel tanks	\$ _____
_____	Air dryers	\$ _____
_____	Moisture ejectors	\$ _____
_____	Power windows, only	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Telescopic and tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Upgrade to 4x4 (specify factory or after market)	\$ _____
_____	Crew cab (84" CA)	\$ _____
_____	Super cab (84" CA)	\$ _____
_____	Cutaway cab	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Knapheide under body tool boxes or approved equivalent	\$ _____
_____	Fender or cowl mounted convex mirrors	\$ _____
_____	Airhorn	\$ _____
_____	Safety kit, fire extinguishers & triangles	\$ _____
_____	Front stabilizer bars	\$ _____
_____	Rear shock absorbers	\$ _____
_____	Auxiliary rear springs	\$ _____
_____	Full size spare tire & rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Knapheide 6132 utility body or approved equivalent (requires 84" CA)	\$ _____
_____	Heil 2-3 yd. dump body with manual tarp or approved equivalent (requires 84" CA)	\$ _____
_____	16 ft. dry freight van	\$ _____
_____	10 ft. 5 yd. dump with manual tarp (requires 84" CA)	\$ _____
_____	12 ft. flat stake body (requires 84" CA)	\$ _____
_____	12 ft. contractors dump with manual tarp (requires 84" CA)	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	14 ft. flat stake body (requires 108" CA)	\$ _____
_____	14 ft. contractors dump with manual tarp (requires 108" CA)	\$ _____
_____	16 ft. flat stake body (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	19 ft. rollback wrecker with wheel lift (requires 120" CA)	\$ _____
_____	20 ft. flat stake body (requires 156" CA)	\$ _____
_____	20 ft. van roll up door (requires 156" CA)	\$ _____
_____	24 ft. van roll up door (requires 186" CA)	\$ _____
_____	24 ft. flat stake body (requires 186" CA)	\$ _____
_____	24 ft. van roll up door (requires 186" CA)	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	108" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	138" cab to axle	\$ _____
_____	156" cab to axle	\$ _____
_____	180" cab to axle	\$ _____
_____	186" cab to axle	\$ _____
_____	2,000 lb. lift gate	\$ _____
_____	12 jon jack cab mounted, if available	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Auto Crane 50K-22 crane body with shelf package, 24" bumper with crank outriggers, or approved equivalent	\$ _____
_____	Auto Crane 6006EH electric hydraulic crane, boom support & chassis springs, or approved equivalent	\$ _____
_____	Auto Crane hydraulic outriggers, or approved equivalent	\$ _____
_____	Auto Crane 6406 hydraulic crane, reservoir, PTO and pump, boom supprt & chassis springs, or approved equivalent	\$ _____
_____	Auto Crane 8406 hydraulic crane, reservoir, PTO and pump, boom supprt & chassis springs, or approved equivalent	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, external mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #45 25,500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #46 - 30,000 LB. GVWR CAB & CHASSIS (DUAL REAR  
WHEEL) - 4X2**

2008 Ford F-750 (F75) (RO)  
2008 Chevrolet CC7500 (CC7C042)  
2008 GMC TC7500 (TC7C042)  
2008 Freightliner M2  
2008 Hino 338  
2008 International 4300M7 (MR065)  
2008 Kenworth T300  
2008 Peterbilt 335  
2008 Sterling Acterra

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Diesel engine, minimum 200 HP - must meet 2007 emission standards.

2. **TRANSMISSION/AXLES:**

- a. Allison 2500 RDS transmission (with PTO provision) minimum, or approved equivalent.
- b. 21,000 lb. rear
- c. All axles, synthetic lube.

3. **PERFORMANCE ITEMS:**

- a. Manufacturer's standard power steering.
- b. Manufacturer's standard gauges.

4. **COMFORT ITEMS:**

- a. Air conditioning, factory installed.
- b. Manufacturer's standard tinted glass all around.
- c. Manufacturer's standard AM/FM stereo.
- d. Heavy duty rubber floor covering instead of carpet.
- e. Manufacturer's standard production seats. Purchaser will select color at time of order.
- f. Keys: two (2) per vehicle, single key locking system, (each vehicle keyed differently).

5. **SAFETY ITEMS:**

- a. Dual mount outside mirrors to provide field of vision for vehicles to 102" wide.
- b. Convex mirrors mounted below standard mirrors.
- c. Interior dome lights with left and right door activated switches.
- d. Air bags for driver and right front passenger, if available.
- e. Minimum 2 speed electric wipers with wet arm washers.

6. **BRAKES:**

- a. Factory air brakes, anti-lock, slack adjusters and dust shields.

7. **TIRES AND WHEELS:**

- a. BSW 11R22.5 (14 PR) Goodyear G149, or approved equivalent, front and rear.

- b. Front wheel seals, synthetic lube.

8. CHASSIS, FRAME, CAB:

- a. Minimum 30,000 lbs. GVWR.
- b. Cab & chassis only.
- c. Manufacturer's standard colors, factory painted. Colors to be determined by individual agencies.
- d. Front bumper, bright or painted.
- e. Factory front tow hooks.
- f. Fuel tank capacity, 45 gallons minimum.
- g. Cab to center of rear axle - 84" approximately.

9. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Ford F-750 (F75) (RO)
  - Chevrolet CC7500 (CC7C042)
  - GMC TC7500 (TC7C042)
  - Freightliner M2
  - Hino 338
  - International 4300M7 (MR065)
  - Kenworth T300
  - Peterbilt 335
  - Sterling Acterra

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS **MUST** ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Provide 6 speed manual with base engine - specify	\$ _____
_____	Provide 7 speed manual with base engine - specify	\$ _____
_____	Air brakes if compatible with transmission	\$ _____
_____	Wheel seals	\$ _____
_____	AM/FM stereo radio	\$ _____
_____	Satellite radio	\$ _____
_____	On-Star	\$ _____
_____	Passenger air bag	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine/transmisison upgrade - specify	\$ _____
_____	Engine hour meter	\$ _____
_____	Trans oil temp meter	\$ _____
_____	Allison authorized synthetic oil, TES 295 or equivalent (required for extended warranty)	\$ _____
_____	Premium hoses	\$ _____
_____	Dual 45 gallon fuel tanks	\$ _____
_____	Air dryers	\$ _____
_____	Moisture ejectors	\$ _____
_____	Power windows, only	\$ _____
_____	Power windows/door locks	\$ _____
_____	Speed control	\$ _____
_____	Tilt steering wheel	\$ _____
_____	Telescopic and tilt steering wheel	\$ _____
_____	AM/FM radio with single CD	\$ _____
_____	Side air bags	\$ _____
3K	Third key	\$ _____
_____	Upgrade to 4x4 (specify factory or after market)	\$ _____
_____	Upgrade to Sterling L model	\$ _____
_____	Crew cab (84" CA)	\$ _____
_____	Super cab (84" CA)	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Cutaway cab	\$ _____
_____	Vent visors - stick-on style	\$ _____
_____	Rainshields - flange style	\$ _____
_____	Spray-in liner (Rhino, Line-X or approved equivalent)	\$ _____
_____	Knapheide under body tool boxes or approved equivalent	\$ _____
_____	Fender or cowl mounted convex mirrors	\$ _____
_____	Airhorn	\$ _____
_____	Safety kit, fire extinguishers & triangles	\$ _____
_____	Front stabilizer bars	\$ _____
_____	Rear shock absorbers	\$ _____
_____	Auxiliary rear springs	\$ _____
_____	Heated fuel water separator	\$ _____
_____	Mud flaps	\$ _____
_____	Full size spare tire & rim	\$ _____
_____	Jack and wheel wrench	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Daytime running lights	\$ _____
_____	Immobilize daytime running lights	\$ _____
_____	Knapheide 6132 utility body or approved equivalent (requires 84" CA)	\$ _____
_____	Heil 2-3 yd. dump body with manual tarp or approved equivalent (requires 84" CA)	\$ _____
_____	10 ft. 5 yd. dump with manual tarp (requires 84" CA)	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	12 ft. flat stake body (requires 84" CA)	\$ _____
_____	12 ft. contractors dump with manual tarp (requires 84" CA)	\$ _____
_____	14 ft. flat stake body (requires 108" CA)	\$ _____
_____	14 ft. contractors dump with manual tarp (requires 108" CA)	\$ _____
_____	16 ft. flat stake body (requires 120" CA)	\$ _____
_____	16 ft. contractors dump with manual tarp (requires 120" CA)	\$ _____
_____	18 ft. flat stake body (requires 138" CA)	\$ _____
_____	19 ft. rollback wrecker with wheel lift (requires 120" CA)	\$ _____
_____	20 ft. flat stake body (requires 156" CA)	\$ _____
_____	20 ft. van roll up door (requires 156" CA)	\$ _____
_____	24 ft. van roll up door (requires 186" CA)	\$ _____
_____	24 ft. flat stake body (requires 186" CA)	\$ _____
_____	24 ft. van roll up door (requires 186" CA)	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	Optional body - specify	\$ _____
_____	108" cab to axle	\$ _____
_____	120" cab to axle	\$ _____
_____	138" cab to axle	\$ _____
_____	156" cab to axle	\$ _____
_____	180" cab to axle	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	186" cab to axle	\$ _____
_____	33,000 GVWR Pck. - minimum 230 HP, 5 speed automatic transmission (3000RDS), or approved equivalent - see optional wheelbase prices	\$ _____
_____	33,000 GVWR Pck. - minimum 230 HP, 5 speed automatic transmission (3500RDS), or approved equivalent - see optional wheelbase prices	\$ _____
_____	33,000 GVWR Pck. - minimum 230 HP, 6 speed automatic transmission (3000RDS), or approved equivalent - see optional wheelbase prices	\$ _____
_____	33,000 GVWR Pck. - minimum 230 HP, 6 speed automatic transmission (3500RDS), or approved equivalent - see optional wheelbase prices	\$ _____
_____	33,000 GVWR factory approved 4WD	\$ _____
_____	33,000 GVWR 108" CA	\$ _____
_____	33,000 GVWR 120" CA	\$ _____
_____	33,000 GVWR 156" CA	\$ _____
_____	33,000 GVWR 180" CA	\$ _____
_____	33,000 GVWR 186" CA	\$ _____
_____	2,000 lb. lift gate	\$ _____
_____	3,000 lb. lift gate	\$ _____
_____	12 ton jack cab mounted, if available	\$ _____
_____	Auto Crane 50K-22 crane body with shelf package, 24" bumper with crank outriggers, or approved equivalent	\$ _____
_____	Auto Crane 6006EH electric hydraulic crane, boom support & chassis springs, or approved equivalent	\$ _____
_____	Auto Crane hydraulic outriggers, or approved equivalent	\$ _____



**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

LEGEND FOR DELETE/ADD OPTIONS
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

Order code	Add options	Price
_____	Auto Crane 6406 hydraulic crane, reservoir, PTO and pump, boom supprt & chassis springs, or approved equivalent	\$ _____
_____	Auto Crane 8406 hydraulic crane, reservoir, PTO and pump, boom supprt & chassis springs	\$ _____
_____	Powder coating	\$ _____
_____	Backup alarm	\$ _____
BUC	Backup camera with 3.5' LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle)	\$ _____
_____	Left-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb	\$ _____
_____	Strobe grille lights, 2 minimum (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, grille lights, 2 minimum - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Rearview mirror strobes (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	LED, GEN 3 minimum, external mirror flashing lights - LED lights may be blue, red, amber or any combination - specify color (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Roof-mount amber strobe beacon (Whelen, Federal, Code 3 or approved equivalent)	\$ _____
_____	Strobe integral directional arrow activated in lightbar (with controller if required). Requires purchase of lightbar.	\$ _____
_____	LED, GEN 3 minimum, integral directional arrow activated in lightbar (with controller if required) - LED lights may be blue, red, amber or any combination - specify color. Requires purchase of lightbar.	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Halogen integral directional arrow added to lightbar (with controller if required)	\$ _____
_____	Traffic directional LED, GEN 3 minimum, arrow with 6 modules (with controller if required).	\$ _____
_____	Code 3 RLS - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Federal Signal Smart Siren - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Whelen Cencom - upgrade, deluxe siren, microprocessor controlled	\$ _____
_____	Code 3 - Headlight flashers, solid state	\$ _____
_____	Federal Signal - Headlight flashers, solid state	\$ _____
_____	Whelen - Headlight flashers, solid state	\$ _____
_____	Upgrade basic (6) switch controller and siren to combination light controller/siren	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 60w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Whelen Kit with 4 clear tubes, 6 outlet CSP 90w power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet 660L power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Federal Kit with 4 clear tubes, 6 outlet RICHOCHET power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 60w Nebula power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Soundoff Kit with 4 clear tubes, 6 outlet, 110w Gemini power supply, 2-15', 2-30' cables	\$ _____
_____	Corner Strobe Kits – Code 3 Kit with 4 clear tubes, PSE460 power supply, 2-15' cables, 2-30' cables	\$ _____

**Specification #46 30,000 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Corner Strobe Kits – Code 3 Kit with 6 clear tubes, PSE690 power supply, 2-15' cables, 2-30' cables	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
DSM	Complete set of shop manuals ONLY	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #47 - 52,000 LB. GVWR CAB & CHASSIS - 4X6  
TANDEM AXLE TRUCK TRACTOR**

2008 Autocar WX64  
2008 Freightliner M2-112  
2008 International 7600  
2008 Kenworth T800  
2008 Mack C or G Series  
2008 Peterbilt 367  
2008 Sterling A or L Series  
2008 Volvo V Series  
2008 Western Star 4900

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. 350 HP 6 cylinder diesel engine, 11L minimum

2. **TRANSMISSION & CLUTCH:**

- a. The following or approved equivalents are acceptable:
  - 1. Fuller 14210B 10 Speed Manual with OD

3. **ENGINE EQUIPMENT:**

- a. Alternator – 12 volt 100A
- b. Premium engine hoses
- c. Injection pump – electronic engine control
- d. Radiator – aluminum core
- e. Air restriction monitor – intake mounted

4. **CAB:**

- a. Cab – welded steel galvanized or aluminum shell with rust preventative coating.
- b. Floor covering – black rubber mats
- c. Seating – driver air suspension mid back, passenger fixed mid back.
- d. Steering wheel – 18" two spoke
- e. Standard air conditioning

5. **FRAME:**

- a. Frame – steel construction with 10.0" x 3.38" x .24" (254 x 86 x 6 mm) section modulus 10.44 cu in / RBM, 1,150,000 in lbs per rail.
- b. Wheelbase – 187"
- c. Load platform – 161" 56" AF
- d. Front bumper – painted steel
- e. Fuel tank – 70 gallon, minimum
- f. Air dryer – bendix AD9 heated, or approved equivalent.
- g. 5th wheel - stationary with left hand release.

6. **SAFETY:**

- a. Horn – single air trumpet
- b. Mirrors – West Coast for 102" trailer widths to include 7.5" convex mounted to lower mirror bracket.
- c. Windshield wipers – 2 speed with intermittent feature
- d. Brakes – Meritor "S" cam type 15" x 4" Q + front and Meritor 16.5" x 7" Q + rear with antilock without automatic traction control, or approved equivalent.
- e. Slack adjusters – Haldex automatic front and rear.
- f. Daytime running lights.
- g. Backup alarm – pollak 41-722 constant audible, or approved equivalent (mounted on rear cross member).
- h. Electrical plug holder includes glad hand storage.
- i. Tractor Package to include valves, trailer lines & frame access

7. FRONT AXLE:

- a. Axle – Eaton E1200I 12,000 lb., or approved equivalent.
- b. Front wheels – steel 10 hole hub piloted
- c. Front tires – 11R22.5 Goodyear G397LHS, steer or approved equivalent.
- d. Front hubs – Ferrous, or approved equivalent.

8. REAR AXLE:

- a. Minimum 40,000 lb. rated axle and suspension
- b. Rear wheels – steel 10 hole hub piloted
- c. Rear tires – 11R22.5 Goodyear G124 unisteel traction or approved equivalent.
- d. Hubs – Ferrous, or approved equivalent.
- e. Power divider with warning light and buzzer (includes in cab control)

9. ELECTRICAL:

- a. Circuit protection – fuses except headlamp and wiper circuits which utilize circuit breakers.
- b. Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only.
- c. Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #47 52,000 lb. GVWR CAB & CHASSIS - 4x6 TANDEM AXLE TRUCK TRACTOR**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Autocar WX64
  - Freightliner M2-112
  - International 7600
  - Kenworth T800
  - Mack C or G Series
  - Peterbilt 367
  - Sterling A or L Series
  - Volvo V Series
  - Western Star 4900

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #47 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK TRACTOR**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____

**Specification #47 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK TRACTOR**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	64,000 lb. GVW package	\$ _____
_____	Allison 4500RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent	\$ _____
_____	Fuller RTLO16908LL 10-speed, or approved equivalent, to include synthetic oil	\$ _____
_____	Fuller RTLO16913 13-speed, or approved equivalent, to include synthetic oil	\$ _____
_____	Fuller RTLO16918 18-speed, or approved equivalent, to include synthetic oil	\$ _____
_____	5th Wheel – 36" air slide	\$ _____
_____	Double Frame: full steel insert	\$ _____
_____	Front Axle: 14,600 lb rating to include equal capacity steering gear and springs	\$ _____
_____	Front Axle: 20,000 lb. rating to include equal capacity steering gear and springs	\$ _____
_____	Rear Axle: 46,000 lb Arvin Meritor, Eaton, Mack, or equivalent	\$ _____
_____	Rear Suspension: 40,000 lb air ride	\$ _____
_____	Rear Suspension: 46,000 lb Chalmers, Hendrickson, Mack, Volvo "T" ride or equivalent	\$ _____
_____	Rear Suspension: 46,000 lb air ride	\$ _____



**Specification #47 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK TRACTOR**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks	\$ _____
_____	Hydraulic Wet Line Kit for Low Boy application	\$ _____
_____	Hydraulic Wet Line Kit for trailer dump application	\$ _____
_____	Hydraulic Wet Line Kit for transfer trailer/or walking floor	\$ _____
_____	Dual fuel tanks, or equivalent	\$ _____
_____	Cab suspension - air ride	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #48 - 52,000 LB. GVWR CAB & CHASSIS - 4X6  
TANDEM AXLE TRUCK**

2008 Autocar WX64  
2008 Freightliner M2-112  
2008 International 7600  
2008 Kenworth T800  
2008 Mack C or G Series  
2008 Peterbilt 367  
2008 Sterling L Series  
2008 Volvo V Series  
2008 Western Star 4900

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. 350 HP 6 cylinder diesel engine, 11L minimum

2. **TRANSMISSION & CLUTCH:**

- a. The following or approved equivalents are acceptable:
  - 1. Fuller 14210B 10 Speed Manual with OD

3. **ENGINE EQUIPMENT:**

- a. Alternator – 12 volt 100A
- b. Premium engine hoses
- c. Injection pump – electronic engine control
- d. Radiator – aluminum core
- e. Air restriction monitor – intake mounted

4. **CAB:**

- a. Cab – welded steel galvanized or aluminum shell with rust preventative coating.
- b. Floor covering – black rubber mats
- c. Seating – driver air suspension mid back, passenger fixed mid back.
- d. Steering wheel – 18" two spoke
- e. Standard air conditioning

5. **FRAME:**

- a. Frame – steel construction matched to GVW and mounted body of truck.
- b. Wheelbase – 187"
- c. Front bumper – painted steel
- d. Fuel tank – 70 gallon, minimum
- e. Air dryer – bendix AD9 heated, or approved equivalent.

6. **SAFETY:**

- a. Horn – single air trumpet
- b. Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket.
- c. Windshield wipers – 2 speed with intermittent feature

- d. Brakes – Meritor "S" cam type 15" x 4" Q + front and Meritor 16.5" x 7" Q + rear with antilock without automatic traction control, or approved equivalent.
- e. Slack adjusters – Haldex automatic front and rear.
- f. Daytime running lights.
- g. Backup alarm – pollak 41-722 constant audible, or approved equivalent (mounted on rear cross member).

7. FRONT AXLE:

- a. Front axle – 12,000 lb.
- b. Front wheels – steel 10 hole hub piloted
- c. Front tires – 11R22.5 Goodyear G397LHS, steer or approved equivalent.
- d. Front hubs – Ferrous, or approved equivalent.

8. REAR AXLE:

- a. Rear axle – 40,000 lb.
- b. Rear wheels – steel 10 hole hub piloted
- c. Rear tires – 11R22.5 Goodyear G124 unisteel traction or approved equivalent.
- d. Hubs – Ferrous, or approved equivalent.
- e. Power divider with warning light and buzzer (includes in cab control)

9. ELECTRICAL:

- a. Circuit protection – fuses except headlamp and wiper circuits which utilize circuit breakers.
- b. Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only.
- c. Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #48 52,000 lb. GVWR CAB & CHASSIS - 4x6 TANDEM AXLE TRUCK**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Autocar WX64
  - Freightliner M2-112
  - International 7600
  - Kenworth T800
  - Mack C or G Series
  - Peterbilt 367
  - Sterling L Series
  - Volvo V Series
  - Western Star 4900

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #48 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>All bodies to be manufacturer's certified factory bodies.</b>
--

Order code	Delete options	Credit
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____

**Specification #48 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Dual fuel tanks, or equivalent	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	58,000 lb. GVWR package	\$ _____
_____	64,000 lb. GVWR package	\$ _____
_____	Allison 4500RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent	\$ _____
_____	Double Frame: full steel insert	\$ _____
_____	Front Axle: 14,600 lb rating to include equal capacity steering gear and springs	\$ _____
_____	Front Axle: 20,000 lb. rating to include equal capacity steering gear and springs	\$ _____
_____	Rear Axle: 46,000 lb Arvin Meritor, Eaton, Mack, or equivalent	\$ _____
_____	Rigid Lift Axle: Pusher / Tag 13,200 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Steerable Lift Axle: Pusher / Tag 13,200 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Rigid Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Steerable Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Rear Suspension: 40,000 lb air ride	\$ _____

**Specification #48 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Rear Suspension: 46,000 lb Chalmers, Hendrickson, Mack, Volvo "T" ride or equivalent	\$ _____
_____	Rear Suspension: 46,000 lb air ride	\$ _____
_____	12 yd. dump body with hoist and electric tarp system. State model bid.	\$ _____
_____	18 yd. dump body with hoist and electric tarp system. State model bid.	\$ _____
_____	Hydraulic Wet Line Kit for transfer trailer/or walking floor	\$ _____
_____	Rolloff hoist system and tarp system. State model bid.	\$ _____
_____	Cab suspension - air ride	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #48 52,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #49 - 60,000 LB. GVWR CAB & CHASSIS - 4X6  
TANDEM AXLE REFUSE TRUCK**

2008 American LaFrance Condor  
2008 Autocar WX64  
2008 Crane Carrier LET2  
2008 Mack MR Series  
2008 Peterbilt 320

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. 300 HP 6 cylinder diesel engine, 11L minimum

2. **TRANSMISSION:**

- a. Allison 4500 RDS automatic transmission

3. **ENGINE EQUIPMENT:**

- a. Alternator – 12 volt 100A
- b. Premium engine hoses
- c. Injection pump – electronic engine control
- d. Radiator – aluminum core, or approved equivalent
- e. Air restriction monitor – intake mounted

4. **CAB:**

- a. Cab – welded steel galvanized or aluminum shell with rust preventative coating.
- b. Low cab, forward mounted, tilt type.
- c. Floor covering – black rubber mats
- d. Seating – driver air suspension mid back, passenger fixed mid back.
- e. Steering wheel – 18" two spoke
- f. Standard air conditioning

5. **FRAME:**

- a. Frame – steel construction matched to GVW and mounted body of truck.
- b. Wheelbase – 209"
- c. Front bumper – painted steel
- d. Fuel tank – 70 gallon, minimum
- e. Air dryer – bendix AD9 heated, or approved equivalent.

6. **SAFETY:**

- a. Horn – single air trumpet
- b. Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket.
- c. Windshield wipers – 2 speed with intermittent feature
- d. Brakes – Meritor "S" cam type 15" x 4" Q + front and Meritor 16.5" x 7" Q + rear with antilock without automatic traction control, or approved equivalent.
- e. Slack adjusters – Haldex automatic front and rear.
- f. Daytime running lights.

g. Backup alarm – pollak 41-722 constant audible, or approved equivalent (mounted on rear cross member).

7. FRONT AXLE:

- a. Front axle – 20,000 lb.
- b. Front wheels – steel 10 hole hub piloted
- c. Front tires – 11R22.5 Goodyear G397LHS, steer or approved equivalent.
- d. Front hubs – Ferrous, or approved equivalent.

8. REAR AXLE:

- a. Rear axle – 40,000 lb.
- b. Rear wheels – steel 10 hole hub piloted
- c. Rear tires – 11R22.5 Goodyear G124 unisteel traction or approved equivalent.
- d. Hubs – Ferrous, or approved equivalent.
- e. Power divider with warning light and buzzer (includes in cab control)

9. ELECTRICAL:

- a. Circuit protection – fuses except headlamp and wiper circuits which utilize circuit breakers.
- b. Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only.
- c. Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.

10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #49 60,000 lb. GVWR CAB & CHASSIS - 4x6 TANDEM AXLE REFUSE TRUCK**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- American LaFrance Condor
  - Autocar WX64
  - Crane Carrier LET2
  - Mack MR Series
  - Peterbilt 320

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #49 60,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE REFUSE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

**All bodies to be manufacturer's certified factory bodies.**

Order code	Delete options	Credit
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____
_____	Engine/transmission - specify	\$ _____

**Specification #49 60,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE REFUSE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Engine - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Transmission - specify	\$ _____
_____	Nitrogen filled tires including spare tire	\$ _____
_____	64,000 lb. GVW package	\$ _____
_____	Double Frame: full steel insert	\$ _____
_____	Front Axle - specify	\$ _____
_____	Rear Axle - specify	\$ _____
_____	Rear Suspension - specify	\$ _____
_____	Rear Suspension - specify	\$ _____
_____	Rigid Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Steerable Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ _____
_____	Front Engine PTO Provision (FEPTO)	\$ _____
_____	LCF with right hand steering	\$ _____
_____	LCF with dual steering	\$ _____
_____	LCF Low Profile with left hand steering	\$ _____
_____	LCF Low Profile with dual steering	\$ _____
_____	LCF Low Profile with dual steering & right hand stand up	\$ _____

**Specification #49 60,000 lb. GVWR CAB & CHASSIS - 4x6  
TANDEM AXLE REFUSE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Refuse body - state model bid and description	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional mounted equipment/body - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**Specification #49 60,000 lb. GVWR CAB & CHASSIS - 4x6**  
**TANDEM AXLE REFUSE TRUCK**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Diesel Warranty - Specify	\$ _____
_____	Diesel Warranty - Specify	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #50 - HYDRAULIC MINI EXCAVATOR**

2008 Bobcat 325  
2008 Case CX31B  
2008 Caterpillar 302.5C  
2008 Hitachi ZX27U2  
2008 John Deere 27D  
2008 Kubota KX 71-3  
2008 New Holland E30  
2008 Volvo EC30

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. WEIGHT:

- a. 6,000 lbs. minimum operating weight with canopy.

2. ENGINE/CAB:

- a. Diesel engine, minimum 22 net horse power.
- b. Open canopy with roll over protective structure.
- c. Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant.
- d. Mirrors.

3. TRAVEL SYSTEM:

- a. Minimum high speed travel 2.3 MPH.
- b. Minimum gradeability, 30 degrees.
- c. 11" wide rubber belt tracks.

4. HYDRAULIC SYSTEM:

- a. Gear type hydraulic pump.
- b. Digging depth 8'6" minimum.
- c. Auxiliary hydraulic circuit and controls plumbed to the end of stick with disconnect to allow the use of hydromechanical work tools.
- d. Backfill blade.
- e. Hydraulic motor-driven swing system.

5. ELECTRICAL SYSTEM:

- a. 12 volt electrical system.
- b. 40 amp alternator.
- c. Sealed electrical connectors.
- d. Work lights.

6. BUCKET:

- a. 12" digging bucket with teeth.

7. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety



Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.



**Specification #50 HYDRAULIC MINI EXCAVATOR**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Downgrade machine to a 3,240 lb. excavator	\$ _____
_____	Backfill blade float option	\$ _____
_____	Upgrade to 7,700 lb. plus excavator	\$ _____
_____	Cab with air conditioning	\$ _____
_____	18" bucket	\$ _____
_____	20" bucket	\$ _____
_____	24" ditch cleaning bucket	\$ _____
_____	Quick coupler remote hydraulics	\$ _____
_____	Hydraulic auger attachment	\$ _____
_____	Hydraulic hammer attachment	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #50 HYDRAULIC MINI EXCAVATOR**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #51 - 30,000 LB. COMPACTION VIBRATORY ROLLER**

2008 Bomag BW177  
2008 Case SV210  
2008 Caterpillar CS423-E  
2008 Hypack C830C  
2008 Volvo BRM IRSV77

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. WEIGHT:

- a. Minimum operating weight with open rops - 14,800 lbs.

2. DRUM/VIBRATORY SYSTEM:

- a. Maximum compaction shall not be less than 30,000 lbs.
- b. Drum shall have a compaction width of not less than 66".
- c. Drum shall be smooth and not less than 48" in diameter.
- d. Vibratory system shall be hydraulically driven and have two amplitude settings.
- e. Drum shall be equipped with an adjustable cleaning device.
- f. Drum and vibratory parts shall be isolated from the machine during normal operation.

3. ENGINE/CAB:

- a. Turbocharged diesel engine, minimum 80 horse power.
- b. Operator's station shall be mounted to the frame with rubber mounts to further isolate the operator and controls from machine vibration during operation.
- c. Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant temperature with an alert sounding device activated whenever a warning indicator is illuminated.
- d. A backup alarm shall emit an audible alarm whenever the propel lever is moved into reverse.

4. TRAVEL SYSTEM:

- a. A machine must be hydrostatic driven for the rear axle and the drum drive motor.

5. ELECTRICAL SYSTEM:

- a. 12 or 24 volt electrical system.
- b. Maintenance free battery supplying 750 cold cranking amps.
- c. Wiring harness protected with nylon-braided wrap.

6. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.

- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #51 30,000 lb. COMPACTION VIBRATORY ROLLER**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Bomag BW177
  - Case SV210
  - Caterpillar CS423-E
  - Hypack C830C
  - Volvo BRM IRSV77

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #51 30,000 lb. COMPACTION VIBRATORY ROLLER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Downgrade to 56" drum compaction width	\$ _____



**Specification #51 30,000 lb. COMPACTION VIBRATORY ROLLER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade to 84" drum compaction width	\$ _____
_____	Water spray system	\$ _____
_____	Rops canopy	\$ _____
_____	Work light package	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Optional equipumnt - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #52 - 4X4 LOADER BACKHOE WITH CANOPY  
(STANDARD STICK)**

2008 Case 580M Series II  
2008 Caterpillar 416E  
2008 John Deere 310  
2008 New Holland B95  
2008 Volvo BL60

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE/EQUIPMENT:

- a. 70 HP diesel engine.
- b. Dry type, radial seal air cleaner and pre-cleaner unit.
- c. Spin on type engine oil filter.

2. TRANSMISSION:

- a. Four speed powershift or approved equivalent is acceptable.

3. OPERATOR ENVIRONMENT:

- a. OSHA approved ROPS shall be integral.
- b. Two front and two rear roading lights.
- c. Stop and turn signals with flashing hazard lamps.
- d. Instrument panel to include tachometer, fuel guage, transmission/converter oil temperature guage and coolant temperature guage.
- e. Standard horn, audible backup alarm.

4. BRAKES:

- a. Brakes shall be oil immersed, hydraulically actuated, multiple discs on final drive input shaft.
- b. Brakes shall be completely enclosed and sealed.
- c. Brakes shall be fully adjusting.

5. LOADER (SINGLE TILT):

- a. Equipped with return to dig mechanism.
- b. Loader shall have positive down pressuresufficient to lift tractor front end off level ground.
- c. Loader bucket SAE heaped capacity rating shall be a minimum of 1.0 cyd., with edge.

6. BACKHOE:

- a. Fixed length dipperstick.
- b. Digging depth, approximately 14'.
- c. Reach from swing center, approximately 17'.
- d. Dump height, approximately 10'.
- e. Digging force, approximately 7,000 lbs.
- f. Bucket power dig force, approximately 11,000 lbs.
- g. 24" general purpose bucket with teeth.

7. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #52 4x4 LOADER BACKHOE WITH CANOPY (Standard Stick)**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

- Brand Name:
- Case 580M Series II
  - Caterpillar 416E
  - John Deere 310
  - New Holland B95
  - Volvo BL60

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #52 4x4 LOADER BACKHOE WITH CANOPY**  
**(Standard Stick)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Delete to 2WD	\$ _____

**Specification #52 4x4 LOADER BACKHOE WITH CANOPY**  
**(Standard Stick)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	80 HP turbo engine	\$ _____
_____	90 amp alternator	\$ _____
_____	Additional mounted lights, 2 front, 2 rear	\$ _____
_____	Rotating amber beacon	\$ _____
_____	Contour air suspension seat	\$ _____
_____	Cutting edge for loader bucket	\$ _____
_____	High ambient cooling package	\$ _____
_____	3rd valve hydraulics	\$ _____
_____	Hydraulic auxiliary lines, backhoe	\$ _____
_____	Ride control	\$ _____
_____	Reversible stabilizers	\$ _____
_____	Extendable stick	\$ _____
_____	4WD bias tires	\$ _____
_____	Vandalism protection	\$ _____
_____	Multi-purpose attachment - specify	\$ _____
_____	Multi-purpose attachment - specify	\$ _____
_____	Multi-purpose attachment - specify	\$ _____
_____	Upgrade to a minimum 84 HP backhoe	\$ _____
_____	5 Year/7500 Hour Full Protection Warranty	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

**Specification #52 4x4 LOADER BACKHOE WITH CANOPY  
(Standard Stick)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #53 - SKID STEER LOADER - 1850 LB. OPERATING  
CAPACITY**

2008 Bobcat S185  
2008 Case 430  
2008 Caterpillar 242B  
2008 John Deere 317  
2008 New Holland L175  
2008 Volvo MC80B

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. 56 HP diesel engine

2. **TRANSMISSION:**

- a. Forward, reverse, travel speed controlled by two hand levers.
- b. Hydrostatic, 4 wheel drive

3. **ENGINE EQUIPMENT:**

- a. Spin-on type filters
- b. Dry type air filter

4. **OPERATOR ENVIRONMENT:**

- a. OSHA approved ROPS canopy shall be integral
- b. Front and rear work lights
- c. Hazard lights
- d. Engine monitoring system or gauges with alarm.
- e. Horn and backup alarm

5. **BRAKES:**

- a. Parking brake

6. **LOADER:**

- a. Front auxiliary hydraulics
- b. Foot or hand controls for bucket

7. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.



- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #53 SKID STEER LOADER - 1850 lb. OPERATING CAPACITY**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Bobcat S185
  - Case 430
  - Caterpillar 242B
  - John Deere 317
  - New Holland L175
  - Volvo MC80B

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #53 SKID STEER LOADER - 1850 lb. OPERATING CAPACITY**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____

**Specification #53 SKID STEER LOADER - 1850 lb. OPERATING CAPACITY**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Skid Steer Loader: 2,500 lb. Operating Capacity with 75 HP Engine	\$ _____
_____	Enclosed cab with heat and AC	\$ _____
_____	High flow hydraulics	\$ _____
_____	Suspension seat	\$ _____
_____	Self-leveling bucket positioning	\$ _____
_____	Multi-purpose bucket with cutting edge	\$ _____
_____	Joystick controls	\$ _____
_____	Sound suppression/headliner	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #53 SKID STEER LOADER - 1850 lb. OPERATING CAPACITY**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:

**Std.** = Manufacturer's standard equip.

**Incl.** = included with base specs.

**NC** = no additional charge

**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #54 - 3.0 CU. YD. WHEEL LOADER (Z-BAR LINKAGE  
BUCKET - PARALLEL ARM OPTION)**

2008 Case 621D  
2008 Caterpillar 928HZ  
2008 John Deere 544  
2008 Volvo L70E

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE/CAB:**

- a. Diesel engine, six cylinder, four cycle, liquid cooled, minimum 130 SAE Net HP.
- b. Cab with A/C

2. **TRANSMISSION:**

- a. Power shift transmission with torque converter, minimum of four forward and three reverse speeds.

3. **DRIVETRAIN:**

- a. Four wheel drive.
- b. Manufacturer's standard axle.
- c. Inboard or outboard mounted wet disc braking system.
- d. Inboard or outboard mounted planetary final drives.
- e. 20.5 – 25 Bias ply tires mounted on multi piece rims.

4. **LOADER:**

- a. 3.0 cu. yd. general purpose bucket with bolt on cutting edge.
- b. Bucket position indicator.
- c. Automatic return to dig.
- d. Rear drawbar.
- e. Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures.
- f. Deluxe suspension seat with foam padding and backrest.
- g. Articulated steering, 40 degrees minimum each direction.
- h. Wheelbase of 9 feet 4 inches minimum.
- i. Minimum operating weight of 26,000 lbs.

5. **ELECTRICAL:**

- a. 24 volt electrical system.
- b. Neutral safety start device.
- c. Manual battery disconnect switch.
- d. Driving lights, front and rear work lights, stop lights, warning lights and tail lights.

6. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #54 3.0 CU. YD. WHEEL LOADER (Z-Bar Linkage Bucket - Parallel Arm Option)**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

Brand Name:

Case 621D

Caterpillar 928HZ

John Deere 544

Volvo L70E

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**



**Specification #54 3.0 CU. YD. WHEEL LOADER (Z-Bar Linkage Bucket - Parallel Arm Option)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Delete cab and A/C	\$ _____
_____	Delete to minimum 110 hp 2.7 cu. yd. wheel loader	\$ _____

**Specification #54 3.0 CU. YD. WHEEL LOADER (Z-Bar Linkage Bucket - Parallel Arm Option)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	20.5R25 Radial L3 tires	\$ _____
_____	Third spool valve/control lever	\$ _____
_____	Manual quick hitch coupler system	\$ _____
_____	Hydraulic quick hitch coupler system	\$ _____
_____	2.5 cu. yd. multi-purpose (4 in 1) bucket	\$ _____
_____	Air ride seat	\$ _____
_____	AM/FM weather band cassette radio	\$ _____
_____	Parallel arm "Tool Carrier" system	\$ _____
_____	No spin	\$ _____
_____	Limited slip	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Upgrade to minimum 180 hp 4.0 cu. yd. wheel loader with/23.5R25 LD radial tires	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

**Specification #54 3.0 CU. YD. WHEEL LOADER (Z-Bar Linkage Bucket - Parallel Arm Option)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## SPECIFICATION #55 - MOTORGRADER

2008 Case 845  
2008 Caterpillar 12H  
2008 John Deere 670D  
2008 Volvo G930

### ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Liquid cooled 6 cylinder diesel with minimum of 140 net hp @ 1900 RPM..

2. TRANSMISSION:

- a. Power shift with direct drive.
- b. Minimum 8 forward and 4 reverse speeds.

3. BRAKES:

- a. Wet multiple disc.

4. STEERING & ARTICULATION:

- a. Front steer plus articulated.
- b. Minimum articulation 20 degrees.

5. MOLDBOARD:

- a. Minimum 12 ft. long.

6. OPERATOR ENVIRONMENT:

- a. Low profile cab.
- b. Cloth adjustable seats.
- c. Gauges including hour meter, fuel, articulation, engine coolant temperature, and brake pressure.

7. TIRES:

- a. Minimum 13.0 – 24 10 PR 9" single piece rim.

8. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.

- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #55 MOTORGRADER**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

Brand Name:

Case 845

Caterpillar 12H

John Deere 670D

Volvo G930

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #55 MOTORGRADER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____

**Specification #55 MOTORGRADER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade to 155 hp motorgrader	\$ _____
_____	High profile cab	\$ _____
_____	Cab mounted lights	\$ _____
_____	Lower opening windows High profile cab	\$ _____
_____	Lower opening windows Low profile cab	\$ _____
_____	AM/FM radio with cassette	\$ _____
_____	Air conditioning with 75 amp alternator	\$ _____
_____	Warning lights - specify	\$ _____
_____	Contour suspension seat	\$ _____
_____	Rear sunshade	\$ _____
_____	Outside mounted mirrors	\$ _____
_____	Circle drive slip clutch	\$ _____
_____	Secondary steering	\$ _____
_____	14 foot moldboard	\$ _____
_____	Front Scarifier – straight	\$ _____
_____	Front Scarifier – V type	\$ _____
_____	Tires 15.5 – 25 12 PR single piece rim	\$ _____
_____	Tires 17.5 – 25 12 PR single piece rim	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Multi-purpose attachments - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____



**Specification #55 MOTORGRADER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #56 - SMALL AGRICULTURE TYPE TRACTOR (2  
WHEEL DRIVE)**

2008 Case D35  
2008 Challenger MT275B  
2008 John Deere 990  
2008 Kubota L3400  
2008 Massey Ferguson 1540  
2008 New Holland TC40

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm.

2. **TRANSMISSION:**

- a. Hydrostatic drive or mechanical type transmission.

3. **FUEL TANK:**

- a. Minimum 9 gallon capacity.

4. **BRAKES:**

- a. Oil cooled hydraulic wet disc.

5. **POWER TAKE OFF:**

- a. Speeds RPM - 540

6. **HYDRAULIC SYSTEM:**

- a. Open center system with standard remotes.
- b. Maximum main pump flow - 6.3 gpm

7. **3 POINT HITCH:**

- a. Category I
- b. SAE lift capacity @ 24" standard lbs. - 1,435

8. **TIRES:**

- a. Not less than 11.2 x 24 rear
- b. Not less than 5-15 6 ply front

9. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #56 SMALL AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Case D35
  - Challenger MT275B
  - John Deere 990
  - Kubota L3400
  - Massey Ferguson 1540
  - New Holland TC40

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #56 SMALL AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____

**Specification #56 SMALL AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	4 wheel drive	\$ _____
_____	Canopy	\$ _____
_____	Wheel weights	\$ _____
_____	Bumper weights	\$ _____
_____	Grille guard	\$ _____
_____	Optional rear tires - state size and type	\$ _____
_____	Optional front tires - state size and type	\$ _____
_____	Quick attach front end loader	\$ _____
_____	Quick attach backhoe	\$ _____
_____	Rear remote hydraulics	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____

**Specification #56 SMALL AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #57 - AGRICULTURE TYPE TRACTOR (2 WHEEL  
DRIVE)**

2008 Case IH JXU1090  
2008 Challenger MT345B  
2008 John Deere 5525 Canopy  
2008 Kubota M8540  
2008 Massey Ferguson 5455  
2008 New Holland TL100A

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Liquid cooled diesel with minimum of 75 PTO hp @ 2200 rpm.

2. **TRANSMISSION:**

- a. Synchroshutte type with a minimum of 8 forward and 3 reverse speeds.

3. **FUEL TANK:**

- a. Minimum 23 gallon capacity.

4. **BRAKES:**

- a. Oil cooled hydraulic.

5. **POWER TAKE OFF:**

- a. Speeds RPM - 540/1000

6. **HYDRAULIC SYSTEM:**

- a. Open center system with standard remotes.
- b. Maximum pressure psi - 3,046
- c. Standard output @ remote gpm - 10
- d. Combined flow gpm - 17.2 minimum
- e. Maximum flow gpm - 25

7. **POINT HITCH:**

- a. Electronic 3 point hitch control
- b. Category II
- c. Telescopic stabilizers
- d. SAE lift capacity @ 24" standard lbs. - 3,600
- e. Lower draft arm link ends - extendable

8. **TIRES:**

- a. Not less than 18.4R - 28 R1 radials pressed single disc wheel rear.
- b. Not less than 7.5L - 15 6 Ply F2 presses HD wheel front or tire of equal quality.

9. **CONDITIONS**



In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #57 AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
    Northern District \$ \_\_\_\_\_ /ea.  
    Central District \$ \_\_\_\_\_ /ea.  
    Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Case IH JXU1090
  - Challenger MT345B
  - John Deere 5525 Canopy
  - Kubota M8540
  - Massey Ferguson 5455
  - New Holland TL100A

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #57 AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:

**Std.** = Manufacturer's standard equip.

**Incl.** = included with base specs.

**NC** = no additional charge

**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Engine, 3 cylinder diesel, 45 PTO HP @ 2200 RPM	\$ _____

**Specification #57 AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade to liquid cooled 4 cylinder diesel engine with minimum 85 PTO HP @ 2200 RPM	\$ _____
_____	Enclosed cab with heating and air conditioning	\$ _____
_____	Air suspension seat cab only	\$ _____
_____	AM/FM stereo with cassette and quartz clock	\$ _____
_____	Rear washer/wiper	\$ _____
_____	4-wheel drive	\$ _____
_____	4WD front fenders	\$ _____
_____	Powershuttle transmission with 24F x 24R	\$ _____
_____	Synchroshuttle transmission with 12F x 12R	\$ _____
_____	3 spool valve and selector	\$ _____
_____	Hydraulic joystick control	\$ _____
_____	Hydraulic trailer brakes	\$ _____
_____	Additional fuel tank	\$ _____
_____	Telescopic mirrors	\$ _____
_____	Heavy-duty 3 point lift – 5700 lbs. cap	\$ _____
_____	High capacity air cleaner	\$ _____
_____	Set of 12 weights – 64 lbs. each	\$ _____
_____	Set of 12 weights – 89 lbs. each	\$ _____
_____	18.4 – 34R1 radial pressed single disc rear (4WD only)	\$ _____
_____	14.9 – 24R1 radial pressed ND wheel front (4WD only)	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

**Specification #57 AGRICULTURE TYPE TRACTOR (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

<p><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:  <b>Std.</b> = Manufacturer's standard equip.  <b>Incl.</b> = included with base specs.  <b>NC</b> = no additional charge  <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Extended warranty – 3rd year	\$ _____
_____	Extended warranty – 3rd & 4th years	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #58 - AGRICULTURE TYPE TRACTOR WITH BOOM  
MOWER (2 WHEEL DRIVE)**

2008 Case MXU110 with Motrim Boom Mower  
2008 Challenger MT525B with Little & Company Boom Mower  
2008 John Deere 6430 with Alamo Boom Mower  
2008 John Deere 7130 with Tiger TRB50C Boom Mower  
2008 New Holland T6030 with Alamo Versa Boom Mower

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **ENGINE:**

- a. Liquid cooled diesel with minimum of 95 PTO hp @ 2200 rpm.

2. **TRANSMISSION:**

- a. Synchroshutte type with a minimum of 24 forward and 24 reverse speeds.

3. **FUEL TANK:**

- a. Minimum 70 gallon capacity.

4. **BRAKES:**

- a. Oil cooled hydraulic.

5. **POWER TAKE OFF:**

- a. Speeds RPM - 540/1000

6. **HYDRAULIC SYSTEM:**

- a. Closed center system with standard remotes.
- b. Maximum pressure psi - 2,900
- c. Standard output @ remote gpm - 29
- d. Combined flow gpm - 20 minimum
- e. Maximum flow gpm - 29

7. **POINT HITCH:**

- a. Category II
- b. Telescopic stabilizers
- c. SAE lift capacity @ 24" standard lbs. - 7,000
- d. Lower draft arm link ends - extendable

8. **TIRES:**

- a. Not less than 13.6R24 R1 radials pressed single disc wheel rear.
- b. Not less than 18.4R30 6 Ply F2 presses HD wheel front or tire of equal quality.

9. **MOUNTED BOOM MOWER:**

- a. Minimum 23' boom reach.
- b. Forward and reverse swing break away.

- c. Integral frame.
- d. Separate hydraulic circuit for mower head.
- e. 5' rotary cutter head.
- f. Disc type blade holder.

#### 10. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.





**Specification #58 AGRICULTURE TYPE TRACTOR WITH  
BOOM MOWER (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Delete to liquid cooled 4 cylinder diesel engine with minimum 85 PTO HP @ 2200 RPM	\$ _____
_____	Downgrade to a 20' boom reach	\$ _____
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____

**Specification #58 AGRICULTURE TYPE TRACTOR WITH  
BOOM MOWER (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade - specify	\$ _____
_____	Upgrade - specify	\$ _____
_____	Upgrade - specify	\$ _____
_____	Enclosed cab with heating and air conditioning	\$ _____
_____	Air suspension seat cab only	\$ _____
_____	AM/FM stereo with cassette and quartz clock	\$ _____
_____	Rear washer/wiper, rotating beacon	\$ _____
_____	4-wheel drive	\$ _____
_____	Oscillating hydraulic assist front axle	\$ _____
_____	CVT transmission with constant velocity	\$ _____
_____	3 spool valve and selector	\$ _____
_____	Additional fuel tank	\$ _____
_____	Telescopic mirrors	\$ _____
_____	Treleborg 22 ply tires or equivalent	\$ _____
_____	High capacity air cleaner	\$ _____
_____	25' boom mower with rotary 5' cutting head	\$ _____
_____	25' boom mower with rotary 5' flail cutting head	\$ _____
_____	Additional required wheel weights for boom mower	\$ _____
_____	Headmount, 15 degree offset	\$ _____
_____	Electronic 3 point hitch control	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

**Specification #58 AGRICULTURE TYPE TRACTOR WITH  
BOOM MOWER (2 Wheel Drive)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<b>LEGEND FOR DELETE/ADD OPTIONS</b>
Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations:
<b>Std.</b> = Manufacturer's standard equip.
<b>Incl.</b> = included with base specs.
<b>NC</b> = no additional charge
<b>NA</b> = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Extended warranty – 3rd year	\$ _____
_____	Extended warranty – 3rd & 4th years	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #59 - 15 FT. FLEX WING ROTARY MOWER - PTO  
DRIVEN**

2008 Alamo Eagle 15  
2008 Bush Hog 3715  
2008 John Deere CX15  
2008 Land Pride Batwing (RC5515)  
2008 Schulte S150

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **DECK:**

- a. Mower shall be rotary, flex wing style.
- b. 10 gauge steel minimum
- c. Replaceable full length skid shoes
- d. Shall be easy clean style

2. **BLADE CARRIER & BLADES:**

- a. 7 gauge steel minimum
- b. 1 inch thick cross bar weldment
- c. "Stump Jumper" pan design
- d. 2 free swinging updraft cutting blades 1/2 inch thick, heat treated alloy steel minimum
- e. Blades shall overlap a minimum of six inches for uniform cut.
- f. Blade spindles shall be 1 1/4 inch diameter minimum.

3. **WHEELS/TIRES:**

- a. 6 replaceable puncture resistant foam filled airplane tailwheels.

4. **POWER DISTRIBUTION:**

- a. Main driveline shall be CAT 5
- b. Slip clutch protection shall be featured.
- c. Gears shall be straight bevel with tapered roller bearings.
- d. A power divider shall have a rating of 190 HP minimum.
- e. Center and wing gearboxes shall have a minimum rating of 190 HP.

5. **GENERAL FEATURES:**

- a. Mower shall attach to the rear of the tractor using a self level-lift hitch.
- b. Tractor requirements: 50 PTO horsepower
- c. Tounge shall have a jack stand.

6. **CONDITIONS**

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #59 15 ft. FLEX WING ROTARY MOWER - PTO DRIVEN**

Unit Price Per Base                      Western District \$ \_\_\_\_\_ /ea.  
   Northern District \$ \_\_\_\_\_ /ea.  
   Central District \$ \_\_\_\_\_ /ea.  
   Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:                       Alamo Eagle 15  
    Bush Hog 3715  
    John Deere CX15  
    Land Pride Batwing (RC5515)  
    Schulte S150

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #59 15 ft. FLEX WING ROTARY MOWER - PTO  
DRIVEN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of  
the following abbreviations:

**Std.** = Manufacturer's standard equip.

**Incl.** = included with base specs.

**NC** = no additional charge

**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	10 ft. Flex Wing in lieu of 15 ft.	\$ _____

**Specification #59 15 ft. FLEX WING ROTARY MOWER - PTO DRIVEN**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade to Hydro 15	\$ _____
_____	Laminated sectional tires	\$ _____
_____	Upgrade to 20 ft. Flex Wing	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____



**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #60 - 70 HP TRACK TYPE CANOPY TRACTOR  
(STANDARD TRACK - WIDE TRACK OPTIONAL)**

2008 Case 650K  
2008 Caterpillar D3GXL  
2008 John Deere 450J  
2008 New Holland D75

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Minimum 4 cylinder 70 Net HP

2. TRANSMISSION:

- a. Hydrostatic, infinitely variable speed.
- b. Constantly variable

3. UNDERCARRIAGE:

- a. Minimum 5 rollers
- b. Standard grouser minimum of 16"
- c. Top roller, each side

4. DOZER:

- a. Minimum 96" wide
- b. Minimum 32" high
- c. Minimum 1.88 cyd blade capacity
- d. Power, angle, tilt (PAT)

5. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #60 70 HP TRACK TYPE CANOPY TRACTOR (Standard Track - Wide Track Optional)**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

Brand Name:

Case 650K

Caterpillar D3GXL

John Deere 450J

New Holland D75

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #60 70 HP TRACK TYPE CANOPY TRACTOR**  
**(Standard Track - Wide Track Optional)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p align="center"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
---

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Standard track	\$ _____
_____	Standard dozer blade	\$ _____



**Specification #60 70 HP TRACK TYPE CANOPY TRACTOR**  
**(Standard Track - Wide Track Optional)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	5 year/7500 extended powertrain warranty	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #61 - 90 HP TRACK TYPE CANOPY TRACTOR  
(STANDARD TRACK - WIDE TRACK OPTIONAL)**

2008 Case 850K  
2008 Caterpillar D5GXL  
2008 John Deere 650J XLT  
2008 New Holland D95

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. Minimum 4 cylinder 90 Net HP

2. TRANSMISSION:

- a. Hydrostatic, infinitely variable speed.
- b. Constantly variable

3. UNDERCARRIAGE:

- a. Minimum 6 rollers
- b. Standard grouser minimum of 18"
- c. Top roller, each side

4. DOZER:

- a. Minimum 104" wide
- b. Minimum 36" high
- c. Minimum 2.6 cyd blade capacity
- d. Power, angle, tilt (PAT)

5. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #61 90 HP TRACK TYPE CANOPY TRACTOR (Standard Track - Wide Track Optional)**

Unit Price Per Base

Western District \$ \_\_\_\_\_ /ea.

Northern District \$ \_\_\_\_\_ /ea.

Central District \$ \_\_\_\_\_ /ea.

Southern District \$ \_\_\_\_\_ /ea.

- Brand Name:
- Case 850K
  - Caterpillar D5GXL
  - John Deere 650J XLT
  - New Holland D95

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #61 90 HP TRACK TYPE CANOPY TRACTOR**  
**(Standard Track - Wide Track Optional)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER  
CODE, DESCRIPTION AND PRICE**

<p style="text-align: center;"><b>LEGEND FOR DELETE/ADD OPTIONS</b></p> <p>Every line will require a <b>DOLLAR VALUE</b> or one of the following abbreviations: <b>Std.</b> = Manufacturer's standard equip. <b>Incl.</b> = included with base specs. <b>NC</b> = no additional charge <b>NA</b> = not applicable to the vehicle</p>
--

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Standard track	\$ _____
_____	Standard dozer blade	\$ _____



**Specification #61 90 HP TRACK TYPE CANOPY TRACTOR**  
**(Standard Track - Wide Track Optional)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade to minimum 115 HP track type tractor	\$ _____
_____	Wide track 26" minimum	\$ _____
_____	Wide track dozer blade, PAT	\$ _____
_____	Cab with air conditioning	\$ _____
_____	Winch	\$ _____
_____	Cab mounted lights	\$ _____
_____	Cab mounted sweeps	\$ _____
_____	Canopy mounted lights	\$ _____
_____	Canopy mounted sweeps	\$ _____
_____	Canopy rear screen	\$ _____
_____	Cab rear screen	\$ _____
_____	Draw bar	\$ _____
_____	Heavy duty grille	\$ _____
_____	Radiator sandblast grid	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____

**Specification #61 90 HP TRACK TYPE CANOPY TRACTOR**  
**(Standard Track - Wide Track Optional)**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Optional equipment - specify	\$ _____
_____	5 year/7500 extended powertrain warranty	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #62 - REGENERATIVE AIR STREET SWEEPER**

2008 Elgin Crosswind (J Plus)

2008 Schwarze A7000

2008 Tymco 600

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

**1. CAB & CHASSIS:**

a. Engine:

1. 6 cylinder diesel, 200 HP minimum.

b. Transmission:

1. Allison 2000 series, 5-speed automatic

c. Engine Equipment:

1. Alternator: 12 volt 130 amp
2. Fuel water separator
3. Spin-on filters

d. Cab:

1. Cab over, steel cab, with rust preventative coating
2. Dual operating position type cab to include: steering, controls, etc for sweeping from either side
3. Rubber floor mats
4. Air ride suspension seats, both sides
5. Pressurized cab with heat and air conditioning
6. Instrumentation for truck - oil pressure, water temperature, voltmeter gauges
7. Instrumentation for sweeper – tachometer, houmeter, oil pressure, coolant temperature gauges

e. Frame:

1. Rail type 110,000 psi 17.21 section modulus
2. Wheelbase - 152"
3. Front steel bumper
4. Fuel tank - 50 gallon

f. Safety:

1. West coast mirrors with lower mounted convex mirrors.
2. Intermittent windshield wipers
3. Daytime running lights
4. Backup alarm
5. Auto shutdown system for sweeper power plant

g. Axles:

1. Front axle: 12,000 lb. GVW
2. Rear axle: 21,000 lb. GVW
3. Single-speed rear axle
4. 22.5 x 8.25 steel wheels - disc type
5. 11R x 22.5 14 ply tires

h. Brakes:

1. Antilock brakes
2. Front - 15 x 4 drum

3. Rear - 16.5 x 7 drum
4. Automatic slack adjusters - front and rear
5. Air dryer

## 2. MOUNTED SWEEPER BODY:

- a. Engine:
  1. 4 cylinder turbocharged diesel 115 HP
  2. Spin-on oil filter
  3. Dual element air cleaner
  4. Alternator - 12 volt 95 amp
- b. Blower:
  1. Direct belt drive
  2. Blower rating - 20,000 cfm
  3. Blower housing construction of abrasion resistant steel
  4. Blower housing rubber lined
- c. Pickup Head:
  1. 90" OD
  2. Hose size – 14" pressure, 12" suction
  3. Hydraulically raised and lowered
- d. Side Brooms:
  1. Right and left side gutter brooms
  2. Hydraulically raised and lowered
  3. 42" diameter - segment type
  4. Adjustable downward pressure
- e. Sweeper Body:
  1. 7 yd. volume metric capacity
  2. 50 degree dump angle or raker bar
  3. Centrifical dust separator
  4. Hopper dump door to hydraulically open/close, lock and unlock
  5. Hopper screen - hinged, quick release
- f. Hydraulic System:
  1. Hydraulic pump capacity - 7.7 gpm at 2500 rpm
  2. Direct drive hydraulic pump
  3. Reservoir - 23 gal.
  4. Spin-on 10 micron hydraulic filter
- g. Water Spray Dust Control System:
  1. Water tank construction - polyethylene
  2. 220 gallon capacity
  3. Fill hose - 16' long
  4. Diaphragm pump type with run dry capability
  5. Pump capacity - 5 gpm
  6. Pump pressure - 25 psi
  7. 7 spray nozzles, 4" pickup head, 1" suction tube - 2 on each side of broom
  8. Filter - 80 mesh cleanable

## 3. CONDITIONS

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc. **DO NOT** remove window price sticker or supplied line sheet.

**Specification #62 REGENERATIVE AIR STREET SWEEPER**

Unit Price Per Base	Western District \$ _____ /ea.
	Northern District \$ _____ /ea.
	Central District \$ _____ /ea.
	Southern District \$ _____ /ea.

Brand Name:

Elgin Crosswind (J Plus)

Schwarze A7000

Tymco 600

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #62 REGENERATIVE AIR STREET SWEEPER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Delete dual operator controls	\$ _____
_____	Conventional Chassis in lieu of Cabover Chassis	\$ _____
_____	Single Left Hand Steering in lieu of Dual Steering	\$ _____
_____	Single Gutter Broom in lieu of Dual Gutter Brooms	\$ _____
_____	Amber Strobe Light (Cab Mounted with Limb Guard)	\$ _____
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____
_____	Downgrade - specify	\$ _____
_____	Alternative cabover chassis - specify	\$ _____
_____	Alternative cabover chassis - specify	\$ _____
_____	Alternative cabover chassis - specify	\$ _____

**Specification #62 REGENERATIVE AIR STREET SWEEPER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade option - specify	\$ _____
_____	Upgrade option - specify	\$ _____
_____	Upgrade option - specify	\$ _____
_____	2-speed rear axle	\$ _____
_____	Warning beacons	\$ _____
_____	Amber strobe light (additional)	\$ _____
_____	Rear flood lights	\$ _____
_____	Light guards	\$ _____
_____	Wandering hose	\$ _____
_____	Caster wheels for pickup head	\$ _____
_____	Automatic lubrication system	\$ _____
_____	Hopper lining	\$ _____
_____	Stainless steel hopper	\$ _____
_____	High dump hopper assembly mounted on conventional chassis	\$ _____
_____	Broom in pickup head	\$ _____
_____	High pressure washdown	\$ _____
_____	Abrasion protection package	\$ _____
_____	Air purge	\$ _____
_____	Auxiliary fuse panel; 12VDC fused power source panel for additional electrical components	\$ _____
_____	Auxiliary hand hose - eight inch diameter, 10 foot long hose with 52 inch nozzle	\$ _____
_____	Auxiliary hand hose with hydraulic boom assist (includes auxiliary hydraulic system)	\$ _____



**Specification #62 REGENERATIVE AIR STREET SWEEPER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Auxiliary hydraulic system	\$ _____
_____	Dustless filtration system	\$ _____
_____	Arrowstick	\$ _____
_____	Reverse pick-up head chains	\$ _____
_____	Magnet assembly: 84" magnet, electromechanically activated (2-10 inch adjustment)	\$ _____
_____	Linear actuator - pressure bleeder	\$ _____
_____	Lateral air flow nozzle	\$ _____
_____	Hopper screen vibrator - pneumatic	\$ _____
_____	Hopper screen stainless (exchange)	\$ _____
_____	Hopper screen-chip seal/milling hopper screen	\$ _____
_____	Hopper load indicators	\$ _____
_____	Hopper drain system	\$ _____
_____	Hopper deluge system	\$ _____
_____	High capacity dust separator	\$ _____
_____	Hi/low pressure washdown system	\$ _____
_____	Gutter broom tilt adjuster	\$ _____
_____	Gutter broom - drop down (requires gutter broom tilt adjuster) each	\$ _____
_____	Extra water capacity - 440 gallons total (requires cabover chassis)	\$ _____
_____	Dump switch in cab	\$ _____
_____	Broom assist pick-up head (BAH)	\$ _____
_____	Alternative cabover chassis - specify	\$ _____

**Specification #62 REGENERATIVE AIR STREET SWEEPER**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Alternative cabover chassis - specify	\$ _____
_____	Alternative cabover chassis - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specity	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

**FLORIDA SHERIFFS ASSOCIATION,  
FLORIDA ASSOCIATION OF COUNTIES &  
FLORIDA FIRE CHIEFS' ASSOCIATION**

**SPECIFICATION #63 - 125KW GENERATOR PACKAGE**

2008 Caterpillar DP125  
2008 Trade Winds TJ125  
2008 Wacker G160

**NOTE: PLEASE CONSULT YOUR AWARDED VENDOR BEFORE PLACING YOUR ORDER.**

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. GENERATOR REQUIREMENTS:

- a. Standby duty rated at 125.0 EKW, 156.3 KVA, 8 power factor.
- b. 3 phase, 60 hertz, 1800 rpm
- c. Directly connected to the engine flywheel housing with flex coupling.
- d. Generator shall meet performance class G3 of IEC.
- e. Unit shall be in compliant to UL 2200 standards.

2. ENGINE:

- a. Water cooled diesel engine, sized for generator set.
- b. Emission compliant engine.

3. CONTROLS:

- a. Solid state, microprocessor based generator controls.
- b. Controls shall provide all operating, monitoring and control functions for generator set.

4. ENCLOSURE/SILENCER:

- a. Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure.
- b. Critical grade silencer.
- c. Companion flanges.
- d. Flexible stainless steel exhaust.

5. FUEL TANK:

- a. Double wall sub-base tank integral to enclosure.
- b. 24 hour capacity.
- c. Rupture basin with 110% capacity.
- d. Locking fuel caps.
- e. Mechanical fuel level gauge.
- f. Low fuel level alarm contact.
- g. Fuel tank rupture alarm contact.
- h. Must meet UL 142 and FDEP standards.

6. BATTERY CHARGER:

- a. Current limiting battery charger to automatically charge batteries.
- b. Charger shall be dual charge rate with automatic switching to boost rate when required.

c. Charger shall be mounted on genset package.

7. START UP AND TESTING:

a. Vendor must coordinate all start up and testing activities with the engineer and owner. After installation is completed by others and normal power is available, the vendor must perform a one (1) day start-up including the use of building load. The start-up technician will instruct all necessary personnel how to operate and maintain the equipment in accordance to the manufacturer's requirements.

8. CONDITIONS:

- a. In addition to equipment specified, each generator shall be equipped with all standard equipment as specified by the manufacture for this model and shall include but not be limited to the following necessary items:
1. Initial filling of oil and antifreeze.
  2. Shrink wrap applied to the product to ensure a clean finish.
  3. During the start-up, the technician shall record the following information and provide to the owner for his records:
    - i. Record Operating Voltage, Hz, Ph, and connected load (Amperage)
    - ii. Package information consisting of Make of generator (Cat, Wacker, or Tradewinds), Model (TJ125 TP20, DP125, etc.), Serial number of complete package, and Start-up date.
    - iii. Record engine and generator serial numbers.
  4. One complete set of operation and maintenance manuals.
  5. Two (2) year or 1500 hour standard standby generator warranty. Labor, materials, and travel for the warranty period repair will be paid by manufacturer during normal business hours.

**Specification #63 125KW GENERATOR PACKAGE**

Unit Price Per Base                                  Western District \$ \_\_\_\_\_ /ea.  
   Northern District \$ \_\_\_\_\_ /ea.  
   Central District \$ \_\_\_\_\_ /ea.  
   Southern District \$ \_\_\_\_\_ /ea.

Brand Name:                                   Caterpillar DP125  
    Trade Winds TJ125  
    Wacker G160

SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED

BIDDERS MUST ATTACH A MANUFACTURER’S PRINT-OUT (CHRYSLER – “DIAL SYSTEM”; FORD – “DORA”; GENERAL MOTORS – “GM AUTOBOOK”; OR APPROVED EQUIVALENT) TO VERIFY THE VEHICLE BID MEETS ALL THE REQUIREMENTS OF THIS SPECIFICATION. ALSO, ANY DEALER INSTALLED AFTERMARKET COMPONENTS, IF SPECIFIED, MUST BE NOTED ON THE MANUFACTURER’S PRINT-OUT. ALL ENCLOSED CONDITIONS AND REQUIREMENTS SHALL APPLY.

**INSERT MANUFACTUTER'S PRINT-OUT  
DIRECTLY AFTER PROPOSAL PRICE PAGE  
FOR EACH SPECIFICATION**

**Specification #63 125KW GENERATOR PACKAGE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Delete options</b>	<b>Credit</b>
_____	Downgrade generator package to 20kwe	\$ _____
_____	Downgrade generator package to 45kwe	\$ _____
_____	Downgrade generator package to 60kwe	\$ _____
_____	Downgrade generator package to 75kwe	\$ _____
_____	Downgrade generator package to 100kwe	\$ _____
_____	Delete option - specify	\$ _____
_____	Delete option - specify	\$ _____
_____	Delete option - specify	\$ _____
_____	Delete option - specify	\$ _____
_____	Delete option - specify	\$ _____

**Specification #63 125KW GENERATOR PACKAGE**

**SPECIFICATIONS THAT MAY BE DELETED/ADDED, ORDER CODE, DESCRIPTION AND PRICE**

**LEGEND FOR  
DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:  
**Std.** = Manufacturer's standard equip.  
**Incl.** = included with base specs.  
**NC** = no additional charge  
**NA** = not applicable to the vehicle

**SUBMIT SEPARATE SHEETS FOR EACH BRAND AND MODEL OFFERED**

<b>Order code</b>	<b>Add options</b>	<b>Price</b>
_____	Upgrade generator package to 150kwe	\$ _____
_____	Upgrade generator package to 205kwe	\$ _____
_____	Upgrade generator package to 250kwe	\$ _____
_____	Upgrade - specify	\$ _____
_____	Upgrade - specify	\$ _____
_____	Upgrade- specify	\$ _____
_____	Upgrade - specify	\$ _____
_____	Upgrade - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Optional equipment - specify	\$ _____
_____	Warranty - Specify	\$ _____
_____	Warranty - Specify	\$ _____
% Discount	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. (The discount is applied to the manufacturer's current published retail prices.)	\$ _____

# **BID CALENDAR**

## **BID 07-15-0827**

<b>Vehicle Workshop &amp; Training Session</b> Marion County Sheriffs Office 692 N.W. 30th Avenue Ocala, Florida 34475	June 26-27, 2007 9:00 a.m. EDT
<b>Vehicle Bid Award System open for testing</b>	July 5 – Aug. 3, 2007
<b>Pre-Bid Conference</b> Marion County Sheriffs Office 692 N.W. 30th Avenue Ocala, Florida 34475	August 2, 2007 8:30 a.m. EDT
<b>Live Bids to be entered into System</b>	August 6, 2007 8:00 a.m. EDT
<b>Deadline to submit bid response</b>	August 27, 2007 12:00 noon EDT
<b>Deadline to submit required documents</b>	August 28, 2007 5:00 p.m. EDT
<b>Viewing of bid tabulation results</b> (This is <b>NOT</b> notice of intended award)	August 28, 2007 8:00 a.m. EDT
<b>Posting of Notice of Intended Award</b>	September 4, 2007 8:00 a.m. EDT
<b>Car Evaluation Conference &amp; Technicians Training</b> Plaza Resort & Spa - Daytona Beach	September 25-28, 2007



## **AUTOMOTIVE MANUFACTURER'S EXTENDED VEHICLE WARRANTY**

The extended vehicle warranty shall continue beyond the standard vehicle warranty coverage. This warranty shall cover parts and labor for all components and their associated parts listed below for the time and mileage specified on the extended warranty submitted with the bid with a no cost (\$0) deductible per repair visit. Service shall be available at all manufacturer's dealerships throughout the State of Florida.

When the vehicle is sold by the Registered Purchaser, any remaining warranty shall be transferable to the second owner, after payment of the standard warranty transfer fee.

Warranty Transfer Fee: \$ \_\_\_\_\_

### COMPONENTS COVERED:

1. ENGINE:
  - a. All internal lubricated parts
  - b. Cylinder block and heads
  - c. Diesel injector pump
  - d. Factory installed turbocharger or supercharger units
  - e. Flywheel
  - f. Fuel pump
  - g. Gas fuel injectors and lines
  - h. Harmonic balance and bolt
  - i. Manifolds
  - j. Oil pan and oil pump
  - k. Seals and gaskets
  - l. Thermostat
  - m. Thermostat housing and gasket
  - n. Timing chain cover
  - o. Timing gears and chain or belt
  - p. Valve covers
  - r. Water pump
  
2. TRANSMISSION:
  - a. All internal parts
  - b. Seals and gaskets
  - c. Torque converter
  - d. Transfer case
  - e. Transmission case
  
3. ELECTRICAL:
  - a. Alternator
  - b. Electrical ignition module
  - c. Heated backglass (electrical only – not glass damage or breakage)
  - d. Manually operated switches
  - e. Radiator fan relay
  - f. Starter motor
  - g. Voltage regulator
  - h. Wiper motors
  - i. Wiring (excluding spark plug wires)
  - j. Wiring harnesses

Agent's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Automotive Manufacturer's EVW (Continued)**

4. FRONT-WHEEL DRIVE:
  - a. Axle shafts
  - b. Final drive housing and internal parts
  - c. Front wheel bearings
  - d. Locking rings and automatic front locking hubs (four wheel drive vehicles)
  - e. Universal and constant velocity joints
  
5. FRONT SUSPENSION:
  - a. Control arm shafts and bushings
  - b. King pins and bushings
  - c. Linkage and bushings
  - d. MacPherson struts (front or rear)
  - e. Spindle and spindle supports
  - f. Stabilizer bar
  - g. Tie rods
  - h. Upper and lower ball joints
  - i. Upper and lower control arms
  
6. REAR-WHEEL DRIVE:
  - a. Axle shafts and drive shaft
  - b. Drive axle housing and internal parts
  - c. Front and rear wheel bearings
  - d. Retainers
  - e. Seals and gaskets
  - f. Universal and constant velocity joints
  
7. STEERING:
  - a. Control valve and cylinder
  - b. Cooler and lines
  - c. Couplings
  - d. Linkages
  - e. Manual and power steering gear housing (and all internal parts)
  - f. Power steering pump
  - g. Seals and gaskets
  
8. AIR CONDITIONING:
  - a. Clutch and clutch bearing
  - b. Compressor and compressor seals
  - c. Condenser
  - d. Evaporator
  - e. Field coil
  - f. Pulley
  
9. BRAKES:
  - a. All lines and fittings
  - b. Backing plates
  - c. Brake booster
  - d. Calipers and wheel cylinders
  - e. Clips and retainers
  - f. Combination valve
  - g. Master cylinder
  - h. Parking brake linkage and cables
  - i. Self adjusters
  - j. Springs

**PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES,  
TRUCKS & VANS, & OTHER FLEET EQUIPMENT  
BID NO. 07-15-0827**

The undersigned bidder declares that he understands all requirements and states that as a serious bidder he will comply with all of the stipulations included in the bid package.

The undersigned as bidder further declares that no other persons other than the bidder herein named has any interest in this proposal or in the contract to be taken, and that it is made without any connection with any other person or persons making proposal for the same article, and is in all respects fair and without collusion or fraud.

The undersigned further declares that he has carefully examined the specifications and is thoroughly familiar with its provisions and with the quality, type and grade of materials called for.

The undersigned further declares that he proposes to furnish the articles called for within the specified time in this proposal for the price stated on the bid form, and guarantees that parts and service for the articles listed below are available within the State of Florida, to wit:

CHECK THE APPLICABLE BOX:  INDIVIDUAL  PARTNERSHIP  CORPORATION

FEDERAL IDENTIFICATION NUMBER: \_\_\_\_\_

(PLEASE PRINT)

FIRM NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_

STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

RESPECTFULLY SUBMITTED,

BY: \_\_\_\_\_  
(AUTHORIZED AGENT'S SIGNATURE)

\_\_\_\_\_  
(AUTHORIZED AGENT'S PRINTED NAME)

OFFICERS OF CORPORATION OR MEMBERS OF PARTNERSHIP:

NAME	TITLE	ADDRESS
------	-------	---------

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_